

IEC 60958-3

Edition 3.2 2015-06

CONSOLIDATED VERSION



Digital audio interface – Part 3: Consumer applications





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC

copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information. IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé CH-1211 Geneva 20 Switzerland	Fax: +41 22 919 03 00 info@iec.ch www.iec.ch	
IEC Central Office	Tel.: +41 22 919 02 11	

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 60958-3

Edition 3.2 2015-06

CONSOLIDATED



Digital audio interface – Part 3: Consumer applications

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.160.01

Warning! Make sure that you obtained this publication from an authorized distributor.

this document is a preview demendence of the document is a preview demendence of the document of the document





Edition 3.2 2015-06



CONTENTS

FO	REWO	DRD	
INTRODUCTION to Amendment 1			
INT	INTRODUCTION to Amendment 2		
1	Scop	e8	
2	Norm	ative references	
3	Term	s and definitions	
4	Interf	ace format	
5	Chan	inel status9	
	5.1	General	
	5.2	Application	
	5.3	Copyright management guidelines for consumer application of the digital audio interface	
6	User	data	
	6.1	General	
	6.2	Application	
	6.3	Information for synchronization	
A		(normative). Application of the divital cudic interface, in the compact disc	
		(normative) Application of the digital audio interface in the compact disc dio system	
		(normative) Application of the digital interface in the 2-channel PCM decoder	
Anr tap	nex C e reco	(normative) Application of the digital interface in the 2-channel digital audio	
Anr	nex D	(normative) Application of the digital interface in laser optical digital audio for which no other category code is defined35	
Anr	nex E	(normative) Application of the digital interface in a digital audio mixer in the r mode	
		(normative) Application of the digital interface with a sampling rate converter	
		(normative) Application of the digital interface with a digital sound sampler	
		(normative) Application of the digital interface in a digital broadcast receiver n the consumer mode	
Anr	nex J ((normative) Application of the digital interface in a digital broadcast receiver in the consumer mode	
		(normative) Application of the digital interface in a digital broadcast receiver the consumer mode	
Anr	nex L	(normative) Application of the digital interface for electronic software delivery nsumer mode	
Anr sys	nex M tem in	(normative) Application of the digital interface in the digital compact cassette the consumer mode	
Anr	nex N	(normative) Application of the digital interface in the mini-disc system in the r mode	
Anr	nex O	(normative) Application of the digital interface in a digital sound processor in umer mode	
		(normative) Application of the digital interface in the digital versatile disc DVD) in the consumer mode50	

IEC 60958-3:2006 – 3 – +AMD1:2009+AMD2:2015 CSV © IEC 2015	
Annex Q (informative) Use of original sampling frequency, sampling frequency and clock accuracy	51
Annex R (normative) Application of the digital interface in magnetic disc digital audio systems in the consumer mode	53
Annex S (normative) Explanations of category code implementation	54
Annex T (informative) Application of the digital audio interface for synchronization of audio, video and multi-media equipments	59
Annex U (normative) MPEG Surround over PCM	65
Bibliography	67
Figure 1 – Example of message structure using information units	21
Figure 2 – First UI contents	22
Figure 3 – Second UI contents	22
Figure 4 – Third UI contents	23
Figure 5 – User information	23
Figure 6 – SMPTE time code information	24
Figure 7 – LTC information alignment	24
Figure 8 – VITC information alignment	25
Figure 9 – Latency information	25
Figure 10 – Latency information alignment	26
Figure 11 – Loudness information	26
Figure 12 – Loudness information alignment	27
Figure C.1 – Example of different combinations of start-ID and shortening-ID	34
Figure M.1 – Marker mode	43
Figure M.2 – Extended mode	44
Figure Q.1 – Player and interface model	51
Figure S.1 – Multi-media player	54
Figure S.2 – Home-recorded medium player	55
Figure S.3 – Direct monitoring	
Figure S.4 – Monitoring after recording	
Figure S.5 – Integrated product	56
Figure S.6 – Digital/digital converter	
Figure S.7 – Integrated product including digital/digital converter	
Figure S.8 – Integrated product including magnetic disc recorder	
Figure T.1 – Lip-sync system model	
Figure T.2 – Lip-sync compensation	
Figure T.3 – Time-code transmission	
Figure T.4 – Latency parameter transmission	
Figure T.5 – Latency parameter transmission with TLv	
Figure T.6 – Example of latency parameter transmission	
Figure T.7 – Another example for solving lip-sync problems	
Figure U.1 – Relation between MPEG Surround buried data frame and IEC 60958-3	
frame	65

- 4 - IEC 60958-3:2006 +AMD1:2009+AMD2:2015 CSV © IEC 2015
Table 1– Channel status general format for consumer use 10
Table 2 – Mode 0 channel status format for consumer use 12
Table 3 – Category code groups 17
Table 4 – Category code groups for laser optical products 18
Table 5 – Category code groups for digital/digital converter and signal-processing products 18
Table 6 – Category code groups for magnetic tape or magnetic disc based products 18
Table 7 – Category code groups for broadcast reception of digitally encoded audiowith/without video signals19
Table 8 – Category code groups for musical instruments, microphones and othersources that create original sound19
Table 9 – Category code groups for A/D converters for analogue signals without copyright information 19
Table 10 – Category code groups for A/D converters for analogue signals with copyright information
Table 11 – Category code groups for solid state memory based products 20
Table A.1 – Example of 2-channel compact disc format 29
Table C.1 – Use of Cp-bit, L-bit and category code for DAT 31
Table C.2 – User data application in the DAT system
Table M.1 – Layout of message number "000000"44
Table M.2 – Deck status codes 45
Table M.3 – ITTS packet extended message example46
Table Q.1 – Term definitions 51
Table Q.2 – Cases
Table Q.3 – Example 52

INTERNATIONAL ELECTROTECHNICAL COMMISSION

	DIGITAL AUDIO INTERFACE –
	Part 3: Consumer applications
	FOREWORD
)	The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications

- this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and nongovernmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

1

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 60958-3 bears the edition number 3.2. It consists of the third edition (2006-05) [documents 100/1009/CDV and 100/1070/RVC], its amendment 1 (2009-10) [documents 100/1513/CDV and 100/1592/RVC] and its amendment 2 (2015-06) [documents 100/2464/FDIS and 100/2494/RVD]. The technical content is identical to the base edition and its amendments.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions and deletions are displayed in red, with deletions being struck through. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 60958-3 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

This edition includes the following significant technical changes with respect to the previous edition.

 Electrical and optical requirements are removed from IEC 60958-3; they should be specified in IEC 60958-1. The third edition of IEC 60958-1 will include these.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60958 series, under the general title *Digital audio interface*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

IEC 60958-3:2006 - 7 -+AMD1:2009+AMD2:2015 CSV © IEC 2015

INTRODUCTION to Amendment 1

The revision of IEC 60958-3 (2006) has become necessary to transmit the audio signal and its information of the current improved audio formats and systems. The revised items apply to the small parts of IEC 60958-3.

Additional sampling frequencies have been defined for the use of audio transmission of IEC 60958 conformant data format for the new formats of the IEC 61937 series.

CGMS-A validity is added to clarify the use of CGMS-A information.

The identification of the embedded MPEG Surround information to LPCM and its normative Annex U are added.

Table 2 includes the new additions and Table 3 has been clarified.

INTRODUCTION to Amendment 2

The revision of IEC 60958-3:2006 has become necessary to document the protocol for transmitting the audio signal and its information in current improved audio formats and systems.

To apply IEC 60958-3 and its IEC 60958 conformant data format transmitting as part or whole of the multichannel audio data, a general channel assignment number specified in IEC 62574 is added to the C-bit.

Loudness information is added to the U-bit to enable loudness control.

DIGITAL AUDIO INTERFACE -

Part 3: Consumer applications



1 Scope

This part of IEC 60958 specifies the consumer application of the interface for the interconnection of digital audio equipment defined in IEC 60958-1.

NOTE When used in a consumer digital processing environment, the interface is primarily intended to carry stereophonic programmes, with a resolution of up to 20 bits per sample, an extension to 24 bits per sample being possible.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60841:1988, Audio recording – PCM encoder/decoder system

IEC 60908:1999, Audio recording – Compact disc digital audio system

IEC 60958-1:2004, Digital audio interface – Part 1: General

IEC 61119-1:1992, Digital audio tape cassette system (DAT) – Part 1: Dimensions and characteristics

IEC 61119-6:1992, Digital audio tape cassette system (DAT) – Part 6: Serial copy management system

IEC 62574:2011, Audio, video and multimedia systems – General channel assignment of multichannel audio

IEEE 1394:2004, IEEE standard for high-performance serial bus bridges

ISO/IEC 23003-1, Information technology – MPEG audio technologies – Part 1: MPEG Surround

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60958-1 apply.

4 Interface format

The interface format as defined in IEC 60958-1 shall be used.

Unless otherwise specified in the annexes, the following specification is applicable.

- Audio sample word has a length of 20 bits/sample. The auxiliary sample bits are an optional expansion of the audio sample, if not used = "0".
- User data is not used, all bits = "0".