

**Korstnad. Nõuded ja katsemeetodid metallkorstnatele ja õhuvarustuskanalite materjalidele ruumivälise õhuvarustusega küttesüsteemide puhul. Osa 2: Ruumivälise õhuvarustusega kütteeadmete lõõrid ja õhuvarustuskanalid**

Chimneys - Requirements and test methods for metal chimneys and material independent air supply ducts for room sealed heating applications - Part 2: Flue and air supply ducts for room sealed appliances

**EESTI STANDARDI EESSÕNA****NATIONAL FOREWORD**

Käesolev Eesti standard EVS-EN 14989-2:2008 sisaldb Euroopa standardi EN 14989-2:2007 ingliskeelset teksti.	This Estonian standard EVS-EN 14989-2:2008 consists of the English text of the European standard EN 14989-2:2007.
Standard on kinnitatud Eesti Standardikeskuse 28.01.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.	This standard is ratified with the order of Estonian Centre for Standardisation dated 28.01.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.
Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kätesaadavaks tegemise kuupäev on 12.12.2007.	Date of Availability of the European standard text 12.12.2007.
Standard on kätesaadav Eesti standardiorganisatsionist.	The standard is available from Estonian standardisation organisation.

**ICS** 91.060.40, 91.140.30

**Võtmesõnad:**

<b>Standardite reproduutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele</b> Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.  Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; <a href="http://www.evs.ee">www.evs.ee</a> ; Telefon: 605 5050; E-post: <a href="mailto:info@evs.ee">info@evs.ee</a>
--

**EUROPEAN STANDARD**  
**NORME EUROPÉENNE**  
**EUROPÄISCHE NORM**

**EN 14989-2**

December 2007

ICS 91.060.40; 91.140.30

English Version

**Chimneys - Requirements and test methods for metal chimneys  
and material independent air supply ducts for roomsealed  
heating applications - Part 2: Flue and air supply ducts for room  
sealed appliances**

Conduits de fumée - Exigences et méthodes d'essai pour  
conduits de fumée métalliques et conduits d'alimentation  
en air pour tous matériaux pour des appareils de chauffage  
étanches - Partie 2: Conduits de fumée et d'alimentation en  
air pour appareils étanches

Abgasanlagen - Anforderungen und Prüfverfahren für  
Metall-Abgasanlagen und materialunabhängige  
Luftleitungen für raumluftruhige Anlagen - Teil 2:  
Abgas- und Luftleitungen für raumluftruhige  
Feuerstätten

This European Standard was approved by CEN on 10 November 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

## Contents

	Page
<b>Foreword.....</b>	<b>5</b>
<b>Introduction .....</b>	<b>6</b>
<b>1 Scope .....</b>	<b>7</b>
<b>2 Normative references .....</b>	<b>7</b>
<b>3 Terms and definitions .....</b>	<b>7</b>
<b>4 Symbols and abbreviations .....</b>	<b>8</b>
<b>5 Manufacturer's declaration for type testing.....</b>	<b>11</b>
<b>6 Dimensions and tolerances .....</b>	<b>11</b>
<b>7 Performance requirements .....</b>	<b>11</b>
<b>7.1 General.....</b>	<b>11</b>
<b>7.2 Mechanical resistance and stability.....</b>	<b>11</b>
<b>7.2.1 Compressive strength.....</b>	<b>11</b>
<b>7.2.2 Tensile strength .....</b>	<b>12</b>
<b>7.2.3 Lateral strength.....</b>	<b>12</b>
<b>7.3 Resistance to fire .....</b>	<b>12</b>
<b>7.3.1 Internal to external.....</b>	<b>12</b>
<b>7.3.2 External to external.....</b>	<b>12</b>
<b>7.4 Hygiene, health and environment .....</b>	<b>12</b>
<b>7.4.1 Gastightness of the flue duct .....</b>	<b>12</b>
<b>7.4.2 Gastightness of the air supply duct.....</b>	<b>13</b>
<b>7.5 Safety in use .....</b>	<b>13</b>
<b>7.5.1 Thermal performance .....</b>	<b>13</b>
<b>7.5.2 Thermal resistance .....</b>	<b>14</b>
<b>7.5.3 Rainwater ingress .....</b>	<b>14</b>
<b>7.5.4 Flow resistance of the flue and air supply ducts and fittings.....</b>	<b>14</b>
<b>7.5.5 Water vapour diffusion resistance.....</b>	<b>15</b>
<b>7.5.6 Condensate penetration resistance.....</b>	<b>15</b>
<b>7.6 Materials .....</b>	<b>15</b>
<b>7.6.1 Flue ducts and other parts in contact with combustion products .....</b>	<b>15</b>
<b>7.6.2 Air supply duct and other parts not in contact with combustion products .....</b>	<b>16</b>
<b>7.6.3 Additional information on plastics and elastomers .....</b>	<b>16</b>
<b>7.6.4 Freeze/thaw .....</b>	<b>16</b>
<b>8 Product information.....</b>	<b>16</b>
<b>8.1 Manufacturer's instructions.....</b>	<b>16</b>
<b>8.2 Minimum information to be included in the manufacturer's instructions .....</b>	<b>16</b>
<b>8.3 Appliance adapter.....</b>	<b>17</b>
<b>9 Marking .....</b>	<b>17</b>
<b>9.1 General.....</b>	<b>17</b>
<b>9.2 Flue and air supply duct .....</b>	<b>17</b>
<b>9.3 Packaging .....</b>	<b>18</b>
<b>9.4 Chimney plate .....</b>	<b>18</b>
<b>10 Designation .....</b>	<b>19</b>
<b>10.1 General.....</b>	<b>19</b>
<b>10.2 Temperature classes and test temperature .....</b>	<b>19</b>
<b>10.3 Pressure class.....</b>	<b>20</b>
<b>10.4 Condensate resistance class .....</b>	<b>20</b>

<b>10.5</b>	<b>Corrosion resistance.....</b>	<b>20</b>
<b>10.5.1</b>	<b>Corrosion resistance.....</b>	<b>20</b>
<b>10.5.2</b>	<b>Flue duct material specification.....</b>	<b>21</b>
<b>10.6</b>	<b>Resistance to fire – Soot fire resistance, and distance to combustible material .....</b>	<b>21</b>
<b>11</b>	<b>Evaluation of conformity .....</b>	<b>21</b>
<b>11.1</b>	<b>General .....</b>	<b>21</b>
<b>11.2</b>	<b>Type testing .....</b>	<b>22</b>
<b>11.2.1</b>	<b>Initial type testing (ITT) .....</b>	<b>22</b>
<b>11.2.2</b>	<b>Further type testing .....</b>	<b>22</b>
<b>11.2.3</b>	<b>Sampling for type testing .....</b>	<b>22</b>
<b>11.3</b>	<b>Factory production control (FPC).....</b>	<b>22</b>
<b>11.3.1</b>	<b>General .....</b>	<b>22</b>
<b>11.3.2</b>	<b>Equipment .....</b>	<b>24</b>
<b>11.3.3</b>	<b>Raw materials and components .....</b>	<b>24</b>
<b>11.3.4</b>	<b>Product testing and evaluation.....</b>	<b>24</b>
<b>11.3.5</b>	<b>Non conforming products .....</b>	<b>24</b>
<b>12</b>	<b>Test methods .....</b>	<b>24</b>
<b>12.1</b>	<b>Mechanical resistance and stability .....</b>	<b>24</b>
<b>12.1.1</b>	<b>Compressive strength.....</b>	<b>24</b>
<b>12.1.2</b>	<b>Tensile strength.....</b>	<b>26</b>
<b>12.1.3</b>	<b>Lateral strength .....</b>	<b>26</b>
<b>12.2</b>	<b>Hygiene, health and environment.....</b>	<b>28</b>
<b>12.2.1</b>	<b>Gastightness .....</b>	<b>28</b>
<b>12.3</b>	<b>Safety in use .....</b>	<b>29</b>
<b>12.3.1</b>	<b>Thermal performance.....</b>	<b>29</b>
<b>12.3.2</b>	<b>Thermal resistance.....</b>	<b>41</b>
<b>12.3.3</b>	<b>Rainwater ingress.....</b>	<b>48</b>
<b>12.3.4</b>	<b>Flow resistance of the flue and air supply ducts .....</b>	<b>50</b>
<b>12.3.5</b>	<b>Vapour and condensate resistance test .....</b>	<b>53</b>
<b>12.3.6</b>	<b>Condensate resistance test.....</b>	<b>56</b>
<b>12.4</b>	<b>Low temperature test .....</b>	<b>59</b>
<b>Annex A</b>	<b>(informative) Preferred dimensions .....</b>	<b>60</b>
<b>A.1</b>	<b>General .....</b>	<b>60</b>
<b>A.2</b>	<b>Dimensions of the push-in spigots for a separate air/flue configuration.....</b>	<b>60</b>
<b>A.3</b>	<b>Dimensions of the push-in spigots for a concentric air/flue configuration .....</b>	<b>62</b>
<b>Annex B</b>	<b>(normative) Coefficients of flow resistance .....</b>	<b>64</b>
<b>Annex C</b>	<b>(normative) Choice of size for type test and sampling .....</b>	<b>67</b>
<b>Annex D</b>	<b>(normative) Sampling for factory production control .....</b>	<b>68</b>
<b>D.1</b>	<b>Incoming material.....</b>	<b>68</b>
<b>D.1.1</b>	<b>Sampling plans .....</b>	<b>68</b>
<b>D.1.2</b>	<b>Acceptable quality level (AQL).....</b>	<b>68</b>
<b>D.1.3</b>	<b>Normal, tightened or reduced inspection .....</b>	<b>68</b>
<b>D.1.4</b>	<b>Single, double, multiple or sequential sampling.....</b>	<b>68</b>
<b>D.1.5</b>	<b>Batch quantity.....</b>	<b>68</b>
<b>D.1.6</b>	<b>The inspection level .....</b>	<b>68</b>
<b>D.2</b>	<b>In-process inspection .....</b>	<b>69</b>
<b>D.2.1</b>	<b>All dimensional aspects.....</b>	<b>69</b>
<b>D.2.2</b>	<b>Joint leakage tests .....</b>	<b>69</b>
<b>D.2.3</b>	<b>Insulation weight checks .....</b>	<b>69</b>
<b>D.2.4</b>	<b>Volume and density checks .....</b>	<b>69</b>
<b>D.2.5</b>	<b>Finished goods checks .....</b>	<b>69</b>
<b>Annex E</b>	<b>(normative) Factory production control.....</b>	<b>70</b>
<b>E.1</b>	<b>Insulation material.....</b>	<b>70</b>
<b>E.2</b>	<b>Metals, including coatings.....</b>	<b>70</b>
<b>E.3</b>	<b>Supports .....</b>	<b>70</b>
<b>E.4</b>	<b>Seals and sealants .....</b>	<b>70</b>

<b>E.5</b>	<b>Manufacturing checks .....</b>	<b>71</b>
<b>E.5.1</b>	<b>Dimensions.....</b>	<b>71</b>
<b>E.5.2</b>	<b>Other checks .....</b>	<b>71</b>
<b>Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive.....</b>		<b>72</b>
<b>ZA.1</b>	<b>Scope and relevant characteristics.....</b>	<b>72</b>
<b>ZA.2</b>	<b>Procedure for attestation of conformity of metal liners, connecting flue pipes and fittings flue and material independent air supply ducts for room sealed appliances .....</b>	<b>74</b>
<b>ZA.2.1</b>	<b>System of attestation of conformity .....</b>	<b>74</b>
<b>ZA.2.2</b>	<b>EC Declaration of conformity .....</b>	<b>75</b>
<b>ZA.3</b>	<b>CE marking and labelling .....</b>	<b>76</b>
<b>Bibliography .....</b>		<b>79</b>

## Foreword

This document (EN 14989-2:2007) has been prepared by Technical Committee CEN/TC 166 "Chimneys", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2008, and conflicting national standards shall be withdrawn at the latest by September 2009.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

*EN 14989 Chimneys — Requirements and test methods for metal chimneys and material independent air supply ducts for roomsealed heating applications* consists of the following parts:

*Part 1: Vertical air/flue terminals for C6-type appliances*

*Part 2: Flue and air supply ducts for room sealed appliances*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## Introduction

This European Standard covers flue and air supply ducts for room sealed appliances meaning the combination of chimney and air supply duct needed for the correct functioning of a room sealed appliance.

The requirements in this European Standard have been drawn up in connection with the widespread use of so-called room sealed appliances in which the combustion air supply duct and flue duct may be separate or as a concentric configuration.

The requirements for flue ducts for separate air/flue configurations are in EN 1856-1.

The requirements for terminals for room sealed appliances type C62 and C63 are covered by EN 14989-1.

## 1 Scope

This European Standard specifies requirements and test methods for metal flue ducts material independent air supply ducts for room sealed appliances.

It also specifies the requirements for marking, manufacturer's instruction, product information and evaluation of conformity.

NOTE 1 Recommendations for preferred dimensions of products are given in the informative Annex A.

NOTE 2 In this European Standard, only general requirements are specified for elastomeric and plastic components. Elastomeric and plastic products used in flue systems are covered by separate standards, i.e. EN 14241-1 and EN 14471.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1443:2003, *Chimneys — General requirements*

EN 1856-1:2003, *Chimneys — Requirements for metal chimneys — Part 1: System chimney products*

EN 1856-2:2004, *Chimneys — Requirements for metal chimneys — Part 2: Metal liners and connecting flue pipes*

EN 1859:2000, *Chimneys — Metal chimneys — Test methods*

EN 14241-1, *Chimneys — Elastomeric seals and elastomeric sealants — Material requirements and test methods — Part 1: Seals in flue liners*

EN 60529, *Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)*

ISO 2859-1, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

BS 1042-2.1, *Measurement of fluid flow in closed conduits — Velocity area method — Method using Pitot static tubes*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1443:2003, EN 1856-1:2003, EN 1856-2:2004, EN 1859:2000 and the following apply.

### 3.1

#### **air supply duct**

independent duct in a building or an integral part of an air/flue configuration conveying combustion air to a room sealed appliance

### 3.2

#### **concentric air/flue configuration**

configuration in which the chimney flue is fully surrounded by the air supply duct