

This document is a preview generated by EVS

Lamps for road vehicles - Performance requirements

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 60810:2015 sisaldab Euroopa standardi EN 60810:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 60810:2015 consists of the English text of the European standard EN 60810:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 06.03.2015.	Date of Availability of the European standard is 06.03.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.140.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Lamps for road vehicles - Performance requirements (IEC 60810:2014)

Lampes pour véhicules routiers - Exigences de performances
(IEC 60810:2014)

Lampen für Straßenfahrzeuge - Anforderungen an die Arbeitsweise
(IEC 60810:2014)

This European Standard was approved by CENELEC on 2015-01-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 34A/1797/FDIS, future edition 4 of IEC 60810, prepared by SC 34A "Lamps", of IEC/TC 34 "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60810:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-10-20
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-01-20

This document supersedes EN 60810:2003.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60810:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-2-20	NOTE	Harmonized as EN 60068-2-20.
IEC 60068-2-47	NOTE	Harmonized as EN 60068-2-47.
IEC 60682	NOTE	Harmonized as EN 60682.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050	series	International electrotechnical vocabulary	-	-
IEC 60061-1	-	Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 1: Lamp caps	EN 60061-1	-
IEC 60068-2-6	1995	Environmental testing - Part 2: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	1995
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-43	-	Environmental testing - Part 2-43: Tests - Test Kd: Hydrogen sulphide test for contacts and connections	EN 60068-2-43	-
IEC 60068-2-60	-	Environmental testing - Part 2: Tests - Test Ke: Flowing mixed gas corrosion test	EN 60068-2-60	-
IEC 60410	1973	Sampling plans and procedures for inspection by attributes	-	-
IEC 60809	2014	Lamps for road vehicles - Dimensional, electrical and luminous requirements	EN 60809	2015
CISPR 25	-	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	EN 55025	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
UNECE 1958 Agreement	-	Agreement concerning the adoption of uniform technical prescription for wheeled vehicles, equipment and parts which can be fitted and/or be used on wheeled vehicles and the conditions for reciprocal recognition of approvals granted on the basis of these prescriptions	-	-
UNECE 38	-	1958 Agreement, Addendum 37: Regulation No. 38: Uniform provisions concerning the approval of rear fog lamps for power-driven vehicles and their trailers	-	-
UNECE 48	-	1958 Agreement, Addendum 47: Regulation No. 48: Uniform provisions concerning the approval of vehicles with regard to the installation of lighting and light-signalling devices	-	-
UNECE 101	-	1958 Agreement, Addendum 100: Regulation No. 101: Uniform provisions concerning the approval of passenger cars powered by an internal combustion engine only, or powered by a hybrid electric power train with regard to the measurement of the emission of carbon dioxide and fuel consumption and/or the measurement of electric energy consumption and electric range, and of categories M ₁ and N ₁ vehicles powered by an electric power train only with regard to the measurement of electric energy consumption and electric range	-	-
UNECE 123	-	1958 Agreement, Addendum 122: Regulation No. 123: Uniform provisions concerning the approval of adaptive front lighting systems (AFS) for motor vehicles	-	-
UNECE 128	-	1958 Agreement, Addendum 127: Regulation No. 128: Uniform provisions concerning the approval of light emitting diode (LED) light sources for use in approved lamp units on power-driven vehicles and their trailers	-	-
JESD22-A100D	-	Cycled temperature humidity bias life test	-	-
JESD22-A101C	-	Steady-state temperature humidity bias life test	-	-
JESD22-A104D	-	Temperature cycling	-	-
JESD22-A105C	-	Power and temperature cycling	-	-
JESD22-A106B	-	Thermal shock	-	-
JESD22-A108D	-	Temperature, bias, and operating life	-	-
JESD22-A113F	-	Preconditioning of plastic surface mount devices prior to reliability testing	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
JESD22-A115C	-	Electrostatic discharge (ESD) sensitivity testing machine model (MM)	-	-
JESD22-B101B	-	External visual	-	-
JESD22-B103B	-	Vibration, variable frequency	-	-
JESD22-B106D	-	Resistance to solder shock for through-hole mounted devices	-	-
JESD22-B110B	-	Mechanical shock - Component and subassembly	-	-
JESD51-50	2012-04	Overview of methodologies for the thermal measurement of single- and multi-chip, single- and multi-pn-junction light-emitting diodes (LEDs)	-	-
JESD51-51	2012-04	Implementation of the electrical test method for the measurement of real thermal resistance and impedance of light-emitting diodes with exposed cooling surface	-	-
JESD51-52	2012-04	Guidelines for combining CIE 127-2007 total flux measurements with thermal measurements of LEDs with exposed cooling surface	-	-
JESD51-53	2012-05	Terms, definitions and units glossary for LED thermal testing	-	-
IPC/ECA J-STD-002C	-	Solderability tests for component leads, terminations, lugs, terminals and wires	-	-
ANSI/ESDA/JEDEC JS-001	2012	JEDEC/ESDA joint standard for electrostatic discharge sensitivity test - Human body model (HBM) - Component level	-	-

generated by EVS

CONTENTS

FOREWORD	7
1 Scope	9
2 Normative references	9
3 Terms and definitions	11
4 Requirements and test conditions for filament lamps	14
4.1 Basic function and interchangeability	14
4.2 Torsion strength	14
4.3 Characteristic life T	15
4.4 Life B3	15
4.5 Luminous flux maintenance	15
4.6 Resistance to vibration and shock	15
4.7 Glass-bulb strength	16
5 Filament lamp data	16
6 Requirements and test conditions for discharge lamps	19
6.1 Basic function and interchangeability	19
6.2 Mechanical strength	20
6.2.1 Bulb-to-cap connection	20
6.2.2 Cable-to-cap connection (if any)	20
6.3 Characteristic life T	20
6.4 Life B3	20
6.5 Luminous flux maintenance	20
6.6 Resistance to vibration and shock	20
6.7 Discharge lamps with integrated starting device	20
6.8 Discharge lamps with integrated starting device and integrated ballast	20
7 Requirements and test conditions for LED light sources	21
7.1 Basic function and interchangeability	21
7.2 UV radiation	22
7.3 Luminous flux and colour maintenance	22
7.4 Resistance to vibration and shock	23
7.5 Electromagnetic compatibility	23
7.6 Powered thermal cycling test	23
8 Requirements and test conditions for LED packages	25
8.1 LED package stress test qualification	25
8.2 Test samples	25
8.2.1 Lot requirements	25
8.2.2 Production requirements	25
8.2.3 Pre- and post-stress test requirements	26
8.2.4 Assembly of LED packages on test boards	26
8.2.5 Moisture pre-conditioning (MP)	26
8.2.6 Thermal resistance (TR) test	26
8.3 Definition of failure criteria	26
8.4 Choice between test conditions	27
8.5 Criteria for passing qualification/requalification	27
8.6 Qualification test definition	27
8.6.1 Pre- and post- electrical and photometric test	27

8.6.2	Pre- and post- external visual (EV) test	27
8.6.3	High temperature operating life (HTOL) test	27
8.6.4	Temperature cycling (TMCL) test	28
8.6.5	Wet high temperature operating life (WHTOL) test	28
8.6.6	Power temperature cycling (PTMCL) test	28
8.6.7	Electrostatic discharge, human body model (ESD-HBM) test	29
8.6.8	Electrostatic discharge, machine model (ESD-MM) test	29
8.6.9	Destructive physical analysis (DPA) test	29
8.6.10	Physical dimensions (PD) test	29
8.6.11	Vibrations variable frequency (VVF) test	29
8.6.12	Mechanical shock (MS) test	29
8.6.13	Resistance to soldering heat (RSH-TTW) test	29
8.6.14	Resistance to soldering heat (RSH-reflow) test	30
8.6.15	Solderability (SO) test	30
8.6.16	Thermal shock (TMSK) test	30
8.6.17	Hydrogen sulphide (H ₂ S) test	30
8.6.18	Pulsed operating life (PLT) test	30
8.6.19	Dew (DEW) test	31
8.6.20	Flowing mixed gas corrosion (FMGC) test	31
Annex A (normative) Life test conditions for filament lamps		32
A.1	Ageing	32
A.2	Test voltage	32
A.3	Operating position and operating conditions	32
A.4	Switching cycle	32
A.4.1	Single-filament lamps	32
A.4.2	Dual-filament lamps for headlamps	33
A.4.3	Dual-filament lamps for light signalling equipment	33
A.5	Luminous flux and colour maintenance	33
Annex B (normative) Vibration tests		34
B.1	General	34
B.2	Test conditions	35
B.2.1	General	35
B.2.2	Mounting (see IEC 60068-2-47)	35
B.2.3	Measuring points	35
B.2.4	Control point	35
B.2.5	Conditioning	35
B.2.6	Axis of vibration	35
B.2.7	WBR test – Basic motion	36
B.3	Test conditions	36
B.3.1	General	36
B.3.2	Narrowband random vibration tests	36
B.3.3	Wideband random vibration tests	37
Annex C (normative) Glass-bulb strength test		39
C.1	General	39
C.2	Test equipment and procedure	39
C.2.1	Principle of the test equipment (see Figure C.1)	39
C.2.2	Test conditions	39
C.2.3	Requirements for plates	40

C.3	Requirements	40
C.4	Evaluation.....	40
C.4.1	General	40
C.4.2	Assessment based on attributes	40
C.4.3	Assessment based on variables.....	41
Annex D	(normative) Life and luminous flux maintenance test conditions for discharge lamps.....	42
D.1	Ageing	42
D.2	Test circuit and test voltage	42
D.3	Burning position and operating conditions	42
D.4	Switching cycle	42
D.5	Luminous flux maintenance.....	43
Annex E	(normative) Bulb deflection test.....	44
E.1	General.....	44
E.2	Test set-up and procedure	44
E.3	Requirement	44
Annex F	(informative) Guidance for equipment design	45
F.1	Pinch temperature limit	45
F.2	Solder temperature limit.....	45
F.3	Maximum filament lamp outline	45
F.4	Maximum surge voltage	45
F.5	Recommended instructions for use and handling of halogen filament lamps.....	45
F.6	Recommended instructions for use and handling of discharge lamps	46
Annex G	(informative) Information for ballast design	51
Annex H	(informative) Symbols	52
H.1	General.....	52
H.2	Symbol indicating that lamps operate at high temperatures.....	52
H.3	Symbol indicating that care should be taken to avoid touching the bulb.....	52
H.4	Symbol indicating that the use of protective gloves is advised.....	52
H.5	Symbol indicating that lamps with scratched or otherwise damaged bulbs should not be used.....	52
H.6	Symbol indicating that before handling, the lamp shall be switched off.....	52
H.7	Symbol indicating that the use of eye protection is advised	53
H.8	Symbol indicating that during operation, the lamp emits UV-radiation	53
H.9	Symbol indicating that the lamp shall be operated only in a luminaire with a protective shield.....	53
H.10	Symbol indicating dangerous voltage	53
Annex I	(normative) Luminous flux maintenance test conditions for LED light sources	54
I.1	Ageing	54
I.2	Test voltage	54
I.3	Operating conditions	54
I.3.1	Test rack	54
I.3.2	LED light sources with integrated thermal management	54
I.3.3	LED light sources with external thermal management	54
I.4	Switching cycle	55
I.4.1	Single-function LED light sources	55
I.4.2	Dual-function LED light sources for headlamps	55
I.4.3	Multiple-function LED light sources for light signalling equipment	55

I.5	Luminous flux maintenance measurements	56
I.6	Colour measurement.....	56
Annex J (normative)	Destructive physical analysis for LED packages	57
J.1	Description	57
J.2	Equipment	57
J.3	Procedure	57
J.4	Failure criteria.....	57
Annex K (informative)	Communication sheet LED package testing	58
Annex L (normative)	Re-testing matrix for LED package testing	61
Bibliography.....		62
Figure 1	– Examples of LED packages	12
Figure 2	– Example for an LED module without integrated heatsink	13
Figure 3	– Example for an LED module with integrated heatsink	13
Figure 4	– Example for a replaceable LED light source	13
Figure 5	– Example for a non-replaceable LED light source	14
Figure 6	– Position of the centre of gravity (shaded areas).....	21
Figure 7	– Extract from IEC 60068-2-14 Test Nb, showing the temperature cycle profile	24
Figure B.1	– Recommended equipment layout for vibration testing	38
Figure C.1	– Diagrammatic sketch of the principle of the test equipment.....	39
Figure E.1	– Sketch of the test set-up	44
Figure F.1	– Voltage surges for 12 V filament lamps – Maximum tolerable duration for a voltage surge as a function of its height	46
Figure F.2	– Maximum filament lamp outlines H1	47
Figure F.3	– Maximum filament lamp outlines H2	48
Figure F.4	– Maximum filament lamp outlines H3	49
Figure F.5	– Maximum filament lamp outlines P21W, PY21W, P21/4W and P21/5W	50
Table 1	– Conditions of compliance for life B3	15
Table 2	– Conditions of compliance for the vibration test	16
Table 3	– Rated life values for continuous operation	17
Table 4	– Rated luminous flux-maintenance values for continuous operation	19
Table 5	– Minimum $L_{70-B_{10}}$ values for standardised LED light sources	22
Table 6	– Typical “on”-times for the different functions per 100 000 km drive distance, based on an average speed of 33,6 km/h ^a	22
Table 7	– Example for product data	23
Table 8	– Temperature classes for the powered thermal cycling test.....	24
Table B.1	– Vibration test on motor vehicle lamps – Test conditions	36
Table B.2	– Vibration test on motor vehicle lamps – Standard test conditions	36
Table B.3	– Vibration test on motor vehicle lamps – Heavy-duty test conditions	37
Table B.4	– Vibration test on motor vehicle lamps – Standard test conditions	37
Table C.1	– Compression strength	40
Table C.2	– Inspection by attributes – Double sampling plan	40

Table C.3 – Inspection by variables – "S" method of assessment.....	41
Table D.1 – Switching cycle	42
Table G.1 – Open circuit voltage.....	51
Table I.1 – Examples for possible product data.....	55
Table L.1 – Retesting matrix	61

This document is a preview generated by EVS