

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62264-2:2013 sisaldab Euroopa standardi EN 62264-2:2013 ingliskeelset teksti.	This Estonian standard EVS-EN 62264-2:2013 consists of the English text of the European standard EN 62264-2:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kätesaadavaks 04.10.2013.	Date of Availability of the European standard is 04.10.2013.
Standard on kätesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 25.040.40, 35.240.50

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English version

**Enterprise-control system integration -
Part 2: Objects and attributes for enterprise-control system integration
(IEC 62264-2:2013)**

Intégration des systèmes entreprise-
contrôle -
Partie 2: Objets et attributs pour
l'intégration des systèmes de commande
d'entreprise
(CEI 62264-2:2013)

Integration von Unternehmensführungs-
und Leitsystemen -
Teil 2: Objekte und Attribute für die
Integration von Unternehmensführungs-
und Leitsystemen
(IEC 62264-2:2013)

This European Standard was approved by CENELEC on 2013-08-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 65E/290/FDIS, future edition 2 of IEC 62264-2, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" and by ISO/TC 184/SC5 "Interoperability, integration and architectures for enterprise systems and automation applications" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62264-2:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-05-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-08-01

This document supersedes EN 62264-2:2008.

EN 62264-2:2013 includes the following significant technical changes with respect to EN 62264-2:2008:

- a) update of the first edition;
- b) addition of object models for exchange information used in manufacturing operations management activities, instead of just production operations management actives. The added object models were physical asset, operations definition, operations schedule, operations performance, and operations capability;
- c) displacement of the production specific object models in Annex A;
- d) displacement of the UML object models that were in EN 62264-1:2008 into this standard so that the object models and the associated attribute tables were available in the same document;
- e) addition of the Hierarchy scope object definition to replace the Location attribute used in the previous edition;
- f) addition of a value type section to define the exchange of non-simple value types;
- g) definition of simple value types were defined using the ISO 15000-5.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62264-2:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61512-1	NOTE	Harmonised as EN 61512-1.
ISO 19439	NOTE	Harmonised as EN ISO 19439.
ISO 19440	NOTE	Harmonised as EN ISO 19440.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62264-1	-	Enterprise-control system integration - Part 1: Models and terminology	EN 62264-1	-
ISO/IEC 19501	-	Information technology - Open Distributed Processing - Unified Modeling Language (UML)	-	-

CONTENTS

FOREWORD	9
INTRODUCTION	11
1 Scope	12
2 Normative references	12
3 Terms, definitions and abbreviations	12
3.1 Terms and definitions	12
3.2 Abbreviations	13
4 Production operations models and generic operations models	13
4.1 Information models	13
4.2 General modeling information	15
4.3 Extensibility of attributes through properties	15
4.4 Object model structure	16
4.5 Explanation of tables	16
4.5.1 Tables of attributes	16
4.5.2 Object identification	16
4.5.3 Data types	17
4.5.4 Presentation of examples	17
4.5.5 References to resources	18
4.5.6 Object relationships	19
4.6 Relationship of models	19
4.7 Hierarchy scope	20
4.8 Value types	20
4.8.1 Value use	20
4.8.2 Value syntax	21
4.8.3 Simple value types	21
4.8.4 Unit of measure	22
4.8.5 Array value types	22
4.8.6 Range value types	22
4.8.7 Series value types	22
4.8.8 Structured value types	22
5 Common object models	23
5.1 Personnel information	23
5.1.1 Personnel model	23
5.1.2 Personnel class	24
5.1.3 Personnel class property	24
5.1.4 Person	25
5.1.5 Person property	26
5.1.6 Qualification test specification	27
5.1.7 Qualification test result	28
5.2 Role based equipment information	29
5.2.1 Role based equipment model	29
5.2.2 Equipment class	30
5.2.3 Equipment class property	31
5.2.4 Equipment	32
5.2.5 Equipment property	32
5.2.6 Equipment capability test specification	33

5.2.7	Equipment capability test result	34
5.3	Physical asset information	35
5.3.1	Physical asset model	35
5.3.2	Physical asset	36
5.3.3	Physical asset property	37
5.3.4	Physical asset class	37
5.3.5	Physical asset class property	38
5.3.6	Physical asset capability test specification	38
5.3.7	Physical asset capability test result	39
5.3.8	Equipment asset mapping	40
5.4	Material information	40
5.4.1	Material model	40
5.4.2	Material class	41
5.4.3	Material class property	42
5.4.4	Material definition	43
5.4.5	Material definition property	44
5.4.6	Material lot	45
5.4.7	Material lot property	47
5.4.8	Material subplot	47
5.4.9	Material test specification	49
5.4.10	Material test result	50
5.4.11	Assemblies	51
5.5	Process segment information	52
5.5.1	Process segment model	52
5.5.2	Process segment	53
5.5.3	Personnel segment specification	54
5.5.4	Personnel segment specification property	55
5.5.5	Equipment segment specification	56
5.5.6	Equipment segment specification property	56
5.5.7	Material segment specification	57
5.5.8	Material segment specification property	59
5.5.9	Physical asset segment specification	59
5.5.10	Physical asset segment specification property	60
5.5.11	Process segment parameter	61
5.5.12	Process segment dependency	61
5.6	Containers, tools and software	63
5.6.1	Containers	63
5.6.2	Tools	63
5.6.3	Software	63
6	Operations management information	63
6.1	Operations definition information	63
6.1.1	Operations definition model	63
6.1.2	Operations definition	64
6.1.3	Operations material bill	65
6.1.4	Operations material bill item	66
6.1.5	Operations segment	67
6.1.6	Parameter specification	68
6.1.7	Personnel specification	69

6.1.8 Personnel specification property	70
6.1.9 Equipment specification	71
6.1.10 Equipment specification property	72
6.1.11 Physical asset specification	73
6.1.12 Physical asset specification property	74
6.1.13 Material specification	75
6.1.14 Material specification property	76
6.1.15 Operations segment dependency	77
6.2 Operations schedule information	77
6.2.1 Operations schedule model	77
6.2.2 Operations schedule	78
6.2.3 Operations request	80
6.2.4 Segment requirement	81
6.2.5 Segment parameter	82
6.2.6 Personnel requirement	83
6.2.7 Personnel requirement property	84
6.2.8 Equipment requirement	85
6.2.9 Equipment requirement property	86
6.2.10 Physical asset requirement	87
6.2.11 Physical asset requirement property	89
6.2.12 Material requirement	89
6.2.13 Material requirement property	91
6.2.14 Requested segment response	92
6.3 Operations performance information	92
6.3.1 Operations performance model	92
6.3.2 Operations performance	93
6.3.3 Operations response	94
6.3.4 Segment response	95
6.3.5 Segment data	96
6.3.6 Personnel actual	97
6.3.7 Personnel actual property	98
6.3.8 Equipment actual	99
6.3.9 Equipment actual property	100
6.3.10 Physical asset actual	101
6.3.11 Physical asset actual property	102
6.3.12 Material actual	103
6.3.13 Material actual property	105
6.4 Operations capability information	105
6.4.1 Operations capability model	105
6.4.2 Operations capability	106
6.4.3 Personnel capability	107
6.4.4 Personnel capability property	109
6.4.5 Equipment capability	109
6.4.6 Equipment capability property	110
6.4.7 Physical asset capability	111
6.4.8 Physical asset capability property	112
6.4.9 Material capability	113
6.4.10 Material capability property	115
6.5 Process segment capability information	116

6.5.1 Process segment capability model	116
6.5.2 Process segment capability	117
7 Object model inter-relationships	118
8 List of objects	120
9 Compliance	123
Annex A (normative) Production specific information.....	124
Annex B (informative) Use and examples.....	132
Annex C (informative) Example data sets.....	140
Annex D (informative) Questions and answers about object use	148
Annex E (informative) Logical information flows	162
Bibliography.....	165
 Figure 1 – Production operations management information models	14
Figure 2 – Operations information models for operations management	15
Figure 3 – Detailed resource relationship in models	18
Figure 4 – Hierarchy scope model.....	20
Figure 5 – Personnel model	24
Figure 6 – Role based equipment model	30
Figure 7 – Physical asset model	35
Figure 8 – Physical asset and equipment relationship	36
Figure 9 – Material model	41
Figure 10 – Example of a material with an assembly.....	52
Figure 11 – Process segment model	53
Figure 12 – Segment dependency examples	62
Figure 13 – Operations definition model.....	64
Figure 14 – Operations schedule model	78
Figure 15 – Operations performance model	92
Figure 16 – Operations capability Model	106
Figure 17 – Process segment capability object model	116
Figure 18 – Object model inter-relationships	118
Figure A.1 – Product definition model	124
Figure A.2 – Production schedule model	127
Figure A.3 – Production performance model	129
Figure A.4 – Production capability model	131
Figure B.1 – Personnel model	133
Figure B.2 – Instances of a person class	134
Figure B.3 – UML model for class and class properties	134
Figure B.4 – Class property	135
Figure B.5 – Instances of a person properties	135
Figure B.6 – Instances of person and person properties	135
Figure B.7 – XML schema for a person object.....	138
Figure B.8 – XML schema for person properties.....	138
Figure B.9 – Example of person and person property.....	139

Figure B.10 – Example of person class information	139
Figure B.11 – Adaptor to map different property IDs and values.....	139
Figure D.1 – Class and property IDs used to identify elements.....	151
Figure D.2 – A property defining overlapping subsets of the capability	152
Figure D.3 – Routing for a product	153
Figure D.4 – Routing with co-products and material dependencies.....	154
Figure D.5 – Product and process capability relationships	155
Figure D.6 – Time-based dependencies	156
Figure D.7 – Mixed operation example	160
Figure E.1 – Enterprise to manufacturing system logical information flows	163
Figure E.2 – Logical information flows among multiple systems	164
 Table 1 – UML notation used	16
Table 2 – Example table	17
Table 3 – Attributes of hierarchy scope	20
Table 4 – Commonly used CCTS types for exchange	21
Table 5 – Attributes of personnel class	24
Table 6 – Attributes of personnel class property	25
Table 7 – Attributes of person	26
Table 8 – Attributes of person property	27
Table 9 – Attributes of qualification test specification	28
Table 10 – Attributes of qualification test result	29
Table 11 – Attributes of equipment class	31
Table 12 – Attributes of equipment class property	31
Table 13 – Attributes of equipment	32
Table 14 – Attributes of equipment property	33
Table 15 – Attributes of equipment capability test specification	34
Table 16 – Attributes of equipment capability test result	34
Table 17 – Attributes of physical asset	36
Table 18 – Attributes of physical asset property	37
Table 19 – Attributes of physical asset class	38
Table 20 – Attributes of physical asset class property	38
Table 21 – Attributes of physical asset capability test specification	39
Table 22 – Attributes of physical asset capability test result	40
Table 23 – Attributes of equipment asset mapping	40
Table 24 – Attributes of material class	42
Table 25 – Attributes of material class property	43
Table 26 – Attributes of material definition	44
Table 27 – Attributes of material definition property	45
Table 28 – Attributes of material lot	46
Table 29 – Attributes of material lot property	47
Table 30 – Attributes of material subplot	49
Table 31 – Attributes of material test specification	50

Table 32 – Attributes of material test result	51
Table 33 – Attributes of process segment	54
Table 34 – Attributes of personnel segment specification	55
Table 35 – Attributes of personnel segment specification property	56
Table 36 – Attributes of equipment segment specification	56
Table 37 – Attributes of equipment segment specification property	57
Table 38 – Attributes of material segment specification	58
Table 39 – Attributes of material segment specification property	59
Table 40 – Attributes of physical asset segment specification	60
Table 41 – Attributes of physical asset segment specification property	60
Table 42 – Attributes of process segment parameter	61
Table 43 – Attributes of process segment dependency	62
Table 44 – Attributes of operations definition	65
Table 45 – Attributes of operations material bill	66
Table 46 – Attributes of operations material bill item	67
Table 47 – Attributes of operations segment	68
Table 48 – Attributes of parameter specification	69
Table 49 – Attributes of personnel specification	70
Table 50 – Attributes of personnel specification property	71
Table 51 – Attributes of equipment specification	72
Table 52 – Attributes of equipment specification property	73
Table 53 – Attributes of physical asset specification	74
Table 54 – Attributes of physical asset specification property	74
Table 55 – Attributes of material specification	75
Table 56 – Attributes of material specification property	76
Table 57 – Attributes of operations segment dependency	77
Table 58 – Attributes of operations schedule	79
Table 59 – Attributes of operations request	80
Table 60 – Attributes of segment requirement	82
Table 61 – Attributes of segment parameter	83
Table 62 – Attributes of personnel requirement	84
Table 63 – Attributes of personnel requirement property	85
Table 64 – Attributes of equipment requirement	86
Table 65 – Attributes of equipment requirement property	87
Table 66 – Attributes of physical asset requirement	88
Table 67 – Attributes of physical asset requirement property	89
Table 68 – Attributes of material requirement	90
Table 69 – Attributes of material requirement property	91
Table 70 – Attributes of operations performance	93
Table 71 – Attributes of operations response	94
Table 72 – Attributes of segment response	96
Table 73 – Attributes of segment data	97
Table 74 – Attributes of personnel actual	98

Table 75 – Attributes of personnel actual property	99
Table 76 – Attributes of equipment actual	100
Table 77 – Attributes of equipment actual property	101
Table 78 – Attributes of physical asset actual	102
Table 79 – Attributes of physical asset actual property.....	103
Table 80 – Attributes of material actual.....	104
Table 81 – Attributes of material actual property	105
Table 82 – Attributes of operations capability.....	107
Table 83 – Attributes of personnel capability.....	108
Table 84 – Attributes of personnel capability property	109
Table 85 – Attributes of equipment capability.....	110
Table 86 – Attributes of equipment capability property	111
Table 87 – Attributes of physical asset capability	112
Table 88 – Attributes of physical asset capability property	113
Table 89 – Attributes of material capability.....	114
Table 90 – Attributes of material capability property	115
Table 91 – Attributes of process segment capability.....	117
Table 92 – Model cross-reference (1 of 2).....	119
Table 93 – Common resource objects (1 of 4).....	120
Table B.1 – Attributes of person.....	133
Table B.2 – Database structure for person	136
Table B.3 – Database structure for person property	136
Table B.4 – Database for person with data.....	137
Table B.5 – Database for person property with data.....	137
Table D.1 – Definition of segment types.....	150
Table D.2 – Examples of materials and equipment.....	158
Table D.3 – Equipment and physical assets	158

INTRODUCTION

This part of IEC 62264 further defines formal object models for exchange information described in IEC 62264-1 using UML object models, tables of attributes, and examples. The models and terminology defined in this part of IEC 62264:

- a) emphasize good integration practices of control systems with enterprise systems during the entire life cycle of the systems;
- b) can be used to improve existing integration capability of manufacturing control systems with enterprise systems; and
- c) can be applied regardless of the degree of automation.

Specifically, this part of IEC 62264 provides a standard terminology and a consistent set of concepts and models for integrating control systems with enterprise systems that will improve communications between all parties involved. Benefits produced will:

- a) reduce the user's time to reach full production levels for new products;
- b) enable vendors to supply appropriate tools for implementing integration of control systems to enterprise systems;
- c) enable users to better identify their needs;
- d) reduce the cost of automating manufacturing processes;
- e) optimize supply chains; and
- f) reduce life-cycle engineering efforts.

This standard may be used to reduce the effort associated with implementing new product offerings. The goal is to have enterprise systems and control systems that interoperate and easily integrate.

It is not the intent of the standards to:

- a) suggest that there is only one way of implementing integration of control systems to enterprise systems;
- b) force users to abandon their current way of handling integration; or
- c) restrict development in the area of integration of control systems to enterprise systems.

ENTERPRISE-CONTROL SYSTEM INTEGRATION –

Part 2: Objects and attributes for enterprise-control system integration

1 Scope

This part of IEC 62264 specifies generic interface content exchanged between manufacturing control functions and other enterprise functions. The interface considered is between Level 3 manufacturing systems and Level 4 business systems in the hierarchical model defined in IEC 62264-1. The goal is to reduce the risk, cost, and errors associated with implementing the interface.

Since this standard covers many domains, and there are many different standards in those domains, the semantics of this standard are described at a level intended to enable the other standards to be mapped to these semantics. To this end this standard defines a set of elements contained in the generic interface, together with a mechanism for extending those elements for implementations.

The scope of IEC 62264-2 is limited to the definition of object models and attributes of the exchanged information defined in IEC 62264-1.

This part of IEC 62264 standard does not define attributes to represent the object relationships.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62264-1, *Enterprise-control system integration – Part 1: Models and terminology*

ISO/IEC 19501, *Information technology – Open Distributed Processing – Unified Modeling Language (UML) Version 1.4.2*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62264-1, as well as the following apply.

3.1.1

equipment class

grouping of role based equipment with similar characteristics

3.1.2

event

representation of a solicited or unsolicited fact indicating a state change in the enterprise