



Edition 3.0 2015-06

INTERNATIONAL STANDARD

Appliance couplers for household and similar general purposes – Part 1: General requirements





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



Edition 3.0 2015-06

INTERNATIONAL STANDARD

Appliance couplers for household and similar general purposes – Part 1: General requirements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.120.30 ISBN 978-2-8322-2740-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREW	VORD	6
1 Sc	ope	8
2 No	rmative references	8
3 Te	rms and definitions	9
4 Ge	neral requirements	12
	eneral notes on tests	
5.1	General	
5.2	Test samples	
5.3	Failures	
5.4	Routine tests	
6 Sta	andard ratings	14
	assification of appliance couplers	
	arking	
8.1	General	
8.2	Additional markings	
8.3	Appliance couplers for class II equipment	
8.4	Symbols or alphanumeric notations	
8.5	Legibility of markings	
8.6	Terminal markings and wiring instructions	
8.7	Durability	16
8.8	Test and inspection	16
9 Dir	mensions and compatibility	
9.1	General	
9.2	Single-pole connections	
9.3	Compatibility	
9.4	Dimensions for standardized appliance couplers	
9.5	Dimensions for non-standardized appliance couplers	
10 Pro	otection against electric shock	17
10.1	Accessibility of live parts	17
10.2	Protection against single pole connection	18
10.3		18
10.4		18
10.5	Shrouds	18
11 Pro	ovision for earthing	18
12 Te	rminals and terminations	18
12.1	General	18
12.2	Rewirable appliance couplers	19
12.3	Non-rewirable appliance couplers	19
13 Co	nstruction	
13.1	Risk of accidental contact	19
13.2		
13.3	·	
13.4		
13	.4.1 Prevention of rotation	20
13	.4.2 Pin retention	20

	13.4.	I.3 Non-solid pins	20
	13.5	Contact pressure	21
	13.6	Enclosure	21
	13.6.	S.1 General	21
	13.6.	8.2 Rewirable connectors/plug connectors	21
	13.6.	Non-rewirable connectors/plug connectors	22
	13.7	Earth connection	
	13.8	Location of terminals and terminations	23
	13.8.		
	13.8.	3.2 Free wire test for rewirable accessories	23
	13.8.	3.3 Free wire test for non-rewirable non-moulded-on accessories	23
	13.8.		
	13.9	Connectors/plug connectors without earthing contact	
	13.10	Fuses, relays, thermostats, thermal cut-outs and switches	
14		sture resistance	
15		lation resistance and electric strength	
10		General	
	15.1	Insulation resistance	
	15.2	Dielectric strength	
40	15.3	-	
16		ces necessary to insert and to withdraw the connector/appliance outlet	
	16.1	General	
	16.2	Verification of the maximum withdrawal force	
	16.3	Verification of the minimum withdrawal force	
17	Oper	eration of contacts	31
18		istance to heating of appliance couplers for hot conditions or very hot ditions	
	18.1	General	31
	18.2	Heating test for connectors/plug connectors	31
	18.3	Heating test for appliance inlets/appliance outlets	32
19	Brea	aking capacity	32
20	Norm	mal operation	34
21	Temr	nperature rise	34
- · 22		ds and their connection	
22			
	22.1	Cords for non-rewirable connectors/plug connectors	
	22.2	Cord anchorage	
	22.2.		
	22.2.	realization and a second control of the	
	22.2.	2.3 Pull test for cable anchorage	37
~~	22.3		
23		chanical strength	· · ·
	23.1	General	
	23.2	Free fall test	
	23.3	Lateral pull test	
	23.4	Impact test	
	23.5	Deformation test	
	23.6	Torque and pull test	
21	Pacie	istance to heat and againg	15

24.1	Resistance to heat	45
24.2	Resistance to ageing	46
24.2.	.1 General	46
24.2	.2 Ageing test for elastomeric materials	46
24.2	.3 Ageing test for thermoplastic materials	46
24.2	.4 Ageing test assessment	46
25 Scre	ws, current-carrying parts and connections	
25.1	General	47
25.2	Electrical connections	
25.3	Securement of connections	
25.4	Metallic parts	
	arances, creepage distances and solid insulation	
	* A	
26.1	General	
26.2	Clearances	
26.2	3	
26.2		
26.3	Creepage distances	
26.3	J J	
26.3	1 0	
26.4		
27 Resi	istance of insulating material to heat, fire and tracking	53
27.1	Resistance to heat and fire	
27.1.		
27.1.	.2 Object of the test	53
27.1.	.3 General description of the test	53
27.1.		
27.1.	.5 Degree of severity	53
27.1.	.6 Verification of the thermocouple	54
27.1.	.7 Preconditioning	54
27.1.	_	
27.1.		
27.1.		
27.1		
27.2	Resistance to tracking	
	istance to rusting	
	tromagnetic compatibility (EMC) requirements	
29.1	Immunity – Accessories not incorporating electronic components	
29.2	Emission – Accessories not incorporating electronic components	
Annex A	(normative) Proof tracking test	56
Annex B safety	(normative) Routine tests for factory wired appliance couplers related to	57
B.1	General	57
B.2	Polarized systems: Phase (L) and neutral (N) – Correct connection	57
B.3	Earth (PE) continuity	
B.4	Short-circuit/wrong connection and reduction in creepage distance and clearance	
B.4.1		
B.4.2	·	
D.4.2	2 Onort-oncommong connection	50

Annex C (normative) Test schedule	59
Annex D (informative) Comparison of typical conductor cross-sectional areas	61
Bibliography	62
	4.0
Figure 1 – Intended use of appliance couplers	
Figure 2 – Device for testing non-solid pins	
Figure 3 – Apparatus for checking the withdrawal force	
Figure 4 – Gauge for verification of the minimum withdrawal force	
Figure 5 – Circuit diagram for breaking capacity and normal operation tests	
Figure 6 – Apparatus for testing the cord anchorage	
Figure 7 – Apparatus for the flexing test	
Figure 8 – Example of apparatus for pulling test	43
Table 1 – Position of contacts	
Table 2 – Maximum diameters of the cords	
Table 3 – Minimum insulation resistance	
Table 4 – Dielectric strength	27
Table 5 - Maximum and minimum withdrawal forces	28
Table 6 - Ratings for the tests of Clause 19	33
Table 7 – Ratings for the tests of Clause 20	34
Table 8 – Cords and conductors for the tests of Clause 21	35
Table 9 – Type and nominal cross-sectional area of cords	36
Table 10 – Types of cord for the rewirable connector/plug connector test	38
Table 11 – Values for the lateral pulls applied	44
Table 12 – Values for torque and pull forces	45
Table 13 – Torque applied for the tightening and loosening test	48
Table 14 – Rated impulse withstand voltage for appliance couplers energized directly from the low voltage mains	50
Table 15 – Minimum clearances for basic insulation	51
Table 16 – Minimum creepage distances for basic and functional insulation	52
Table B.1 – Test overview	57
Table C.1 – Test schedule	59
Table D.1 – Comparison of conductor sizes	61

INTERNATIONAL ELECTROTECHNICAL COMMISSION

APPLIANCE COUPLERS FOR HOUSEHOLD AND SIMILAR GENERAL PURPOSES –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60320-1 has been prepared by subcommittee 23G: Appliance couplers, of IEC technical committee 23: Electrical accessories.

This third edition cancels and replaces the second edition published in 2001 and Amendment 1:2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Standard sheets moved from IEC 60320-1 to IEC 60320-3.
- b) Clarification of requirements for non-standardized appliance couplers.

The text of this standard is based on the following documents:

FDIS	Report on voting
23G/345/FDIS	23G/346/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60320 series, under the general title *Appliance couplers for household and similar general purposes*, can be found on the IEC website.

Part 1 is to be used in conjunction with the following parts of the IEC 60320 series, if applicable.

IEC 60320-2-1, Appliance couplers for household and similar general purposes – Part 2-1: Sewing machine couplers

IEC 60320-2-3, Appliance coupler for household and similar general purposes – Part 2-3: Appliance coupler with a degree of protection higher than IPX0

IEC 60320-2-4, Appliance couplers for household and similar general purposes – Part 2-4: Couplers dependent on appliance weight for engagement

IEC 60320-3, Appliance couplers for household and similar general purposes – Part 3: Standard sheets and gauges

NOTE If these standards are referring to another edition of IEC 60320-1, that edition is applicable.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

APPLIANCE COUPLERS FOR HOUSEHOLD AND SIMILAR GENERAL PURPOSES –

Part 1: General requirements

1 Scope

This part of IEC 60320 sets the general requirements for appliance couplers for two poles and two poles with earth contact and for the connection of electrical devices for household and similar onto the mains supply.

This part of IEC 60320 is also valid for appliance inlets/appliance outlets integrated or incorporated in appliances.

The rated voltage does not exceed 250 V (a.c.) and the rated current does not exceed 16 A.

Appliance couplers complying with this part of IEC 60320 are suitable for normal use at ambient temperatures not normally exceeding +40 °C, but their average over a period of 24 h does not exceed +35 °C, with a lower limit of the ambient air temperature of -5 °C.

Appliance couplers are not suitable for

- use in place of plug and socket-outlet systems according to IEC 60884-1.
- use in place of devices for connecting luminaires (DCLs) according to IEC 61995 or luminaire supporting couplers (LSCs).

NOTE Requirements for d.c. are under consideration.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-31, Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens

IEC 60068-2-60, Environmental testing – Part 2-60: Tests – Test Ke: Flowing mixed gas corrosion test

IEC 60068-2-75, Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests

IEC 60112, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60227 (all parts), Polyvinyl chloride insulated cables of rated voltages up to and including $450/750\ V$

IEC 60245 (all parts), Rubber insulated cables – Rated voltages up to and including 450/750 V

IEC 60320 (all parts), Appliance couplers for household and similar general purposes

IEC 60320-3:2014, Appliance couplers for household and similar general purposes – Part 3: Standard sheets and gauges

IEC 60417, *Graphical symbols for use on equipment* (available from: http://www.graphical-symbols.info/equipment)

IEC 60664-1:2007, Insulation coordination for equipment within low voltage systems – Part 1: Principles, requirements and tests

IEC 60695-2-10:2000, Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure

IEC 60695-2-11:2000, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)

IEC 60695-2-12:2000, Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials

IEC 60695-2-13:2000, Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials

IEC 60695-10-2, Fire hazard testing - Part 10: Abnormal heat - Ball pressure test method

IEC 60730-2-11, Automatic electrical controls for household and similar use – Part 2-11: Particular requirements for energy regulators

IEC 60999-1, Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)

IEC 61032, Protection of persons and equipment by enclosures – Probes for verification

IEC 61058 (all parts), Switches for appliances

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 appliance coupler

means enabling the connection and disconnection of an appliance or equipment to the supply SEE: Figure 1.