

**Railway applications - Urban guided transport  
management and command/control systems - Part 2:  
Functional requirements specification**

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

|   |  |
|---|--|
| See Eesti standard EVS-EN 62290-2:2014 sisaldab Euroopa standardi EN 62290-2:2014 inglisekeelset teksti.            | This Estonian standard EVS-EN 62290-2:2014 consists of the English text of the European standard EN 62290-2:2014.                  |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.  | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 05.09.2014. | Date of Availability of the European standard is 05.09.2014.   |
| Standard on kättesaadav Eesti Standardikeskusest.   | The standard is available from the Estonian Centre for Standardisation.  |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 45.060

### Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:  
Aru 10, 10317 Tallinn, Estonia; [www.evs.ee](http://www.evs.ee); phone 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

**Railway applications - Urban guided transport management and  
command/control systems - Part 2: Functional requirements  
specification  
(IEC 62290-2:2014)**

Applications ferroviaires - Systèmes de contrôle/commande  
et de gestion des transports guidés urbains -  
Partie 2: Spécification des exigences fonctionnelles  
(CEI 62290-2:2014)

Bahnanwendungen - Betriebsleit- und  
Zugsicherungssysteme für den städtischen  
schienengebundenen Personennahverkehr -  
Teil 2: Funktionale Anforderungsspezifikation  
(IEC 62290-2:2014)

This European Standard was approved by CENELEC on 2014-08-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Foreword

The text of document 9/1914/FDIS, future edition 2 of IEC 62290-2, prepared by IEC/TC 9 "Electrical equipment and systems for railways" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62290-2:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-05-14
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-08-14

This document supersedes EN 62290-2:2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 62290-2:2014 was approved by CENELEC as a European Standard without any modification.

## **Annex ZA**

(normative)

### **Normative references to international publications with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

| <u>Publication</u> | <u>Year</u> | <u>Title</u>  | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|---|--------------|-------------|
| IEC 62290-1        | -           | Railway applications - Urban guided transport management and command/control systems - Part 1: System principles and fundamental concepts | EN 62290-1   | -           |

## CONTENTS

|   |    |
|---|----|
| FOREWORD.....   | 4  |
| INTRODUCTION.....   | 6  |
| 1 Scope.....  | 9  |
| 2 Normative references .....  | 9  |
| 3 Terms, definitions and abbreviations .....  | 9  |
| 4 Operational concept .....   | 9  |
| 4.1 Organisation of operation for urban guided transport .....                      | 9  |
| 4.2 Basic operational principles .....  | 11 |
| 4.3 Principles to ensure safe route.....  | 11 |
| 4.4 Principles to ensure safe separation of trains.....                             | 12 |
| 4.5 Principles to ensure safe speed .....   | 12 |
| 4.6 Degraded modes of train operation .....   | 13 |
| 5 Functions for train operation.....  | 13 |
| 5.1 Ensure safe movement of trains.....   | 14 |
| 5.1.1 Ensure safe route .....   | 14 |
| 5.1.2 Ensure safe separation of trains .....  | 17 |
| 5.1.3 Determine permitted speed.....  | 20 |
| 5.1.4 Authorize train movement.....   | 22 |
| 5.1.5 Supervise train movement .....  | 25 |
| 5.1.6 Provide interface with external interlocking.....                             | 29 |
| 5.2 Drive train .....   | 29 |
| 5.2.1 Determine operating speed profile .....                                       | 30 |
| 5.2.2 Control train movement in accordance with train operating speed profile ..... | 31 |
| 5.2.3 Stop train in station .....   | 31 |
| 5.3 Supervise guideway.....   | 33 |
| 5.3.1 Prevent collision with obstacles .....  | 33 |
| 5.3.2 Prevent collisions with persons on tracks.....                                | 34 |
| 5.3.3 Protect staff on track by work zone .....                                     | 38 |
| 5.4 Supervise passenger transfer .....  | 39 |
| 5.4.1 Control train and platform doors .....  | 39 |
| 5.4.2 Prevent injuries to persons between cars or between platform and train .....  | 42 |
| 5.4.3 Ensure starting conditions .....  | 42 |
| 5.5 Operate a train.....  | 44 |
| 5.5.1 Put in or take out of operation.....  | 44 |
| 5.5.2 Manage driving modes.....   | 45 |
| 5.5.3 Manage movement of trains between two operational stops.....                  | 46 |
| 5.5.4 Manage depots and stabling areas .....  | 46 |
| 5.5.5 Manage UGTMS transfer tracks.....   | 47 |
| 5.5.6 Restrict train entry to station.....  | 47 |
| 5.5.7 Change the travel direction.....  | 47 |
| 5.5.8 Couple and split a train.....   | 48 |
| 5.5.9 Supervise the status of the train .....                                       | 49 |
| 5.5.10 Manage traction power supply on train.....                                   | 51 |
| 5.6 Ensure detection and management of emergency situations .....                   | 52 |
| 5.6.1 React to detected fire/smoke .....  | 52 |
| 5.6.2 React to detected derailment.....   | 53 |

|        |  |    |
|--------|--|----|
| 5.6.3  | React to detected or suspected broken rail .....                               | 53 |
| 5.6.4  | Manage passenger requests .....  | 54 |
| 5.6.5  | React to loss of train integrity .....   | 55 |
| 5.6.6  | Supervise closed and locked status of train doors .....                        | 56 |
| 6      | Functions for operation management and supervision .....                       | 57 |
| 6.1    | Manage the daily timetable .....   | 57 |
| 6.1.1  | Import timetables .....  | 57 |
| 6.1.2  | Select the timetable .....   | 57 |
| 6.1.3  | Modify the operational timetable .....   | 58 |
| 6.2    | Manage the train service .....   | 58 |
| 6.2.1  | Manage train missions .....  | 58 |
| 6.2.2  | Set routes automatically .....   | 60 |
| 6.2.3  | Regulate trains .....  | 61 |
| 6.2.4  | Ensure connecting services .....   | 61 |
| 6.2.5  | Manage operational disturbances .....  | 62 |
| 6.2.6  | Dispatch trains .....  | 62 |
| 6.3    | Supervise train operations .....   | 63 |
| 6.3.1  | Supervise train tracking .....   | 63 |
| 6.3.2  | Supervise trains and wayside equipment .....                                   | 64 |
| 6.3.3  | Supervise passengers .....   | 65 |
| 6.4    | Control traction power .....   | 66 |
| 6.4.1  | Monitor traction power supply .....  | 66 |
| 6.4.2  | Command traction power supply .....  | 66 |
| 6.4.3  | Control regenerative braking .....   | 66 |
| 6.5    | Manage the interface with the HMI .....  | 66 |
| 6.5.1  | Manage the interface with operations control HMI .....                         | 67 |
| 6.5.2  | Manage the interface with the train HMI .....                                  | 67 |
| 6.6    | Provide interface with the communication system for passengers and staff ..... | 67 |
| 6.7    | Provide interface with the passengers information system .....                 | 68 |
| 6.8    | Provide interface with passenger surveillance system .....                     | 68 |
| 6.9    | Support maintenance .....  | 68 |
| 6.10   | Manage rolling stock and staff resources .....                                 | 69 |
| 6.10.1 | Assign rolling stock to operation needs .....                                  | 69 |
| 6.10.2 | Assign or reassign train staff .....   | 69 |
|        | Bibliography .....   | 71 |
|        | Figure 1 – The three-step process followed by the UGTMS standard .....         | 7  |
|        | Figure 2 – Organisation of operation .....                                     | 10 |
|        | Figure 3 – Train protection profile and speed supervision .....                | 13 |
|        | Figure 4 – Specification of a safe route .....                                 | 14 |

## INTRODUCTION

IEC 62290 standard series specifies the functional, system and interface requirements for the command, control, and management systems intended to be used on urban, guided passenger transport lines and networks. This series does not apply to lines that are operated under specific railway regulations, unless otherwise specified by the authority having jurisdiction.

These systems are designated here as Urban Guided Transport Management and Command/Control Systems (UGTMS). UGTMS cover a wide range of operations needs from non-automated (GOA1) to unattended (GOA4) operation. A line may be equipped with UGTMS on its full length or only partly equipped.

This series does not specifically address security issues. However, aspects of safety requirements may apply to ensuring security within the urban guided transit system.

The main objective of this series is to achieve interoperability, interchangeability and compatibility.

This series is a recommendation for those transport authorities wishing to introduce interoperable, interchangeable and compatible equipment.

It is the responsibility of the transport authority concerned in accordance with the authority having jurisdiction to decide on how to apply this series and to take into account their particular needs.

IEC 62290 series is also intended to support applications for upgrading existing signalling and command control systems. In this case, interchangeability and compatibility could be ensured only for the additional UGTMS equipment. Checking the possibility for upgrading existing equipment and the level of interoperability is the responsibility of the transport authority concerned.

Application of the series should take into account the differences between the various networks operated in different nations. Those differences include operational and regulatory requirements as well as different safety cultures.

This series defines a catalogue of UGTMS requirements split into mandatory and optional functions. The functions used are based on the given grade of automation. By fulfilling the requirements, a supplier can create one or more generic applications including all mandatory functions and all or a subset of optional functions. A generic application will achieve interoperability within the defined specific application conditions. Customising a generic application will create a specific application taking into account of local conditions such as track layout and headway requirements. It is the choice of supplier and transport authority to add additional functions to a generic or specific application. These additional functions are not described in this series.

According to IEC 62278, it is the responsibility of the transport authority, in agreement with the authority having jurisdiction, to decide, taking into account their risk acceptance principles to conduct specific hazard and risk analysis for each specific application. The safety levels for the functions of each specific application have to be determined by a specific risk analysis.

Terms like "safety related command", "safety conditions", "safe station departure" are mentioned without having performed any hazard analysis.

Standard series IEC 62290 is intended to consist of four parts:

- Part 1 "System principles and fundamental concepts" provides an introduction to the standard and deals with the main concepts, the system definition, the principles and



the basic functions of UGTMS (Urban Guided Transport Management and Command/Control Systems).

The three other parts correspond to the three steps (see Figure 1) required in the process of specifying UGTMS and are to be used accordingly.

- Part 2 “Functional requirements specification” specifies the functional requirements associated to the basic functions provided by Part 1, within the system boundaries and interfaces as defined in Figure 3 of Part 1.

The FRS (Functional Requirements Specification) identifies and defines the functions that are necessary to operate an urban guided transport system. Two types of functions are distinguished for a given grade of automation: mandatory functions (e.g. train detection) and optional functions (e.g. interfaces to passenger information and passenger surveillance systems). Requirements of functions have the same allocation, unless they are marked otherwise.


- Part 3 (under consideration) “System requirements specifications” deals with the architecture of the system and the allocation of the requirements and functions identified in Part 2 to architecture constituents.

The SRS (System Requirement Specification) specifies the architecture of a UGTMS system, with mandatory and optional constituents.

- Part 4 (under consideration) “Interface specifications” deals with the definition of the interfaces, as well as the data exchanged by them (FIS and FFFIS), for the interoperable and interchangeable constituents identified in Part 3.

For interfaces between UGTMS constituents, the logical interface or FIS (Functional Interface Specification) and/or the physical and logical interface or FFFIS (Form Fit Functional Interface Specification) will be considered.

NOTE The specific structures of Part 3 and Part 4 will be established following completion of Part 2 to accommodate optional and mandatory constituents, and to reflect local conditions. In principle, only one FIS or/and FFFIS will be defined for the same interface. However, when justified in some cases, several FISs or several FFFISs will be defined for the same interface.



IEC 891/11

**Figure 1 – The three-step process followed by the UGTMS standard**

Requirements are those necessary to fulfil all operational needs for safe and orderly operation requested by transport authorities without regard to technical solutions.

The chosen level of detail in describing requirements enables customers as well as authorities having jurisdiction to be assured that generic applications delivered by different suppliers will cover at least the same functionality as specified in this part of IEC 62290.

Requirements which are established by this series are indicated clearly with a requirement identification number related to the function to be covered.

This document is a preview generated by EVS