

Edition 1.0 2015-07

# INTERNATIONAL STANDARD



Application integration at electric utilities – System interfaces for distribution management –

Part 6: Interfaces for maintenance and construction





# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

## IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

## IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

## IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

## Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

## IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

## IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



Edition 1.0 2015-07

# INTERNATIONAL STANDARD



Application integration at electric utilities – System interfaces for distribution management –

Part 6: Interfaces for maintenance and construction

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.200 ISBN 978-2-8322-2751-0

Warning! Make sure that you obtained this publication from an authorized distributor.

## CONTENTS

F	OREWORI	D	4
۱N	ITRODUC	TION	6
1	Scope.		8
2	Normat	tive references	8
3	Terms	definitions and abbreviations	9
•		erms and definitions	
		bbreviations	
4		nce and information models	
•		eneral	
		deference model	
	4.2.1	General	
	4.2.2	Geographical Inventory (GINV)	
	4.2.3	Maintenance and Inspection (MAI)	
	4.2.4	Construction	
	4.2.5	Design	
	4.2.6	Work Scheduling and Dispatching (SCHD)	
	4.2.7	Field Recording (FRD)	
	4.2.8	Network Operation Simulation (SIM)	
	4.2.9	Customer Service (CS)	
	4.2.10	Trouble call management (TCM)	12
	4.2.11	Financial (FIN)	13
	4.2.12	Human resources	13
	4.2.13	Asset Management (AM) System	13
	4.2.14	Network Operations (NO)	13
	4.3 In	nterface reference model	13
	4.4 M	laintenance and construction functions and components	14
	4.5 S	tatic information model	
	4.5.1	Information model classes	
	4.5.2	Classes for maintenance and construction	
		laintenance and construction use cases	
5		nance and construction message types	
		General	
		Vork	
	5.3 W	Vork request message	17
	5.3.1	General	17
	5.3.2	Applications – Carry out planned maintenance with temporary equipment	17
	5.3.3	Message format	19
	5.4 S	ervice order message	
	5.4.1	General	20
	5.4.2	Applications – Meter installation and removal	20
	5.4.3	Message format	21
	5.5 M	laintenance order message	23
	5.5.1	General	23
	5.5.2	Applications	23
	5.5.3	Message format	24

	00
UML diagrams	∠6
Message definitions	26
General	26
Mandatory versus optional	26
normative) Description of message type verbs	27
normative) XML Schemas for Message Payloads	29
General	29
WorkRequest	29
ServiceOrder	50
MaintenanceOrder	
phy	143
- Asset life cycle	10
- IEC 61968-6 reference model for maintenance	11
- End-to-end business cases and related messages	16
~ 0	
	20
Service order message format	22
- Service order message format	
- Maintenance of high voltage device (transformer etc) requested by FRD	24
	24
- Maintenance of high voltage device (transformer etc) requested by FRD MaintenanceOrder message format	24 25
- Maintenance of high voltage device (transformer etc) requested by FRD  - MaintenanceOrder message format  Document overview for IEC 61968-6	24 25
- Maintenance of high voltage device (transformer etc) requested by FRD  - MaintenanceOrder message format  Document overview for IEC 61968-6  Business functions and abstract components	24 25 7
- Maintenance of high voltage device (transformer etc) requested by FRD  - MaintenanceOrder message format  Document overview for IEC 61968-6  Business functions and abstract components  Maintenance and construction classes	24 7 14
- Maintenance of high voltage device (transformer etc) requested by FRD  - MaintenanceOrder message format  Document overview for IEC 61968-6  Business functions and abstract components	24 7 14 15
	General Mandatory versus optional normative) Description of message type verbs normative) XML Schemas for Message Payloads General WorkRequest ServiceOrder MaintenanceOrder hy Asset life cycle - IEC 61968-6 reference model for maintenance

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

# APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

## Part 6: Interfaces for maintenance and construction

## **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
  consensus of opinion on the relevant subjects since each technical committee has representation from all
  interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 61968 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/1566/FDIS	57/1586/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61968 series, published under the general title *Application integration at electric utilities* – *System interfaces for distribution management*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## INTRODUCTION

The IEC 61968 standard, taken as a whole, defines interfaces for the major elements of an interface architecture for Distribution Management Systems (DMS). IEC 61968-1, *Interface architecture and general recommendations*, identifies and establishes requirements for standard interfaces based on an Interface Reference Model (IRM). IEC 61968-3 to 9 of this standard define interfaces relevant to each of the major business functions described by the Interface Reference Model.

As used in IEC 61968, a DMS consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management.

This set of standards is limited to the definition of interfaces and is implementation independent. They provide for interoperability among different computer systems, platforms, and languages. Methods and technologies used to implement functionality conforming to these interfaces are considered outside of the scope of these standards; only the interface itself is specified in these standards.

The purpose of this part of IEC 61968 is to define a standard for the integration of Maintenance and Construction Systems (MC), which would include Work Management Systems, with other systems and business functions within the scope of IEC 61968. The scope of this standard is the exchange of information between Maintenance and Construction Systems and other systems within the utility enterprise. The specific details of communication protocols those systems employ are outside the scope of this standard. Instead, this standard will recognize and model the general capabilities that can be potentially provided by maintenance and construction systems including planned, unplanned and conditional maintenance. In this way, this standard will not be impacted by the specification, development and/or deployment of next generation maintenance systems, either through the use of standards or proprietary means.

The IEC 61968 series of standards is intended to facilitate *inter-application integration* as opposed to *intra-application integration*. Intra-application integration is aimed at programs in the same application system, usually communicating with each other using middleware that is embedded in their underlying runtime environment, and tends to be optimised for close, real-time, synchronous connections and interactive request/reply or conversation communication models. IEC 61968, by contrast, is intended to support the inter-application integration of a utility enterprise that needs to connect disparate applications that are already built or new (legacy or purchased applications), each supported by dissimilar runtime environments. Therefore, these interface standards are relevant to loosely coupled applications with more heterogeneity in languages, operating systems, protocols and management tools. This series of standards is intended to support applications that need to exchange data every few seconds, minutes, or hours rather than waiting for a nightly batch run. This series of standards, which are intended to be implemented with middleware services that exchange messages among applications, will complement, not replace, utility data warehouses, database gateways, and operational stores.

As used in IEC 61968, a Distribution Management System (DMS) consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management. Standard interfaces are defined for each class of applications identified in the Interface Reference Model (IRM), which is described in IEC 61968-1, *Interface architecture and general recommendations*.

This part of IEC 61968 contains the clauses listed in Table 1.

Table 1 - Document overview for IEC 61968-6

	Title	Purpose
1	Scope	The scope and purpose of the document are described.
2	Normative references	Documents that contain provisions which, through reference in this text, constitute provisions of this International Standard.
3	Reference and information models	Description of general approach to work management system, reference model, use cases, interface reference model, maintenance and construction functions and components, message type terms and static information model.
4	Maintenance and construction message types	Message types related to the exchange of information for documents related to maintenance and construction.
Annex A	Message type verbs	Description of the verbs that are used for the message types.
Annex B	XML schemas for message payloads	To provide xsd information for use by developers to create IEC 61968-9 messages.

## APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

## Part 6: Interfaces for maintenance and construction

## 1 Scope

This part of IEC 61968 specifies the information content of a set of message types that can be used to support business functions related to Maintenance and Construction. Typical uses of the message types defined in this part of IEC 61968 include planned maintenance, unplanned maintenance, conditional maintenance, work management, new service requests, etc. Message types defined in other parts of IEC 61968 may also be relevant to these use cases.

The mapping of these messages to specific technologies such as XML will be described at a later date.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050, International Electrotechnical Vocabulary

IEC 61968-1, Application integration at electric utilities – System interfaces for distribution management – Part 1: Interface architecture and general recommendations

IEC TS 61968-2, Application integration at electric utilities – System interfaces for distribution management – Part 2: Glossary

IEC 61968-4, Application integration at electric utilities – System interfaces for distribution management – Part 4: Interfaces for records and asset management

IEC 61968-9:2013, Application integration at electric utilities – System interfaces for distribution management – Part 9: Interfaces for meter reading and control

IEC 61968-11, Application integration at electric utilities – System interfaces for distribution management – Part 11: Common information model (CIM) extensions for distribution

IEC 61970-301, Energy management system application program interface (EMS-API) – Part 301: Common information model (CIM) base

IEC TR 62051, Electricity metering – Glossary of terms

IEC 62055-31, Electricity metering – Payment systems – Part 31: Particular requirements – Static payment meters for active energy (classes 1 and 2)