

Photovoltaic systems - Design qualification of solar
trackers

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62817:2015 sisaldab Euroopa standardi EN 62817:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 62817:2015 consists of the English text of the European standard EN 62817:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 13.03.2015.	Date of Availability of the European standard is 13.03.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 27.160

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 27.160

English Version

Photovoltaic systems - Design qualification of solar trackers (IEC 62817:2014)

Systèmes photovoltaïques - Qualification de conception des
suiveurs solaires
(IEC 62817:2014)

Sonnen-Nachführeinrichtungen für photovoltaische
Systeme - Bauarteignung
(IEC 62817:2014)

This European Standard was approved by CENELEC on 2014-09-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 82/853/FDIS, future edition 1 of IEC 62817, prepared by IEC/TC 82 "Solar photovoltaic energy systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62817:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-09-13
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62817:2014 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	-	Environmental testing -- Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-21	-	Environmental testing -- Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	-
IEC 60068-2-27	-	Environmental testing -- Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-75	-	Environmental testing -- Part 2-75: Tests - Test Eh: Hammer tests	EN 60068-2-75	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 60904-3	2008	Photovoltaic devices -- Part 3: Measurement principles for terrestrial photovoltaic (PV) solar devices with reference spectral irradiance data	EN 60904-3	2008
IEC 61000-4-5	2005	Electromagnetic compatibility (EMC) -- Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2006
IEC 62262	2002	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)	EN 62262	2002
ISO 12103-1	-	Road vehicles - Test dust for filter evaluation - Part 1: Arizona test dust	-	-
ISO/IEC 17025	-	General requirements for the competence of testing and calibration laboratories	EN ISO/IEC 17025	-

CONTENTS

FOREWORD.....	6
1 Scope and object.....	8
2 Normative references	8
3 Terms and definitions	9
4 Specifications for solar trackers for PV applications.....	9
5 Report.....	12
6 Tracker definitions and taxonomy.....	13
6.1 General.....	13
6.2 Payload types	13
6.2.1 Standard photovoltaic (PV) module trackers	13
6.2.2 Concentrator photovoltaic (CPV) module trackers	13
6.3 Rotational axes	14
6.3.1 General	14
6.3.2 Single-axis trackers.....	14
6.3.3 Dual-axis trackers	15
6.4 Actuation and control	17
6.4.1 Architecture	17
6.4.2 Drive train.....	17
6.4.3 Drive types	17
6.4.4 Drive train torque	18
6.5 Types of tracker control.....	18
6.5.1 Passive control	18
6.5.2 Active control.....	18
6.5.3 Backtracking.....	19
6.6 Structural characteristics	19
6.6.1 Vertical supports	19
6.6.2 Foundation types	20
6.6.3 Tracker positions	20
6.6.4 Stow time.....	21
6.7 Energy consumption.....	21
6.7.1 Daily energy consumption	21
6.7.2 Stow energy consumption	21
6.8 External elements and interfaces.....	21
6.8.1 Foundation	21
6.8.2 Foundation interface	21
6.8.3 Payload	21
6.8.4 Payload interface	22
6.8.5 Payload mechanical interface.....	22
6.8.6 Payload electrical interface	22
6.8.7 Grounding interface	22
6.8.8 Installation effort	22
6.8.9 Control interface	22
6.9 Internal tolerances	23
6.9.1 Primary-axis tolerance	23
6.9.2 Secondary axis tolerance	23
6.9.3 Backlash.....	23

6.9.4	Stiffness	23
6.10	Tracker system elements.....	24
6.10.1	Mechanical structure	24
6.10.2	Tracker controller	24
6.10.3	Sensors	24
6.11	Reliability terminology	24
6.11.1	General	24
6.11.2	Mean time between failures (MTBF)	24
6.11.3	Mean time between critical failures (MTBCF)	25
6.11.4	Mean time to repair (MTTR)	25
6.12	Environmental conditions	25
6.12.1	Operating temperature range.....	25
6.12.2	Survival temperature range	25
6.12.3	Wind speed	25
6.12.4	Maximum wind during operation	26
6.12.5	Maximum wind during stow.....	26
6.12.6	Snow load.....	26
7	Tracker accuracy characterization.....	26
7.1	Overview	26
7.2	Pointing error (instantaneous)	26
7.3	Measurement	27
7.3.1	Overview	27
7.3.2	Example of experimental method to measure pointing error	27
7.3.3	Calibration of pointing error measurement tool.....	28
7.4	Calculation of tracker accuracy.....	28
7.4.1	Overview	28
7.4.2	Data collection	28
7.4.3	Data binning by wind speed.....	29
7.4.4	Data filtering	30
7.4.5	Data quantity	30
7.4.6	Accuracy calculations.....	30
8	Tracker test procedures	31
8.1	Visual inspection	31
8.1.1	Purpose	31
8.1.2	Procedure.....	31
8.1.3	Requirements	31
8.2	Functional validation tests	32
8.2.1	Purpose	32
8.2.2	Tracking limits verification	32
8.2.3	Hard limit switch operation	32
8.2.4	Automatic sun tracking after power outage and feedback sensor shadowing	32
8.2.5	Manual operation	33
8.2.6	Emergency stop	33
8.2.7	Maintenance mode.....	33
8.2.8	Operational temperature range.....	33
8.2.9	Wind stow	33
8.3	Performance tests	33
8.3.1	Purpose	33

8.3.2	Daily energy and peak power consumption	33
8.3.3	Stow time and stow energy and power consumption.....	34
8.4	Mechanical testing	34
8.4.1	Purpose	34
8.4.2	Control/drive train pointing repeatability test	35
8.4.3	Deflection under static load test	36
8.4.4	Torsional stiffness, mechanical drift, drive torque, and backlash testing	38
8.4.5	Moment testing under extreme wind loading	41
8.5	Environmental testing	43
8.5.1	Purpose	43
8.5.2	Procedure	43
8.5.3	Requirements	45
8.6	Accelerated mechanical cycling	46
8.6.1	Purpose	46
8.6.2	Procedure	46
8.6.3	Requirements	48
9	Design qualification testing specific to tracker electronic equipment.....	48
9.1	General purpose	48
9.2	Sequential testing for electronic components	48
9.2.1	General	48
9.2.2	Visual inspection of electronic components.....	49
9.2.3	Functioning test	50
9.2.4	Protection against dust, water, and foreign bodies (IP code)	51
9.2.5	Protection against mechanical impacts (IK code)	51
9.2.6	Robustness of terminals test	52
9.2.7	Surge immunity test	53
9.2.8	Shipping vibration test.....	53
9.2.9	Shock test.....	54
9.2.10	UV test	54
9.2.11	Thermal cycling test	55
9.2.12	Humidity-freeze test	56
9.2.13	Damp heat	57
10	Additional optional accuracy calculations	57
10.1	Typical tracking accuracy range	57
10.2	Tracking error histogram	57
10.3	Percent of available irradiance as a function of pointing error.....	58
Figure 1 – Convention for elevation angle.....		16
Figure 2 – Illustration of primary-axis tolerance for VPDAT		23
Figure 3 – General illustration of pointing error		27
Figure 4 – Example of experimental method to measure pointing error.....		27
Figure 5 – Example measurement locations for structural deflection.....		37
Figure 6 – Load configurations while the payload is in the horizontal position.....		37
Figure 7 – Load configuration when the payload is in the vertical position		37
Figure 8 – Moment load applied to an elevation axis		39
Figure 9 – Angular displacement versus applied torque to axis of rotation		39
Figure 10 – Examples of characteristic length for (a) elevation torque, (b) azimuth torque.....		41

Figure 11 – Two configurations for extreme wind moment loading	42
Figure 12 – Representation of a tracker's discrete-movement profile	46
Figure 13 – Representation of an accelerated discrete-movement profile for testing	47
Figure 14 – Test sequence for electronic components	49
Figure 15 – Electronic component thermal cycling test	55
Figure 16 – Electronic component humidity-freeze test	56
Figure 17 – Pointing-error frequency distribution for the entire test period	58
Figure 18 – Available irradiance as a function of pointing error	58
Figure 19 – Available irradiance as a function of pointing error with binning by wind speed	59
Table 1 – Tracker specification template	10
Table 2 – Alternate tracking-accuracy reporting template	31

Table 1 – Tracker specification template	10
Table 2 – Alternate tracking-accuracy reporting template	31

PHOTOVOLTAIC SYSTEMS – DESIGN QUALIFICATION OF SOLAR TRACKERS

1 Scope and object

This International Standard is a design qualification standard applicable to solar trackers for photovoltaic systems, but may be used for trackers in other solar applications. The standard defines test procedures for both key components and for the complete tracker system. In some cases, test procedures describe methods to measure and/or calculate parameters to be reported in the defined tracker specification sheet. In other cases, the test procedure results in a pass/fail criterion.

The objective of this design qualification standard is twofold.

First, this standard ensures the user of the said tracker that parameters reported in the specification sheet were measured by consistent and accepted industry procedures. This provides customers with a sound basis for comparing and selecting a tracker appropriate to their specific needs. This standard provides industry-wide definitions and parameters for solar trackers. Each vendor can design, build, and specify the functionality and accuracy with uniform definition. This allows consistency in specifying the requirements for purchasing, comparing the products from different vendors, and verifying the quality of the products.

Second, the tests with pass/fail criteria are engineered with the purpose of separating tracker designs that are likely to have early failures from those designs that are sound and suitable for use as specified by the manufacturer. Mechanical and environmental testing in this standard is designed to gauge the tracker's ability to perform under varying operating conditions, as well as to survive extreme conditions. Mechanical testing is not intended to certify structural and foundational designs, because this type of certification is specific to local jurisdictions, soil types, and other local requirements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-21, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60904-3:2008, *Photovoltaic devices – Part 3: Measurement principles for terrestrial photovoltaic (PV) solar devices with reference spectral irradiance data*

IEC 61000-4-5:2005, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*