

INTERNATIONAL STANDARD

ISO/IEC 9945-3

**Shell and Utilities,
IEEE Std 1003.1™, 2003 Edition
The Open Group Technical Standard**
Includes IEEE Std 1003.1™-2001 and IEEE Std 1003.1™-2001/Cor 1-2002

Second edition
2003-08-15

Information technology — Portable Operating System Interface (POSIX®) —

Part 3: Shell and Utilities

*Technologies de l'information — Interface pour la portabilité des systèmes
(POSIX®) —*

Partie 3: Enveloppe et services



Reference number
ISO/IEC 9945-3:2003(E)
Shell and Utilities, IEEE Std 1003.1, 2003 Edition
The Open Group Technical Standard, Issue 6

ISO/IEC 9945-3:2003(E)
Shell and Utilities, IEEE Std 1003.1, 2003 Edition
The Open Group Technical Standard, Issue 6

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

ISO

Case postale 56 • CH-1211 Geneva 20

Tel. + 41 22 749 01 11

Fax + 41 22 749 09 47

E-mail copyright@iso.org

ISO/IEC 9945-3:2003(E)

IEEE Std 1003.1™, 2003 Edition

The Open Group Technical Standard
Base Specifications, Issue 6

Includes IEEE Std 1003.1™-2001 and IEEE Std 1003.1™-2001/Cor 1-2002

Information Technology — Portable Operating System Interface (POSIX®)

Part 3: Shell and Utilities

Sponsor

Portable Applications Standards Committee
of the
IEEE Computer Society

and

The Open Group



Adopted as an International Standard by the
International Organization for Standardization
and by the
International Electrotechnical Commission



THE *Open* GROUP



This document is a preview generated by EVS

International Standard ISO/IEC 9945-3:2003(E)

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75% of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 9945 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9945-3 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*.

This second edition of ISO/IEC 9945-3 is a minor revision and, together with ISO/IEC 9945-1, ISO/IEC 9945-2, and ISO/IEC 9945-4, cancels and replaces ISO/IEC 9945-1:2002, ISO/IEC 9945-2:2002, ISO/IEC 9945-3:2002 and ISO/IEC 9945-4:2002.

ISO/IEC 9945 consists of the following parts, under the general title *Information technology — Portable Operating System Interface (POSIX[®])*:

- *Part 1: Base Definitions*
- *Part 2: System Interfaces*
- *Part 3: Shell and Utilities*
- *Part 4: Rationale*



Abstract

This standard is simultaneously ISO/IEC 9945:2003, IEEE Std 1003.1-2001, and forms the core of the Single UNIX Specification, Version 3.

The IEEE Std 1003.1, 2003 Edition includes IEEE Std 1003.1-2001/Cor 1-2002 incorporated into IEEE Std 1003.1-2001 (base document). The Corrigendum addresses problems discovered since the approval of IEEE Std 1003.1-2001. These changes are mainly due to resolving integration issues raised by the merger of the base documents that were incorporated into IEEE Std 1003.1-2001, which is the single common revision to IEEE Std 1003.1TM-1996, IEEE Std 1003.2TM-1992, ISO/IEC 9945-1:1996, ISO/IEC 9945-2:1993, and the Base Specifications of The Open Group Single UNIX[®] Specification, Version 2.

This standard defines a standard operating system interface and environment, including a command interpreter (or “shell”), and common utility programs to support applications portability at the source code level. This standard is intended to be used by both applications developers and system implementors and comprises four major components (each in an associated volume):

- General terms, concepts, and interfaces common to all volumes of this standard, including utility conventions and C-language header definitions, are included in the Base Definitions volume.
- Definitions for system service functions and subroutines, language-specific system services for the C programming language, function issues, including portability, error handling, and error recovery, are included in the System Interfaces volume.
- Definitions for a standard source code-level interface to command interpretation services (a “shell”) and common utility programs for application programs are included in the Shell and Utilities volume.
- Extended rationale that did not fit well into the rest of the document structure, which contains historical information concerning the contents of this standard and why features were included or discarded by the standard developers, is included in the Rationale (Informative) volume.

The following areas are outside the scope of this standard:

- Graphics interfaces
- Database management system interfaces
- Record I/O considerations
- Object or binary code portability
- System configuration and resource availability

This standard describes the external characteristics and facilities that are of importance to applications developers, rather than the internal construction techniques employed to achieve these capabilities. Special emphasis is placed on those functions and facilities that are needed in a wide variety of commercial applications.

Keywords

application program interface (API), argument, asynchronous, basic regular expression (BRE), batch job, batch system, built-in utility, byte, child, command language interpreter, CPU, extended regular expression (ERE), FIFO, file access control mechanism, input/output (I/O), job control, network, portable operating system interface (POSIX[®]), parent, shell, stream, string, synchronous, system, thread, X/Open System Interface (XSI)

Copyright © 2001-2003 by the Institute of Electrical and Electronics Engineers, Inc. and The Open Group. All rights reserved. This printing is by the International Organization for Standardization with special permission of the Institute of Electrical and Electronics Engineers, Inc. and The Open Group. Published in Switzerland.

Shell and Utilities, Issue 6

Published 31 March 2003 by the Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, U.S.A.
ISBN: 0-7381-3437-6 PDF 0-7381-3564-X/SS95078 CD-ROM 0-7381-3563-1/SE95078
Printed in the United States of America by the IEEE.

Published 31 March 2003 by The Open Group
Apex Plaza, Forbury Road, Reading, Berkshire RG1 1AX, U.K.
Document Number: C033
ISBN: 1-931624-25-9
Printed in the U.K. by The Open Group.

All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission from both the IEEE and The Open Group.

Portions of this standard are derived with permission from copyrighted material owned by Hewlett-Packard Company, International Business Machines Corporation, Novell Inc., The Open Software Foundation, and Sun Microsystems, Inc.

Permissions

Authorization to photocopy portions of this standard for internal or personal use is granted provided that the appropriate fee is paid to the Copyright Clearance Center or the equivalent body outside of the U.S. Permission to make multiple copies for educational purposes in the U.S. requires agreement and a license fee to be paid to the Copyright Clearance Center.

Beyond these provisions, permission to reproduce all or any part of this standard must be with the consent of both copyright holders and may be subject to a license fee. Both copyright holders will need to be satisfied that the other has granted permission. Requests to the copyright holders should be sent by email to austin-group-permissions@opengroup.org.

Feedback

This standard has been prepared by the Austin Group. Feedback relating to the material contained in this standard may be submitted using the Austin Group web site at <http://www.opengroup.org/austin/defectform.html>.

IEEE

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property, or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS".

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of the IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with the IEEE.¹ Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331, U.S.A.

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE Standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

A patent holder has filed a statement of assurance that it will grant licenses under these rights without compensation or under reasonable rates and non-discriminatory, reasonable terms and conditions to all applicants desiring to obtain such licenses. The IEEE makes no representation as to the reasonableness of rates and/or terms and conditions of the license agreements offered by patent holders. Further information may be obtained from the IEEE Standards Department.

Authorization to photocopy portions of any individual standard for internal or personal use is granted in the U.S. by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to the Copyright Clearance Center.² Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center. To arrange for payment of the licensing fee, please contact:

Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923, U.S.A.; tel: +1 978 750 8400

Amendments, corrigenda, and interpretations for this standard, or information about the IEEE standards development process, may be found at <http://standards.ieee.org>.

Full catalog and ordering information on all IEEE publications is available from the IEEE Online Catalog & Store at <http://shop.ieee.org/store>.

1. For this standard, please send comments via the Austin Group as requested on page iii.

2. Please refer to the special provisions for this standard on page iii concerning permissions from both copyright holders and arrangements to cover photocopying and reproduction across the world, as well as by commercial organizations wishing to license the material for use in product documentation.

The Open Group

The Open Group, a vendor and technology-neutral consortium, is committed to delivering greater business efficiency by bringing together buyers and suppliers of information technology to lower the time, cost, and risks associated with integrating new technology across the enterprise.

The Open Group's mission is to offer all organizations concerned with open information infrastructures a forum to share knowledge, integrate open initiatives, and certify approved products and processes in a manner in which they continue to trust our impartiality.

In the global eCommerce world of today, no single economic entity can achieve independence while still ensuring interoperability. The assurance that products will interoperate with each other across differing systems and platforms is essential to the success of eCommerce and business workflow. The Open Group, with its proven testing and certification program, is the international guarantor of interoperability in the new century.

The Open Group provides opportunities to exchange information and shape the future of IT. The Open Group's members include some of the largest and most influential organizations in the world. The flexible structure of The Open Groups membership allows for almost any organization, no matter what their size, to join and have a voice in shaping the future of the IT world.

More information is available on The Open Group web site at <http://www.opengroup.org>.

The Open Group has over 15 years' experience in developing and operating certification programs and has extensive experience developing and facilitating industry adoption of test suites used to validate conformance to an open standard or specification. The Open Group portfolio of test suites includes the *Westwood* family of tests for this standard and the associated certification program for Version 3 of the Single UNIX Specification, as well tests for CDE, CORBA, Motif, Linux, LDAP, POSIX.1, POSIX.2, POSIX Realtime, Sockets, UNIX, XPG4, XNFS, XTI, and X11. The Open Group test tools are essential for proper development and maintenance of standards-based products, ensuring conformance of products to industry-standard APIs, applications portability, and interoperability. In-depth testing identifies defects at the earliest possible point in the development cycle, saving costs in development and quality assurance.

More information is available at <http://www.opengroup.org/testing>.

The Open Group publishes a wide range of technical documentation, the main part of which is focused on development of Technical and Product Standards and Guides, but which also includes white papers, technical studies, branding and testing documentation, and business titles. Full details and a catalog are available at <http://www.opengroup.org/pubs>.

As with all *live* documents, Technical Standards and Specifications require revision to align with new developments and associated international standards. To distinguish between revised specifications which are fully backwards compatible and those which are not:

- A new *Version* indicates there is no change to the definitive information contained in the previous publication of that title, but additions/extensions are included. As such, it *replaces* the previous publication.
- A new *Issue* indicates there is substantive change to the definitive information contained in the previous publication of that title, and there may also be additions/extensions. As such, both previous and new documents are maintained as current publications.

Readers should note that Corrigenda may apply to any publication. Corrigenda information is published at <http://www.opengroup.org/corrigenda>.

Full catalog and ordering information on all Open Group publications is available at <http://www.opengroup.org/pubs>.

Contents

Chapter 1	Introduction.....	1
1.1	Scope.....	1
1.2	Conformance	1
1.3	Normative References	1
1.4	Change History	1
1.5	Terminology	1
1.6	Definitions	3
1.7	Relationship to Other Documents.....	3
1.7.1	System Interfaces	3
1.7.1.1	Process Attributes	3
1.7.1.2	Concurrent Execution of Processes.....	3
1.7.1.3	File Access Permissions	4
1.7.1.4	File Read, Write, and Creation	4
1.7.1.5	File Removal	6
1.7.1.6	File Time Values	6
1.7.1.7	File Contents	6
1.7.1.8	Pathname Resolution	7
1.7.1.9	Changing the Current Working Directory.....	7
1.7.1.10	Establish the Locale	7
1.7.1.11	Actions Equivalent to Functions.....	7
1.7.2	Concepts Derived from the ISO C Standard.....	7
1.7.2.1	Arithmetic Precision and Operations	7
1.7.2.2	Mathematical Functions	9
1.8	Portability	9
1.8.1	Codes	9
1.9	Utility Limits.....	17
1.10	Grammar Conventions	19
1.11	Utility Description Defaults.....	20
1.12	Considerations for Utilities in Support of Files of Arbitrary Size	27
1.13	Built-In Utilities.....	28
Chapter 2	Shell Command Language	29
2.1	Shell Introduction	29
2.2	Quoting	30
2.2.1	Escape Character (Backslash).....	30
2.2.2	Single-Quotes.....	30
2.2.3	Double-Quotes	30
2.3	Token Recognition.....	31
2.3.1	Alias Substitution	32
2.4	Reserved Words	33
2.5	Parameters and Variables.....	33
2.5.1	Positional Parameters.....	33

2.5.2	Special Parameters.....	34
2.5.3	Shell Variables.....	34
2.6	Word Expansions.....	36
2.6.1	Tilde Expansion.....	37
2.6.2	Parameter Expansion.....	37
2.6.3	Command Substitution.....	40
2.6.4	Arithmetic Expansion.....	41
2.6.5	Field Splitting.....	42
2.6.6	Pathname Expansion.....	42
2.6.7	Quote Removal.....	42
2.7	Redirection.....	43
2.7.1	Redirecting Input.....	44
2.7.2	Redirecting Output.....	44
2.7.3	Appending Redirected Output.....	44
2.7.4	Here-Document.....	44
2.7.5	Duplicating an Input File Descriptor.....	45
2.7.6	Duplicating an Output File Descriptor.....	45
2.7.7	Open File Descriptors for Reading and Writing.....	46
2.8	Exit Status and Errors.....	46
2.8.1	Consequences of Shell Errors.....	46
2.8.2	Exit Status for Commands.....	46
2.9	Shell Commands.....	47
2.9.1	Simple Commands.....	47
2.9.1.1	Command Search and Execution.....	48
2.9.2	Pipelines.....	49
2.9.3	Lists.....	50
2.9.3.1	Asynchronous Lists.....	50
2.9.3.2	Sequential Lists.....	51
2.9.3.3	AND Lists.....	51
2.9.3.4	OR Lists.....	51
2.9.4	Compound Commands.....	52
2.9.4.1	Grouping Commands.....	52
2.9.4.2	The for Loop.....	52
2.9.4.3	Case Conditional Construct.....	53
2.9.4.4	The if Conditional Construct.....	53
2.9.4.5	The while Loop.....	54
2.9.4.6	The until Loop.....	54
2.9.5	Function Definition Command.....	54
2.10	Shell Grammar.....	55
2.10.1	Shell Grammar Lexical Conventions.....	55
2.10.2	Shell Grammar Rules.....	56
2.11	Signals and Error Handling.....	61
2.12	Shell Execution Environment.....	61
2.13	Pattern Matching Notation.....	62
2.13.1	Patterns Matching a Single Character.....	62
2.13.2	Patterns Matching Multiple Characters.....	63
2.13.3	Patterns Used for Filename Expansion.....	63
2.14	Special Built-In Utilities.....	64

	<i>break</i>	65
	<i>colon</i>	67
	<i>continue</i>	69
	<i>dot</i>	71
	<i>eval</i>	73
	<i>exec</i>	75
	<i>exit</i>	77
	<i>export</i>	79
	<i>readonly</i>	82
	<i>return</i>	84
	<i>set</i>	86
	<i>shift</i>	92
	<i>times</i>	94
	<i>trap</i>	96
	<i>unset</i>	99
Chapter 3	Batch Environment Services	101
3.1	General Concepts	101
3.1.1	Batch Client-Server Interaction	101
3.1.2	Batch Queues	101
3.1.3	Batch Job Creation	102
3.1.4	Batch Job Tracking	102
3.1.5	Batch Job Routing	102
3.1.6	Batch Job Execution	103
3.1.7	Batch Job Exit	103
3.1.8	Batch Job Abort	103
3.1.9	Batch Authorization	103
3.1.10	Batch Administration	104
3.1.11	Batch Notification	104
3.2	Batch Services	104
3.2.1	Batch Job States	105
3.2.2	Deferred Batch Services	106
3.2.2.1	Batch Job Execution	106
3.2.2.2	Batch Job Routing	113
3.2.2.3	Batch Job Exit	113
3.2.2.4	Batch Server Restart	114
3.2.2.5	Batch Job Abort	114
3.2.3	Requested Batch Services	115
3.2.3.1	Delete Batch Job Request	115
3.2.3.2	Hold Batch Job Request	116
3.2.3.3	Batch Job Message Request	116
3.2.3.4	Batch Job Status Request	117
3.2.3.5	Locate Batch Job Request	117
3.2.3.6	Modify Batch Job Request	117
3.2.3.7	Move Batch Job Request	118
3.2.3.8	Queue Batch Job Request	118
3.2.3.9	Batch Queue Status Request	119
3.2.3.10	Release Batch Job Request	119

3.2.3.11	Rerun Batch Job Request	120
3.2.3.12	Select Batch Jobs Request	120
3.2.3.13	Server Shutdown Request.....	120
3.2.3.14	Server Status Request.....	121
3.2.3.15	Signal Batch Job Request	121
3.2.3.16	Track Batch Job Request	121
3.3	Common Behavior for Batch Environment Utilities	122
3.3.1	Batch Job Identifier	122
3.3.2	Destination	123
3.3.3	Multiple Keyword-Value Pairs	123
Chapter 4	Utilities.....	125
	Index.....	1081
List of Figures		
4-1	pax Format Archive Example.....	713
List of Tables		
1-1	Actions when Creating a File that Already Exists	5
1-2	Selected ISO C Standard Operators and Control Flow Keywords.....	8
1-3	Utility Limit Minimum Values.....	17
1-4	Symbolic Utility Limits.....	18
1-5	Regular Built-in Utilities	28
3-1	Batch Utilities.....	101
3-2	Environment Variable Summary	105
3-3	Next State Table	107
3-4	Results/Output Table.....	108
3-5	Batch Services Summary.....	115
4-1	Expressions in Decreasing Precedence in <i>awk</i>	156
4-2	Escape Sequences in <i>awk</i>	162
4-3	Operators in <i>bc</i>	198
4-4	Programming Environments: Type Sizes	215
4-5	Programming Environments: <i>c99</i> and <i>tc</i> Arguments.....	216
4-6	ASCII to EBCDIC Conversion.....	305
4-7	ASCII to IBM EBCDIC Conversion.....	306
4-8	File Utility Output Strings	446
4-9	Table Size Declarations in <i>lex</i>	538
4-10	Escape Sequences in <i>lex</i>	540
4-11	ERE Precedence in <i>lex</i>	541
4-12	Named Characters in <i>od</i>	682
4-13	ustar Header Block	718
4-14	ustar <i>mode</i> Field	719
4-15	Octet-Oriented cpio Archive Entry.....	721
4-16	Values for cpio <i>c_mode</i> Field	722
4-17	Variable Names and Default Headers in <i>ps</i>	755

Contents

4-18	Environment Variable Values (Utilities)	804
4-19	Control Character Names in <i>stty</i>	889
4-20	Circumflex Control Characters in <i>stty</i>	889
4-21	uuencode Base64 Values.....	973
4-22	Internal Limits in <i>yacc</i>	1075

This document is a preview generated by EVS

This document is a preview generated by EVS

Foreword

Structure of the Standard

This standard was originally developed by the Austin Group, a joint working group of members of the IEEE, members of The Open Group, and members of ISO/IEC Joint Technical Committee 1, as one of the four volumes of IEEE Std 1003.1-2001. The standard was approved by ISO and IEC and published in four parts, correlating to the original volumes.

A mapping of the parts to the volumes is shown below:

ISO/IEC 9945 Part	IEEE Std 1003.1 Volume	Description
9945-1	Base Definitions	Includes general terms, concepts, and interfaces common to all parts of ISO/IEC 9945, including utility conventions and C-language header definitions.
9945-2	System Interfaces	Includes definitions for system service functions and subroutines, language-specific system services for the C programming language, function issues, including portability, error handling, and error recovery.
9945-3	Shell and Utilities	Includes definitions for a standard source code-level interface to command interpretation services (a “shell”) and common utility programs for application programs.
9945-4	Rationale	Includes extended rationale that did not fit well into the rest of the document structure, containing historical information concerning the contents of ISO/IEC 9945 and why features were included or discarded by the standard developers.

All four parts comprise the entire standard, and are intended to be used together to accommodate significant internal referencing among them. POSIX-conforming systems are required to support all four parts.

Introduction

Note: This introduction is not part of IEEE Std 1003.1-2001, Standard for Information Technology — Portable Operating System Interface (POSIX).

This standard has been jointly developed by the IEEE and The Open Group. It is simultaneously an IEEE Standard, an ISO/IEC Standard, and an Open Group Technical Standard.

The Austin Group

This standard was developed, and is maintained, by a joint working group of members of the IEEE Portable Applications Standards Committee, members of The Open Group, and members of ISO/IEC Joint Technical Committee 1. This joint working group is known as the Austin Group.³ The Austin Group arose out of discussions amongst the parties which started in early 1998, leading to an initial meeting and formation of the group in September 1998. The purpose of the Austin Group has been to revise, combine, and update the following standards: ISO/IEC 9945-1, ISO/IEC 9945-2, IEEE Std 1003.1, IEEE Std 1003.2, and the Base Specifications of The Open Group Single UNIX Specification.

After two initial meetings, an agreement was signed in July 1999 between The Open Group and the Institute of Electrical and Electronics Engineers (IEEE), Inc., to formalize the project with the first draft of the revised specifications being made available at the same time. Under this agreement, The Open Group and IEEE agreed to share joint copyright of the resulting work. The Open Group has provided the chair and secretariat for the Austin Group.

The base document for the revision was The Open Group's Base volumes of its Single UNIX Specification, Version 2. These were selected since they were a superset of the existing POSIX.1 and POSIX.2 specifications and had some organizational aspects that would benefit the audience for the new revision.

The approach to specification development has been one of "write once, adopt everywhere", with the deliverables being a set of specifications that carry the IEEE POSIX designation, The Open Group's Technical Standard designation, and an ISO/IEC designation. This set of specifications forms the core of the Single UNIX Specification, Version 3.

This unique development has combined both the industry-led efforts and the formal standardization activities into a single initiative, and included a wide spectrum of participants. The Austin Group continues as the maintenance body for this document.

Anyone wishing to participate in the Austin Group should contact the chair with their request. There are no fees for participation or membership. You may participate as an observer or as a contributor. You do not have to attend face-to-face meetings to participate; electronic participation is most welcome. For more information on the Austin Group and how to participate, see <http://www.opengroup.org/austin>.

3. The Austin Group is named after the location of the inaugural meeting held at the IBM facility in Austin, Texas in September 1998.

Background

The developers of this standard represent a cross section of hardware manufacturers, vendors of operating systems and other software development tools, software designers, consultants, academics, authors, applications programmers, and others.

Conceptually, this standard describes a set of fundamental services needed for the efficient construction of application programs. Access to these services has been provided by defining an interface, using the C programming language, a command interpreter, and common utility programs that establish standard semantics and syntax. Since this interface enables application writers to write portable applications—it was developed with that goal in mind—it has been designated POSIX,⁴ an acronym for Portable Operating System Interface.

Although originated to refer to the original IEEE Std 1003.1-1988, the name POSIX more correctly refers to a family of related standards: IEEE Std 1003.*n* and the parts of ISO/IEC 9945. In earlier editions of the IEEE standard, the term POSIX was used as a synonym for IEEE Std 1003.1-1988. A preferred term, POSIX.1, emerged. This maintained the advantages of readability of the symbol ‘POSIX’ without being ambiguous with the POSIX family of standards.

Audience

The intended audience for this standard is all persons concerned with an industry-wide standard operating system based on the UNIX system. This includes at least four groups of people:

1. Persons buying hardware and software systems
2. Persons managing companies that are deciding on future corporate computing directions
3. Persons implementing operating systems, and especially
4. Persons developing applications where portability is an objective

Purpose

Several principles guided the development of this standard:

- Application-Oriented

The basic goal was to promote portability of application programs across UNIX system environments by developing a clear, consistent, and unambiguous standard for the interface specification of a portable operating system based on the UNIX system documentation. This standard codifies the common, existing definition of the UNIX system.

- Interface, Not Implementation

This standard defines an interface, not an implementation. No distinction is made between library functions and system calls; both are referred to as functions. No details of the implementation of any function are given (although historical practice is sometimes indicated in the RATIONALE section). Symbolic names are given for constants (such as signals and error numbers) rather than numbers.

4. The name POSIX was suggested by Richard Stallman. It is expected to be pronounced *pahz-icks*, as in *positive*, not *poh-six*, or other variations. The pronunciation has been published in an attempt to promulgate a standardized way of referring to a standard operating system interface.

- Source, Not Object, Portability

This standard has been written so that a program written and translated for execution on one conforming implementation may also be translated for execution on another conforming implementation. This standard does not guarantee that executable (object or binary) code will execute under a different conforming implementation than that for which it was translated, even if the underlying hardware is identical.

- The C Language

The system interfaces and header definitions are written in terms of the standard C language as specified in the ISO C standard.

- No Superuser, No System Administration

There was no intention to specify all aspects of an operating system. System administration facilities and functions are excluded from this standard, and functions usable only by the superuser have not been included. Still, an implementation of the standard interface may also implement features not in this standard. This standard is also not concerned with hardware constraints or system maintenance.

- Minimal Interface, Minimally Defined

In keeping with the historical design principles of the UNIX system, the mandatory core facilities of this standard have been kept as minimal as possible. Additional capabilities have been added as optional extensions.

- Broadly Implementable

The developers of this standard endeavored to make all specified functions implementable across a wide range of existing and potential systems, including:

1. All of the current major systems that are ultimately derived from the original UNIX system code (Version 7 or later)
2. Compatible systems that are not derived from the original UNIX system code
3. Emulations hosted on entirely different operating systems
4. Networked systems
5. Distributed systems
6. Systems running on a broad range of hardware

No direct references to this goal appear in this standard, but some results of it are mentioned in the Rationale (Informative) volume.

- Minimal Changes to Historical Implementations

When the original version of IEEE Std 1003.1 was published, there were no known historical implementations that did not have to change. However, there was a broad consensus on a set of functions, types, definitions, and concepts that formed an interface that was common to most historical implementations.

The adoption of the 1988 and 1990 IEEE system interface standards, the 1992 IEEE shell and utilities standard, the various Open Group (formerly X/Open) specifications, and the subsequent revisions and addenda to all of them have consolidated this consensus, and this revision reflects the significantly increased level of consensus arrived at since the original versions. The earlier standards and their modifications specified a number of areas where consensus had not been reached before, and these are now reflected in this revision. The authors of the original versions tried, as much as possible, to follow the principles below

when creating new specifications:

1. By standardizing an interface like one in an historical implementation; for example, directories
2. By specifying an interface that is readily implementable in terms of, and backwards-compatible with, historical implementations, such as the extended *tar* format defined in the *pax* utility
3. By specifying an interface that, when added to an historical implementation, will not conflict with it; for example, the *sigaction()* function

This revision tries to minimize the number of changes required to implementations which conform to the earlier versions of the approved standards to bring them into conformance with the current standard. Specifically, the scope of this work excluded doing any “new” work, but rather collecting into a single document what had been spread across a number of documents, and presenting it in what had been proven in practice to be a more effective way. Some changes to prior conforming implementations were unavoidable, primarily as a consequence of resolving conflicts found in prior revisions, or which became apparent when bringing the various pieces together.

However, since it references the 1999 version of the ISO C standard, and no longer supports “Common Usage C”, there are a number of unavoidable changes. Applications portability is similarly affected.

This standard is specifically not a codification of a particular vendor’s product.

It should be noted that implementations will have different kinds of extensions. Some will reflect “historical usage” and will be preserved for execution of pre-existing applications. These functions should be considered “obsolescent” and the standard functions used for new applications. Some extensions will represent functions beyond the scope of this standard. These need to be used with careful management to be able to adapt to future extensions of this standard and/or port to implementations that provide these services in a different manner.

- Minimal Changes to Existing Application Code

A goal of this standard was to minimize additional work for the developers of applications. However, because every known historical implementation will have to change at least slightly to conform, some applications will have to change.

This Standard

This standard defines the Portable Operating System Interface (POSIX) requirements and consists of the following volumes:

- Base Definitions
- Shell and Utilities (this volume)
- System Interfaces
- Rationale (Informative)

This Volume

The Shell and Utilities volume describes the commands and utilities offered to application programs on POSIX-conformant systems. Readers are expected to be familiar with the Base Definitions volume.

This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards. It also describes the defaults used by the utility descriptions in Chapter 4.
- Chapter 2 describes the command language used in POSIX-conformant systems.
- Chapter 3 describes a set of services and utilities that are implemented on systems supporting the Batch Environment Services and Utilities option.
- Chapter 4 consists of reference pages for all utilities available on POSIX-conformant systems.

Comprehensive references are available in the index.

Typographical Conventions

The following typographical conventions are used throughout this standard. In the text, this standard is referred to as IEEE Std 1003.1-2001, which is technically identical to The Open Group Base Specifications, Issue 6.

The typographical conventions listed here are for ease of reading only. Editorial inconsistencies in the use of typography are unintentional and have no normative meaning in this standard.

Reference	Example	Notes
C-Language Data Structure	aiocb	
C-Language Data Structure Member	<i>aiio_opcode</i>	
C-Language Data Type	long	
C-Language External Variable	<i>errno</i>	
C-Language Function	<i>system()</i>	
C-Language Function Argument	<i>arg1</i>	
C-Language Function Family	<i>exec</i>	
C-Language Header	<sys/stat.h>	
C-Language Keyword	return	
C-Language Macro with Argument	<i>assert()</i>	
C-Language Macro with No Argument	<code>INSTR_ADDRSTRLEN</code>	
C-Language Preprocessing Directive	#define	
Commands within a Utility	a, c	
Conversion Specification, Specifier/Modifier Character	%A, g, E	1
Environment Variable	<i>PATH</i>	
Error Number	[EINTR]	
Example Output	Hello, World	
Filename	/tmp	
Literal Character	'c', '\r', '\\'	2
Literal String	"abcde"	2
Optional Items in Utility Syntax	[]	
Parameter	<directory pathname>	
Special Character	<newline>	3

Reference	Example	Notes
Symbolic Constant	<code>_POSIX_VDISABLE</code>	
Symbolic Limit, Configuration Value	<code>{LINE_MAX}</code>	4
Syntax	<code>#include <sys/stat.h></code>	
User Input and Example Code	<code>echo Hello, World</code>	5
Utility Name	<code>awk</code>	
Utility Operand	<code>file_name</code>	
Utility Option	<code>-c</code>	
Utility Option with Option-Argument	<code>-w width</code>	

Notes:

Conversion specifications, specifier characters, and modifier characters are used primarily in date-related functions and utilities and the *fprintf* and *fscanf* formatting functions.

2. Unless otherwise noted, the quotes shall not be used as input or output. When used in a list item, the quotes are omitted. For literal characters, `'\'` (or any of the other sequences such as `''`) is the same as the C constant `'\\'` (or `'\'`).
3. The style selected for some of the special characters, such as `<newline>`, matches the form of the input given to the *localedef* utility. Generally, the characters selected for this special treatment are those that are not visually distinct, such as the control characters `<tab>` or `<newline>`.
4. Names surrounded by braces represent symbolic limits or configuration values which may be declared in appropriate headers by means of the C `#define` construct.
5. Brackets shown in this font, " `[]` ", are part of the syntax and do *not* indicate optional items. In syntax the `|` symbol is used to separate alternatives, and ellipses (" `...` ") are used to show that additional arguments are optional.

Shading is used to identify extensions and options; see Section 1.8.1 (on page 9).

Footnotes and notes within the body of the normative text are for information only (informative).

Informative sections (such as Rationale, Change History, Application Usage, and so on) are denoted by continuous shading bars in the margins.

Ranges of values are indicated with parentheses or brackets as follows:

- (a,b) means the range of all values from a to b , including neither a nor b .
- $[a,b)$ means the range of all values from a to b , including a and not b .
- $(a,b]$ means the range of all values from a to b , including b , but not a .
- $[a,b]$ means the range of all values from a to b , including both a and b .

Participants

IEEE Std 1003.1-2001 was prepared by the Austin Group, sponsored by the Portable Applications Standards Committee of the IEEE Computer Society, The Open Group, and ISO/SC22 WG15.

The Austin Group

At the time of approval, the membership of the Austin Group was as follows:

Andrew Josey, Chair

Donald W. Cragun, Organizational Representative, IEEE PASC

Nicholas Stoughton, Organizational Representative, ISO/SC22 WG15

Mark Brown, Organizational Representative, The Open Group

Cathy Hughes, Technical Editor

Austin Group Technical Reviewers

Peter Anvin

Bouazza Bachar

Theodore P. Baker

Walter Briscoe

Mark Brown

Dave Butenhof

Geoff Clare

Donald W. Cragun

Lee Damico

Ulrich Drepper

Paul Eggert

Joanna Farley

Clive D.W. Feather

Andrew Gollan

Michael Gonzalez

Joseph M. Gwinn

Jon Hitchcock

Yvette Ho Sang

Cathy Hughes

Lowell G. Johnson

Andrew Josey

Michael Kavanaugh

David Korn

Marc Aurele La France

Jim Meyering

Gary Miller

Finnbarr P. Murphy

Joseph S. Myers

Sandra O'Donnell

Frank Prindle

Curtis Royster Jr.

Glen Seeds

Keld Jorn Simonsen

Raja Srinivasan

Nicholas Stoughton

Donn S. Terry

Fred Tydeman

Peter Van Der Veen

James Youngman

Jim Zepeda

Jason Zions

Participants

Austin Group Working Group Members

Harold C. Adams
Peter Anvin
Pierre-Jean Arcos
Jay Ashford
Bouazza Bachar
Theodore P. Baker
Robert Barned
Joel Berman
David J. Blackwood
Shirley Bockstahler-Brandt
James Bottomley
Walter Briscoe
Andries Brouwer
Mark Brown
Eric W. Burger
Alan Burns
Andries Brouwer
Dave Butenhof
Keith Chow
Geoff Clare
Donald W. Cragun
Lee Damico
Juan Antonio De La Puente
Ming De Zhou
Steven J. Dovich
Richard P. Draves
Ulrich Drepper
Paul Eggert
Philip H. Enslow
Joanna Farley
Clive D.W. Feather
Pete Forman
Mark Funkenhauser
Lois Goldthwaite
Andrew Gollan

Michael Gonzalez
Karen D. Gordon
Joseph M. Gwinn
Steven A. Haaser
Charles E. Hammons
Chris J. Harding
Barry Hedquist
Vincent E. Henley
Karl Heubaum
Jon Hitchcock
Yvette Ho Sang
Niklas Holsti
Thomas Hosmer
Cathy Hughes
Jim D. Isaak
Lowell G. Johnson
Michael B. Jones
Andrew Josey
Michael J. Karels
Michael Kavanaugh
David Korn
Steven Kramer
Thomas M. Kurihara
Marc Aurele La France
C. Douglass Locke
Nick Maclaren
Roger J. Martin
Craig H. Meyer
Jim Meyering
Gary Miller
Finnbarr P. Murphy
Joseph S. Myers
John Napier
Peter E. Obermayer
James T. Oblinger

Sandra O'Donnell
Frank Prindle
Francois Riche
John D. Riley
Andrew K. Roach
Helmut Roth
Jaideep Roy
Curtis Royster Jr.
Stephen C. Schwarm
Glen Seeds
Richard Seibel
David L. Shroads Jr.
W. Olin Sibert
Keld Jorn Simonsen
Curtis Smith
Raja Srinivasan
Nicholas Stoughton
Marc J. Teller
Donn S. Terry
Fred Tydeman
Mark-Rene Uchida
Scott A. Valcourt
Peter Van Der Veen
Michael W. Vannier
Eric Vought
Frederick N. Webb
Paul A.T. Wolfgang
Garrett A. Wollman
James Youngman
Oren Yuen
Janusz Zalewski
Jim Zepeda
Jason Zions

The Open Group

When The Open Group approved the Base Specifications, Issue 6 on 12 September 2001, the membership of The Open Group Base Working Group was as follows:

Andrew Josey, Chair

Finnbarr P. Murphy, Vice-Chair

Mark Brown, Austin Group Liaison

Cathy Hughes, Technical Editor

Base Working Group Members

Bouazza Bachar

Mark Brown

Dave Butenhof

Donald W. Cragun

Larry Dwyer

Joanna Farley

Andrew Gollan

Karen D. Gordon

Gary Miller

Finnbarr P. Murphy

Frank Prindle

Andrew K. Roach

Curtis Royster Jr.

Nicholas Stoughton

Kenjiro Tsuji

Participants

IEEE

When the IEEE Standards Board approved IEEE Std 1003.1-2001 on 6 December 2001, the membership of the committees was as follows:

Portable Applications Standards Committee (PASC)

Lowell G. Johnson, Chair
Joseph M. Gwinn, Vice-Chair
Jay Ashford, Functional Chair
Andrew Josey, Functional Chair
Curtis Royster Jr., Functional Chair
Nicholas Stoughton, Secretary

Balloting Committee

The following members of the balloting committee voted on IEEE Std 1003.1-2001. Balloters may have voted for approval, disapproval, or abstention:

Harold C. Adams	Steven A. Haaser	Frank Prindle
Pierre-Jean Arcos	Charles E. Hammons	Francois Riche
Jay Ashford	Chris J. Harding	John D. Riley
Theodore P. Baker	Barry Hedquist	Andrew K. Roach
Robert Barned	Vincent E. Henley	Helmut Roth
David J. Blackwood	Karl Heubaum	Jaideep Roy
Shirley Bockstahler-Brandt	Niclas Holsti	Curtis Royster Jr.
James Bottomley	Thomas Hosmer	Stephen C. Schwarm
Mark Brown	Jim D. Isak	Richard Seibel
Eric W. Burger	Lowell G. Johnson	David L. Shroads Jr.
Alan Burns	Michael B. Jones	W. Olin Sibert
Dave Butenhof	Andrew Josey	Keld Jorn Simonsen
Keith Chow	Michael J. Karel	Nicholas Stoughton
Donald W. Cragun	Steven Kramer	Donn S. Terry
Juan Antonio De La Puente	Thomas M. Kurihara	Mark-Rene Uchida
Ming De Zhou	C. Douglass Locke	Scott A. Valcourt
Steven J. Dovich	Roger J. Martin	Michael W. Vannier
Richard P. Draves	Craig H. Meyer	Frederick N. Webb
Philip H. Enslow	Finnbarr P. Murphy	Paul A.T. Wolfgang
Michael Gonzalez	John Napier	Oren Yuen
Karen D. Gordon	Peter E. Obermayer	Janusz Zalewski
Joseph M. Gwinn	James T. Oblinger	

The following organizational representative voted on this standard:

Andrew Josey, X/Open Company Ltd.

IEEE-SA Standards Board

When the IEEE-SA Standards Board approved IEEE Std 1003.1-2001 on 6 December 2001, it had the following membership:

Donald N. Heirman, Chair
James T. Carlo, Vice-Chair
Judith Gorman, Secretary

Satish K. Aggarwal
Mark D. Bowman
Gary R. Engmann
Harold E. Epstein
H. Landis Floyd
Jay Forster*
Howard M. Frazier
Ruben D. Garzon

James H. Gurney
Richard J. Holleman
Lowell G. Johnson
Robert J. Kennelly
Joseph L. Koepfinger*
Peter H. Lips
L. Bruce McClung
Daleep C. Mohla

James W. Moore
Robert F. Munzner
Ronald C. Petersen
Gerald H. Peterson
John B. Posey
Gary S. Robinson
Akio Tojo
Donald W. Zipse

Also included are the following non-voting IEEE-SA Standards Board liaisons:

Alan Cookson, NIST Representative
Donald R. Volzka, TAB Representative
Yvette Ho Sang, Don Messina, Sayoula Amanatidis, IEEE Project Editors

* Member Emeritus

Participants

IEEE Std 1003.1-2001/Cor 1-2002 was prepared by the Austin Group, sponsored by the Portable Applications Standards Committee of the IEEE Computer Society, The Open Group, and ISO/IEC JTC 1/SC22/WG15.

The Austin Group

At the time of approval, the membership of the Austin Group was as follows:

Andrew Josey, Chair

Donald W. Cragun, Organizational Representative, IEEE PASC

Nicholas Stoughton, Organizational Representative, ISO/IEC JTC 1/SC22/WG15

Mark Brown, Organizational Representative, The Open Group

Cathy Fox, Technical Editor

Austin Group Technical Reviewers

Theodore P. Baker

Julian Blake

Andries Brouwer

Mark Brown

Dave Butenhof

Geoff Clare

Donald W. Cragun

Ken Dawson

Ulrich Drepper

Larry Dwyer

Paul Eggert

Joanna Farley

Clive D.W. Feather

Cathy Fox

Mark Funkenhauser

Lois Goldthwaite

Andrew Gollan

Michael Gonzalez

Bruno Haible

Ben Harris

Jon Hitchcock

Andreas Jaeger

Andrew Josey

Jonathan Lennox

Nick Maclaren

Jack McCann

Wilhelm Mueller

Joseph S. Myers

Frank Prindle

Kenneth Raeburn

Tim Robbins

Glen Seeds

Matthew Seitz

Keld Jorn Simonsen

Nicholas Stoughton

Alexander Terekhov

Donn S. Terry

Mike Wilson

Garrett A. Wollman

Mark Ziegast

Austin Group Working Group Members

Harold C. Adams
 Alejandro Alonso
 Jay Ashford
 Theodore P. Baker
 David J. Blackwood
 Julian Blake
 Mitchell Bonnett
 Andries Brouwer
 Mark Brown
 Eric W. Burger
 Alan Burns
 Dave Butenhof
 Keith Chow
 Geoff Clare
 Luis Cordova
 Donald W. Cragun
 Dragan Cvetkovic
 Lee Damico
 Ken Dawson
 Jeroen Dekkers
 Juan Antonio De La Puente
 Steven J. Dovich
 Ulrich Drepper
 Dr. Sourav Dutta
 Larry Dwyer
 Paul Eggert
 Joanna Farley

Clive D.W. Feather
 Yaacov Fenster
 Cathy Fox
 Mark Funkenhauser
 Lois Goldthwaite
 Andrew Gollan
 Michael Gonzalez
 Karen D. Gordon
 Scott Gudgel
 Joseph M. Gwinn
 Steven A. Haaser
 Bruno Haible
 Charles E. Hammons
 Bryan Harold
 Ben Harris
 Barry Hedquist
 Karl Heubaum
 Jon Hitchcock
 Andreas Jaeger
 Andrew Josey
 Kenneth Lang
 Pi-Cheng Law
 Jonathan Lennox
 Nick Maclaren
 Roger J. Martin
 Jack McCann
 George Miao

Wilhelm Mueller
 Finnbar P. Murphy
 Joseph S. Myers
 Alexey Neyman
 Charles Ngethe
 Peter Petrov
 Frank Prindle
 Vikram Punj
 Kenneth Raeburn
 Francois Riche
 Tim Robbins
 Curtis Royster Jr.
 Diane Schleicher
 Gil Shultz
 Stephen C. Schwarm
 Glen Seeds
 Matthew Seitz
 Keld Jorn Simonsen
 Doug Stevenson
 Nicholas Stoughton
 Alexander Terekhov
 Donn S. Terry
 Mike Wilson
 Garrett A. Wollman
 Oren Yuen
 Mark Ziegast

Participants

The Open Group

When The Open Group approved the Base Specifications, Issue 6, Technical Corrigendum 1 on 7 February 2003, the membership of The Open Group Base Working Group was as follows:

Andrew Josey, Chair

Finnbarr P. Murphy, Vice-Chair

Mark Brown, Austin Group Liaison

Cathy Fox, Technical Editor

Base Working Group Members

Mark Brown

Dave Buterhof

Donald W. Cragun

Larry Dwyer

Ulrich Drepper

Joanna Farley

Andrew Gollan

Finnbarr P. Murphy

Frank Prindle

Andrew K. Roach

Curtis Royster Jr.

Nicholas Stoughton

Kenjiro Tsuji

IEEE

When the IEEE Standards Board approved IEEE Std 1003.1-2001/Cor 1-2002 on 11 December 2002, the membership of the committees was as follows:

Portable Applications Standards Committee (PASC)

Lowell G. Johnson, Chair

Joseph M. Gwinn, Vice-Chair

Jay Ashford, Functional Chair

Andrew Josey, Functional Chair

Curtis Royster Jr., Functional Chair

Nicholas Stoughton, Secretary

Balloting Committee

The following members of the balloting committee voted on IEEE Std 1003.1-2001/Cor 1-2002. Balloters may have voted for approval, disapproval, or abstention:

Alejandro Alonso

Jay Ashford

David J. Blackwood

Julian Blake

Mitchell Bonnett

Mark Brown

Dave Butenhof

Keith Chow

Luis Cordova

Donald W. Cragun

Steven J. Dovich

Dr. Sourav Dutta

Yaacov Fenster

Michael Gonzalez

Scott Gudgel

Charles E. Hammons

Bryan Harold

Barry Hedquist

Karl Heubaum

Lowell G. Johnson

Andrew Josey

Kenneth Lang

Pi-Cheng Law

George Miao

Roger J. Martin

Finnbarr P. Murphy

Charles Ngethe

Peter Petrov

Frank Prindle

Vikram Punj

Francois Riche

Curtis Royster Jr.

Diane Schleicher

Stephen C. Schwarm

Gil Shultz

Nicholas Stoughton

Donn S. Terry

Oren Yuen

Juan A. de la Puente

Participants

IEEE-SA Standards Board

When the IEEE-SA Standards Board approved IEEE Std 1003.1-2001/Cor 1-2002 on 11 December 2002, the membership was as follows:

James T. Carlo, Chair

James H. Gurney, Vice-Chair

Judith Gorman, Secretary

Sid Bennett

H. Stephen Berger

Clyde R. Camp

Richard DeBlasio

Harold E. Epstein

Julian Forster*

Howard M. Frazier

Toshio Fukuda

Arnold M. Greenspan

Raymond Hapeman

Donald M. Heirman

Richard H. Hulett

Lowell G. Johnson

Joseph L. Koepfinger*

Peter H. Lips

Nader Mehravari

Daleep C. Mohla

William J. Moylan

Malcolm V. Thaden

Geoffrey O. Thompson

Howard L. Wolfman

Don Wright

Also included are the following non-voting IEEE-SA Standards Board liaisons:

Alan Cookson, NIST Representative

Satish K. Aggarwal, NRC Representative

Savoula Amanatidis, IEEE Standards Managing Editor

* Member Emeritus

Trademarks

The following information is given for the convenience of users of this standard and does not constitute endorsement of these products by The Open Group or the IEEE. There may be other products mentioned in the text that might be covered by trademark protection and readers are advised to verify them independently.

1003.1TM is a trademark of the Institute of Electrical and Electronic Engineers, Inc.

AIX[®] is a registered trademark of IBM Corporation.

AT&T[®] is a registered trademark of AT&T in the U.S.A. and other countries.

BSDTM is a trademark of the University of California, Berkeley, U.S.A.

Hewlett-Packard[®], HP[®], and HP-UX[®] are registered trademarks of Hewlett-Packard Company.

IBM[®] is a registered trademark of International Business Machines Corporation.

The Open Group and Boundaryless Information Flow are trademarks and UNIX is a registered trademark of The Open Group in the United States and other countries. All other trademarks are the property of their respective owners.

POSIX[®] is a registered trademark of the Institute of Electrical and Electronic Engineers, Inc.

Sun[®] and Sun Microsystems[®] are registered trademarks of Sun Microsystems, Inc.

/usr/group[®] is a registered trademark of UniForum, the International Network of UNIX System Users.

Acknowledgements

The contributions of the following organizations to the development of IEEE Std 1003.1-2001 are gratefully acknowledged:

- AT&T for permission to reproduce portions of its copyrighted System V Interface Definition (SVID) and material from the UNIX System V Release 2.0 documentation.
- The SC22 WG14 Committees.

This standard was prepared by the Austin Group, a joint working group of the IEEE, The Open Group, and ISO SC22 WG15.

This document is a preview generated by EVS

Referenced Documents

Normative References

Normative references for this standard are defined in the Base Definitions volume.

Informative References

The following documents are referenced in this standard:

1984 /usr/group Standard

/usr/group Standards Committee, Santa Clara, CA, UniForum 1984.

Almasi and Gottlieb

George S. Almasi and Allan Gottlieb, *Highly Parallel Computing*, The Benjamin/Cummings Publishing Company, Inc., 1989, ISBN: 0-8053-0177-1.

ANSI C

American National Standard for Information Systems: Standard X3.159-1989, Programming Language C.

ANSI X3.226-1994

American National Standard for Information Systems: Standard X3.226-1994, Programming Language Common LISP.

Brawer

Steven Brawer, *Introduction to Parallel Programming*, Academic Press, 1989, ISBN: 0-12-128470-0.

DeRemer and Pennello Article

DeRemer, Frank and Pennello, Thomas J., *Efficient Computation of LALR(1) Look-Ahead Sets*, SigPlan Notices, Volume 15, No. 8, August 1979.

Draft ANSI X3J11.1

IEEE Floating Point draft report of ANSI X3J11.1 (NCEG).

FIPS 151-1

Federal Information Procurement Standard (FIPS) 151-1, Portable Operating System Interface (POSIX)—Part 1: System Application Program Interface (API) [C Language].

FIPS 151-2

Federal Information Procurement Standards (FIPS) 151-2, Portable Operating System Interface (POSIX)—Part 1: System Application Program Interface (API) [C Language].

HP-UX Manual

Hewlett-Packard HP-UX Release 9.0 Reference Manual, Third Edition, August 1992.

IEC 60559: 1989

IEC 60559: 1989, Binary Floating-Point Arithmetic for Microprocessor Systems (previously designated IEC 559: 1989).

IEEE Std 754-1985

IEEE Std 754-1985, IEEE Standard for Binary Floating-Point Arithmetic.

IEEE Std 854-1987

IEEE Std 854-1987, IEEE Standard for Radix-Independent Floating-Point Arithmetic.

Referenced Documents

- IEEE Std 1003.9-1992
IEEE Std 1003.9-1992, IEEE Standard for Information Technology — POSIX FORTRAN 77 Language Interfaces — Part 1: Binding for System Application Program Interface API.
- IETF RFC 791
Internet Protocol, Version 4 (IPv4), September 1981.
- IETF RFC 819
The Domain Naming Convention for Internet User Applications, Z. Su, J. Postel, August 1982.
- IETF RFC 822
Standard for the Format of ARPA Internet Text Messages, D.H. Crocker, August 1982.
- IETF RFC 919
Broadcasting Internet Datagrams, J. Mogul, October 1984.
- IETF RFC 920
Domain Requirements, J. Postel, J. Reynolds, October 1984.
- IETF RFC 921
Domain Name System Implementation Schedule, J. Postel, October 1984.
- IETF RFC 922
Broadcasting Internet Datagrams in the Presence of Subnets, J. Mogul, October 1984.
- IETF RFC 1034
Domain Names — Concepts and Facilities, P. Mockapetris, November 1987.
- IETF RFC 1035
Domain Names — Implementation and Specification, P. Mockapetris, November 1987.
- IETF RFC 1123
Requirements for Internet Hosts — Application and Support, R. Braden, October 1989.
- IETF RFC 1886
DNS Extensions to Support Internet Protocol, Version 6 (IPv6), C. Huitema, S. Thomson, December 1995.
- IETF RFC 2045
Multipurpose Internet Mail Extensions (MIME), Part 5: Format of Internet Message Bodies, N. Freed, N. Borenstein, November 1996.
- IETF RFC 2181
Clarifications to the DNS Specification, R. Elz, R. Bush, July 1997.
- IETF RFC 2373
Internet Protocol, Version 6 (IPv6) Addressing Architecture, S. Deering, R. Hinden, July 1998.
- IETF RFC 2460
Internet Protocol, Version 6 (IPv6), S. Deering, R. Hinden, December 1998.
- Internationalisation Guide
Guide, July 1993, Internationalisation Guide, Version 2 (ISBN: 1-859120-02-4, G304), published by The Open Group.
- ISO C (1990)
ISO/IEC 9899:1990, Programming Languages — C, including Amendment 1:1995 (E), C Integrity (Multibyte Support Extensions (MSE) for ISO C).

- ISO 2375:1985
ISO 2375:1985, Data Processing — Procedure for Registration of Escape Sequences.
- ISO 8652:1987
ISO 8652:1987, Programming Languages — Ada (technically identical to ANSI standard 1815A-1983).
- ISO/IEC 1539:1990
ISO/IEC 1539:1990, Information Technology — Programming Languages — Fortran (technically identical to the ANSI X3.9-1978 standard [FORTRAN 77]).
- ISO/IEC 4873:1991
ISO/IEC 4873:1991, Information Technology — ISO 8-bit Code for Information Interchange — Structure and Rules for Implementation.
- ISO/IEC 6429:1992
ISO/IEC 6429:1992, Information Technology — Control Functions for Coded Character Sets.
- ISO/IEC 6937:1994
ISO/IEC 6937:1994, Information Technology — Coded Character Set for Text Communication — Latin Alphabet.
- ISO/IEC 8802-3:1996
ISO/IEC 8802-3:1996, Information Technology — Telecommunications and Information Exchange Between Systems — Local and Metropolitan Area Networks — Specific Requirements — Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications.
- ISO/IEC 8859
ISO/IEC 8859, Information Technology — 8-Bit Single-Byte Coded Graphic Character Sets:
Part 1: Latin Alphabet No. 1
Part 2: Latin Alphabet No. 2
Part 3: Latin Alphabet No. 3
Part 4: Latin Alphabet No. 4
Part 5: Latin/Cyrillic Alphabet
Part 6: Latin/Arabic Alphabet
Part 7: Latin/Greek Alphabet
Part 8: Latin/Hebrew Alphabet
Part 9: Latin Alphabet No. 5
Part 10: Latin Alphabet No. 6
Part 13: Latin Alphabet No. 7
Part 14: Latin Alphabet No. 8
Part 15: Latin Alphabet No. 9
- ISO POSIX-1:1996
ISO/IEC 9945-1:1996, Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language] (identical to ANSI/IEEE Std 1003.1-1996). Incorporating ANSI/IEEE Stds 1003.1-1990, 1003.1b-1993, 1003.1c-1995, and 1003.1i-1995.
- ISO POSIX-2:1993
ISO/IEC 9945-2:1993, Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities (identical to ANSI/IEEE Std 1003.2-1992, as amended by ANSI/IEEE Std 1003.2a-1992).

Referenced Documents

Issue 1

X/Open Portability Guide, July 1985 (ISBN: 0-444-87839-4).

Issue 2

X/Open Portability Guide, January 1987:

- Volume 1: XVS Commands and Utilities (ISBN: 0-444-70174-5)
- Volume 2: XVS System Calls and Libraries (ISBN: 0-444-70175-3)

Issue 3

X/Open Specification, 1988, 1989, February 1992:

- Commands and Utilities, Issue 3 (ISBN: 1-872630-36-7, C211); this specification was formerly X/Open Portability Guide, Issue 3, Volume 1, January 1989, XSI Commands and Utilities (ISBN: 0-13-685835-X, XO/XPG/89/002)
- System Interfaces and Headers, Issue 3 (ISBN: 1-872630-37-5, C212); this specification was formerly X/Open Portability Guide, Issue 3, Volume 2, January 1989, XSI System Interface and Headers (ISBN: 0-13-685843-0, XO/XPG/89/003)
- Curses Interface, Issue 3, contained in Supplementary Definitions, Issue 3 (ISBN: 1-872630-38-3, C213), Chapters 9 to 14 inclusive; this specification was formerly X/Open Portability Guide, Issue 3, Volume 3, January 1989, XSI Supplementary Definitions (ISBN: 0-13-685850-3, XO/XPG/89/004)
- Headers Interface, Issue 3, contained in Supplementary Definitions, Issue 3 (ISBN: 1-872630-38-3, C213), Chapter 19, Cpio and Tar Headers; this specification was formerly X/Open Portability Guide Issue 3, Volume 3, January 1989, XSI Supplementary Definitions (ISBN: 0-13-685850-3, XO/XPG/89/004)

Issue 4

CAE Specification, July 1992, published by The Open Group:

- System Interface Definitions (XBD), Issue 4 (ISBN: 1-872630-46-4, C204)
- Commands and Utilities (XCU), Issue 4 (ISBN: 1-872630-48-0, C203)
- System Interfaces and Headers (XSH), Issue 4 (ISBN: 1-872630-47-2, C202)

Issue 4, Version 2

CAE Specification, August 1994, published by The Open Group:

- System Interface Definitions (XBD), Issue 4, Version 2 (ISBN: 1-85912-036-9, C434)
- Commands and Utilities (XCU), Issue 4, Version 2 (ISBN: 1-85912-034-2, C436)
- System Interfaces and Headers (XSH), Issue 4, Version 2 (ISBN: 1-85912-037-7, C435)

Issue 5

Technical Standard, February 1997, published by The Open Group:

- System Interface Definitions (XBD), Issue 5 (ISBN: 1-85912-186-1, C604)
- Commands and Utilities (XCU), Issue 5 (ISBN: 1-85912-191-8, C604)
- System Interfaces and Headers (XSH), Issue 5 (ISBN: 1-85912-181-0, C606)

Knuth Article

Knuth, Donald E., *On the Translation of Languages from Left to Right*, Information and Control, Volume 8, No. 6, October 1965.

KornShell

Bolsky, Morris I. and Korn, David G., *The New KornShell Command and Programming Language*, March 1995, Prentice Hall.

MSE Working Draft

Working draft of ISO/IEC 9899:1990/Add3:Draft, Addendum 3 — Multibyte Support Extensions (MSE) as documented in the ISO Working Paper SC22/WG14/N205 dated 31 March 1992.

POSIX.0: 1995

IEEE Std 1003.0-1995, IEEE Guide to the POSIX Open System Environment (OSE) (identical to ISO/IEC TR 14252).

POSIX.1: 1988

IEEE Std 1003.1-1988, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language].

POSIX.1: 1990

IEEE Std 1003.1-1990, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language].

POSIX.1a

P1003.1a, Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — (C Language) Amendment.

POSIX.1d: 1999

IEEE Std 1003.1d-1999, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 4: Additional Realtime Extensions [C Language].

POSIX.1g: 2000

IEEE Std 1003.1g-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 6: Protocol-Independent Interfaces (PII).

POSIX.1j: 2000

IEEE Std 1003.1j-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 5: Advanced Realtime Extensions [C Language].

POSIX.1q: 2000

IEEE Std 1003.1q-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 7: Tracing [C Language].

POSIX.2b

P1003.2b, Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment.

POSIX.2d:-1994

IEEE Std 1003.2d-1994, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment 1: Batch Environment.

Referenced Documents

POSIX.13:-1998

IEEE Std 1003.13:1998, IEEE Standard for Information Technology — Standardized Application Environment Profile (AEP) — POSIX Realtime Application Support.

Sarwate Article

Sarwate, Dilip V., *Computation of Cyclic Redundancy Checks via Table Lookup*, Communications of the ACM, Volume 30, No. 8, August 1988.

Sprunt, Sha, and Lehoczky

Sprunt, B., Sha, L., and Lehoczky, J.P., *Aperiodic Task Scheduling for Hard Real-Time Systems*, The Journal of Real-Time Systems, Volume 1, 1989, Pages 27-60.

SVID, Issue 1

American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 1; Morristown, NJ, UNIX Press, 1985.

SVID, Issue 2

American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 2; Morristown, NJ, UNIX Press, 1986.

SVID, Issue 3

American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 3; Morristown, NJ, UNIX Press, 1989.

The AWK Programming Language

Aho, Alfred V., Kernighan, Brian W., and Weinberger, Peter J., *The AWK Programming Language*, Reading, MA, Addison-Wesley 1988.

UNIX Programmer's Manual

American Telephone and Telegraph Company, *UNIX Time-Sharing System: UNIX Programmer's Manual*, 7th Edition, Murray Hill, NJ, Bell Telephone Laboratories, January 1979.

XNS, Issue 4

CAE Specification, August 1994, Networking Services, Issue 4 (ISBN: 1-85912-049-0, C438), published by The Open Group.

XNS, Issue 5

CAE Specification, February 1997, Networking Services, Issue 5 (ISBN: 1-85912-165-9, C523), published by The Open Group.

XNS, Issue 5.2

Technical Standard, January 2000, Networking Services (XNS), Issue 5.2 (ISBN: 1-85912-241-8, C808), published by The Open Group.

X/Open Curses, Issue 4, Version 2

CAE Specification, May 1996, X/Open Curses, Issue 4, Version 2 (ISBN: 1-85912-171-3, C610), published by The Open Group.

Yacc

Yacc: Yet Another Compiler Compiler, Stephen C. Johnson, 1978.

Source Documents

Parts of the following documents were used to create the base documents for this standard:

AIX 3.2 Manual

AIX Version 3.2 For RISC System/6000, Technical Reference: Base Operating System and Extensions, 1990, 1992 (Part No. SC23-2382-00).

OSF/1

OSF/1 Programmer's Reference, Release 1.2 (ISBN: 0-13-020579-6).

OSF AES

Application Environment Specification (AES) Operating System Programming Interfaces Volume, Revision A (ISBN: 0-13-043522-8).

System V Release 2.0

- UNIX System V Release 2.0 Programmer's Reference Manual (April 1984 - Issue 2).
- UNIX System V Release 2.0 Programming Guide (April 1984 - Issue 2).

System V Release 4.2

Operating System API Reference, UNIX SVR4.2 (1992) (ISBN: 0-13-017658-3).