
**Information technology — Real-time
locating systems (RTLS) —**

**Part 1:
Application program interface (API)**

*Technologies de l'information — Systèmes de localisation en temps réel
(RTLS) —*

Partie 1: Interface de programmation d'application (API)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO/IEC 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Symbols and abbreviated terms.....	3
5 The service.....	3
5.1 Purpose.....	3
5.2 Specification summary.....	3
5.3 Security.....	4
6 The Application Program Interface (API).....	4
6.1 Purpose.....	4
6.2 Language Independence.....	4
6.3 Architecture.....	4
6.4 Nomenclature and conventions.....	5
7 Subroutine calls.....	5
7.1 Overview of SOAP-RPC.....	5
7.2 Remote Procedure Call: Query.....	5
7.3 Remote Procedure Call: OpenSession.....	10
7.4 Remote Procedure Call: QuerySession.....	12
7.5 Remote Procedure Call: CloseSession.....	14
8 Data structures and data types.....	17
8.1 TagBlink structure.....	17
8.2 QueryResponse structure.....	18
8.3 SessionResponse structure.....	19
8.4 Fault structure.....	19
Annex A (normative) XML Schema for Remote Procedure Calls.....	22
A.1 RTLS API Schema.....	22
A.2 SOAP Request Schema: Query.....	22
A.3 SOAP Request Schema: OpenSession.....	24
A.4 SOAP Request Schema: QuerySession.....	24
A.5 SOAP Request Schema: CloseSession.....	25
A.6 SOAP Response Schema: TagBlink Type.....	25
A.7 SOAP Response Schema: QueryResponse.....	27
A.8 SOAP Response Schema: SessionResponse.....	28
A.9 SOAP Fault Schema: RTLSFaultDetail.....	28

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 24730-1 was prepared by Technical Committee ISO/TC JTC 1, *Information technology*, Subcommittee SC 31, *Automatic identification and data capture techniques*.

ISO/IEC 24730 consists of the following parts, under the general title *Information technology — Real-time locating systems (RTLS)*:

- *Part 1: Application program interface (API)*
- *Part 2: 2,4 GHz air interface protocol*

The following part is under preparation:

- *Part 3: 433 MHz air interface protocol*

Introduction

ISO/IEC 24730 defines two air interface protocols and a single application program interface (API) for real-time locating systems (RTLS) for use in asset management and is intended to allow for compatibility and to encourage interoperability of products for the growing RTLS market.

This part of ISO/IEC 24730, the RTLS application program interface, establishes a technical standard for RTLS. To be fully compliant with this standard, RTLS must comply with this part of ISO/IEC 24730 and at least one air interface protocol defined in ISO/IEC 24730.

Real-time locating systems are wireless systems with the ability to locate the position of an item anywhere in a defined space (local/campus, wide area/regional, global) at a point in time that is, or is close to, real time. Position is derived by measurements of the physical properties of the radio link.

Conceptually there are four classifications of RTLS:

- Locating an asset via satellite (requires line-of-sight) - accuracy to 10 m.
- Locating an asset in a controlled area, e.g., warehouse, campus, airport (area of interest is instrumented) - accuracy to 3 m.
- Locating an asset in a more confined area (area of interest is instrumented) - accuracy to tens of centimetres.
- Locating an asset over a terrestrial area using a terrestrial mounted receiver over a wide area, cell phone towers for example – accuracy 200 m.

There are a further two methods of locating an object which are really RFID rather than RTLS:

- Locating an asset by virtue of the fact that the asset has passed point A at a certain time and has not passed point B.
- Locating an asset by virtue of providing a homing beacon whereby a person with a handheld can find an asset.

The method of location is through identification and location, generally through multi-lateration. The different types are

- Time of Flight Ranging Systems,
- Amplitude Triangulation,
- Time Difference of Arrival (TDOA),
- Cellular Triangulation,
- Satellite Multi-lateration,
- Angle of Arrival.

This part of ISO/IEC 24730 defines an API needed for utilizing an RTLS.

An API is a boundary across which application software uses facilities of programming languages to invoke services. These facilities may include procedures or operations, shared data objects and resolution of identifiers. A wide range of services may be required at an API to support applications. Different methods may be appropriate for documenting API specifications for different types of services.

The information flow across the API boundary is defined by the syntax and semantics of a particular programming language, such that the user of that language may access the services provided by the application platform on the other side of the boundary. This implies the specification of a mapping of the functions being made available by the application platform into the syntax and semantics of the programming language. An API specification documents a service and/or service access method that is available at an interface between the application and an application platform.

This API describes the RTLS service and its access methods, to enable client applications to interface with the RTLS. This RTLS service is the minimum service that must be provided by an RTLS to be API compatible with this standard.

Information technology — Real-time locating systems (RTLS) —

Part 1: Application program interface (API)

1 Scope

This part of ISO/IEC 24730 enables software applications to utilize a real-time locating system (RTLS) infrastructure to locate assets with RTLS transmitters attached to them. It defines a boundary across which application software uses facilities of programming languages to collect information contained in RTLS tag blinks received by the RTLS infrastructure.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 19762-1, *Information technology — Automatic identification and data capture (AIDC) techniques — Harmonized vocabulary — Part 1: General terms relating to AIDC*

ISO/IEC 19762-3, *Information technology — Automatic identification and data capture (AIDC) techniques — Harmonized vocabulary — Part 3: Radio frequency identification (RFID)*

ISO/IEC 9075:2003 (all parts), *Information technology — Database languages — SQL*

IETF RFC 2616: June 1999, *Hypertext Transfer Protocol — HTTP/1.1* (<http://www.ietf.org/rfc/rfc2616.txt>)

Extensible Markup Language (XML) 1.0, (Third Edition) W3C Recommendation, World Wide Web Consortium (W3C), 4 February 2004. (<http://www.w3.org/TR/REC-xml/>)

XML Schema Part 1: Structures, W3C Recommendation, World Wide Web Consortium (W3C), Cambridge Massachusetts, 2 May 2001. (<http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>)

XML Schema Part 2: Datatypes, W3C Recommendation, World Wide Web Consortium (W3C), Cambridge Massachusetts, 2 May 2001. (<http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>)

SOAP Version 1.2 Part0: Primer, W3C Recommendation, World Wide Web Consortium (W3C), 24 June 2003, (<http://www.w3.org/TR/2003/REC-soap12-part0-20030624/>)

SOAP Version 1.2 Part1: Messaging Framework, W3C Recommendation, World Wide Web Consortium (W3C), 24 June 2003. (<http://www.w3.org/TR/2003/REC-soap12-part1-20030624/>)

SOAP Version 1.2 Part2: Adjuncts, W3C Recommendation, World Wide Web Consortium (W3C), 24 June 2003. (<http://www.w3.org/TR/2003/REC-soap12-part2-20030624/>)