

ASFALTSEGUD. MATERJALI SPETSIFIKATSIOON. OSA 5:
KILLUSTIKMASTIKSASFALT

Bituminous mixtures - Material specifications - Part 5:
Stone Mastic Asphalt

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 13108-5:2016 sisaldab Euroopa standardi EN 13108-5:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 13108-5:2016 consists of the English text of the European standard EN 13108-5:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.06.2016.	Date of Availability of the European standard is 15.06.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 93.080.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Bituminous mixtures - Material specifications - Part 5: Stone Mastic Asphalt

Mélanges bitumineux - Spécifications des matériaux -
Partie 5: Béton bitumineux grenu à forte teneur en
mastic

Asphaltmischgut - Mischgutanforderungen - Teil 5:
Splittmastixasphalt

This European Standard was approved by CEN on 27 February 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	4
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions, symbols and abbreviations	8
3.1 Terms and definitions	8
3.2 Symbols and abbreviations	11
4 Requirements for constituent materials	11
4.1 General.....	11
4.2 Binder.....	11
4.2.1 General.....	11
4.2.2 Selection of binder.....	11
4.3 Aggregates	13
4.3.1 Coarse aggregates	13
4.3.2 Fine aggregate	13
4.3.3 All-in aggregates.....	13
4.3.4 Added filler.....	13
4.4 Reclaimed asphalt.....	13
4.5 Additives.....	13
5 Requirements for the mixture.....	14
5.1 General.....	14
5.2 Composition, grading, binder content and additives.....	14
5.2.1 Composition	14
5.2.2 Grading.....	14
5.2.3 Minimum binder content	16
5.3 Properties	17
5.3.1 Specimens	17
5.3.2 Void content requirements	17
5.3.3 Binder drainage.....	21
5.3.4 Water sensitivity	21
5.3.5 Resistance to abrasion by studded tyres.....	22
5.3.6 Resistance to permanent deformation.....	23
5.3.7 Stiffness.....	27
5.3.8 Resistance to fatigue	29
5.3.9 Low temperature properties	29
5.3.10 Fracture toughness.....	30
5.3.11 Friction after polishing	31
5.3.12 Coating and homogeneity.....	32
5.3.13 Reaction to fire.....	32
5.3.14 Resistance to fuel for application on airfields	32
5.3.15 Resistance to de-icing fluid for application on airfields	33
5.4 Temperature of the mixture	34
5.5 Regulated dangerous substances	34
5.6 Conflicting requirements	34

6	Assessment and verification of constancy of performance — AVCP.....	35
7	Identification.....	35
Annex A (normative) Calculations of the penetration or the softening point of the binder of a mixture when reclaimed asphalt is used.....		
A.1	General	37
A.2	Calculation of the penetration of the binder of a mixture	37
A.3	Calculation of the softening point of the binder of a mixture.....	37
Annex ZA (informative) Relationship of this European Standard with Regulation (EU) No. 305/2011		
ZA.1	Scope and relevant characteristics	39
ZA.2	System of Assessment and Verification of Constancy of Performance (AVCP)	41
ZA.3	Assignment of AVCP tasks	41
Bibliography		45

European foreword

This document (EN 13108-5:2016) has been prepared by Technical Committee CEN/TC 227 “Road materials”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2016, and conflicting national standards shall be withdrawn at the latest by March 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13108-5:2006.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of Regulation (EU) No 305/2011 for construction products (CPR).

For relationship with Regulation (EU) No 305/2011 see informative Annex ZA which is an integral part of this European Standard.

Compared with EN 13108-5:2006, the following changes have been made:

- a) a fundamental approach has been added and merged with the empirical approach into one list with different properties;
- b) new properties introduced (stiffness, fatigue, saturation tensile stiffness conditioning test, low temperature properties, fracture toughness, friction after polishing);
- c) for several properties additional categories are introduced;
- d) possibility to define specific conditions in documents related to the application of the product;
- e) CPR reference and new Annex ZA according to CPR rules.

This European Standard is one of a series as listed below:

- EN 13108-1, *Bituminous mixtures — Material specifications — Part 1: Asphalt Concrete*
- EN 13108-2, *Bituminous mixtures — Material specifications — Part 2: Asphalt Concrete for Very Thin Layers (BBTM)*
- EN 13108-3, *Bituminous mixtures — Material specifications — Part 3: Soft Asphalt*
- EN 13108-4, *Bituminous mixtures — Material specifications — Part 4: Hot Rolled Asphalt*
- EN 13108-5, *Bituminous mixtures — Material specifications — Part 5: Stone Mastic Asphalt*
- EN 13108-6, *Bituminous mixtures — Material specifications — Part 6: Mastic Asphalt*
- EN 13108-7, *Bituminous mixtures — Material specifications — Part 7: Porous Asphalt*
- EN 13108-8, *Bituminous mixtures — Material specifications — Part 8: Reclaimed Asphalt*

- EN 13108-9, *Bituminous mixtures — Material specifications — Part 9: Asphalt for Ultra-Thin Layer (AUTL)*
- EN 13108-20, *Bituminous mixtures — Material specifications — Part 20: Type Testing*
- EN 13108-21, *Bituminous mixtures — Material specifications — Part 21: Factory Production Control*

Annex A (normative) details the calculation of the penetration or the softening point in mixtures containing reclaimed asphalt from the penetrations or softening points of the added binder and the recovered binder from the reclaimed asphalt.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The aim of this European Standard is to enable specification of Stone Mastic Asphalt on a performance basis. In general, however, there are currently more empirical tests available to describe the mixtures. Depending on the experience with the combination of requirements in this European standard more or less degrees of freedom for the producer may be given.

This European Standard covers a large variety of materials for different applications, traffic and climate conditions. EN 13108-5 gives properties and listings of possible categories. It has to accommodate the road industry for all of Europe. For this reason the menu approach for properties has been chosen. The tables represent categories that are required all over Europe. For this reason numerical values in tables do not always obey statistical rules. Based on conditions of use specific properties and categories may be defined in documents related to the application of the product. The categories defined in those documents need to take into account the reproducibility of the test when this is given in the appropriate test method.

Care should be taken to only select those tests which are relevant to the application of the asphalt and the use of the pavement and to avoid a combination of potentially conflicting requirements.

1 Scope

This European Standard specifies requirements for mixtures of the mix group Stone Mastic Asphalt for use on roads, airfields and other trafficked areas. Stone Mastic Asphalt is mainly to be used for surface courses. Stone Mastic Asphalt can also be used for regulating and binder courses.

The mixtures of the mix group Stone Mastic Asphalt are produced on the basis of hot bitumen. Mixtures utilizing bitumen emulsion and bituminous materials based on *in situ* recycling are not covered by this standard.

This European Standard includes requirements for the selection of the constituent materials. It is designed to be read in conjunction with EN 13108-20 and EN 13108-21.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1097-6:2013, *Tests for mechanical and physical properties of aggregates — Part 6: Determination of particle density and water absorption*

EN 1426, *Bitumen and bituminous binders — Determination of needle penetration*

EN 1427, *Bitumen and bituminous binders — Determination of the softening point — Ring and Ball method*

EN 12591, *Bitumen and bituminous binders — Specifications for paving grade bitumens*

EN 12697-3, *Bituminous mixtures — Test methods for hot mix asphalt — Part 3: Bitumen recovery: Rotary evaporator*

EN 12697-4, *Bituminous mixtures — Test methods — Part 4: Bitumen recovery: Fractionating column*

EN 12697-8, *Bituminous mixtures — Test methods for hot mix asphalt — Part 8: Determination of void characteristics of bituminous specimens*

EN 12697-12, *Bituminous mixtures — Test methods for hot mix asphalt — Part 12: Determination of the water sensitivity of bituminous specimens*

EN 12697-13, *Bituminous mixtures — Test methods for hot mix asphalt — Part 13: Temperature measurement*

EN 12697-16, *Bituminous mixtures — Test methods for hot mix asphalt — Part 16: Abrasion by studded tyres*

EN 12697-18, *Bituminous mixtures — Test methods for hot mix asphalt — Part 18: Binder drainage*

EN 12697-22, *Bituminous mixtures — Test methods for hot mix asphalt — Part 22: Wheel tracking*

EN 12697-24, *Bituminous mixtures — Test methods for hot mix asphalt — Part 24: Resistance to fatigue*

EN 12697-25, *Bituminous mixtures — Test methods for hot mix asphalt — Part 25: Cyclic compression test*

EN 12697-26, *Bituminous mixtures — Test methods for hot mix asphalt — Part 26: Stiffness*

EN 12697-41, *Bituminous mixtures — Test methods for hot mix asphalt — Part 41: Resistance to de-icing fluids*

EN 12697-43, *Bituminous mixtures — Test methods for hot mix asphalt — Part 43: Resistance to fuel*

EN 12697-44, *Bituminous mixtures — Test methods for hot mix asphalt — Part 44: Crack propagation by semi-circular bending test*

EN 12697-46, *Bituminous mixtures — Test methods for hot mix asphalt — Part 46: Low temperature cracking and properties by uniaxial tension tests*

EN 12697-49, *Bituminous mixtures — Test methods for hot mix asphalt — Part 49: Determination of friction after polishing*

EN 13043, *Aggregates for bituminous mixtures and surface treatments for roads, airfields and other trafficked areas*

EN 13108-4:2016, *Bituminous mixtures — Material specifications — Part 4: Hot Rolled Asphalt*

EN 13108-8, *Bituminous mixtures — Material specifications — Part 8: Reclaimed asphalt*

EN 13108-20:2016, *Bituminous mixtures — Material specifications — Part 20: Type Testing*

EN 13108-21, *Bituminous mixtures — Material specifications — Part 21: Factory Production Control*

EN 13501-1:2007+A1:2009, *Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests*

EN 14023, *Bitumen and bituminous binders — Specification framework for polymer modified bitumens*

EN ISO 11925-2, *Reaction to fire tests — Ignitability of products subjected to direct impingement of flame — Part 2: Single-flame source test (ISO 11925-2)*

ISO 565, *Test sieves — Metal wire cloth, perforated metal plate and electroformed sheet — Nominal sizes of openings*

3 Terms and definitions, symbols and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

pavement

structure, composed of one or more courses, to assist the passage of traffic over terrain

3.1.2

layer

element of a pavement laid in a single operation