INTERNATIONAL STANDARD

ISO 20207

> First edition 2015-08-15

Space data and information transfer systems — CCSDS Space Link Protocols over ETSI DVB-S2 Standard

incole p. Systèmes de transfert des informations et données spatiales — Protocole pour liaisons spatiales CCSDS utilisant la Norme ETSI DVB-S2



Reference number ISO 20207:2015(E)



© ISO 2015, Published in Switzerland

roduced or utilized c
'te internet or an '
'nr ISO's memb All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 20207 was prepared by the Consultative Committee for Space Data Systems (CCSDS) (as CCSDS 131.3-B-1, March 2013) and was adopted (without modifications except those stated in clause 2 of tec ams. this International Standard) by Technical Committee ISO/TC 20, Aircraft and space vehicles, Subcommittee SC 13, Space data and information transfer systems.

This document is a previous general ded by tills

Recommendation for Space Data System Standards

CCSDS SPACE LINK PROTOCOLS OVER ETSI DVB-S2 STANDARD

RECOMMENDED STANDARD

CCSDS 131.3-B-1

BLUE BOOK March 2013

AUTHORITY

Issue: Recommended Standard, Issue 1

Date: March 2013

Location: Washington, DC, USA

This document has been approved for publication by the Management Council of the Consultative Committee for Space Data Systems (CCSDS) and represents the consensus technical agreement of the participating CCSDS Member Agencies. The procedure for review and authorization of CCSDS documents is detailed in *Organization and Processes for the Consultative Committee for Space Data Systems*, and the record of Agency participation in the authorization of this document can be obtained from the CCSDS Secretariat at the address below.

This document is published and maintained by:

CCSDS Secretariat
Space Communications and Navigation Office, 7L70
Space Operations Mission Directorate
NASA Headquarters
Washington, DC 20546-0001, USA

STATEMENT OF INTENT

The Consultative Committee for Space Data Systems (CCSDS) is an organization officially established by the management of its members. The Committee meets periodically to address data systems problems that are common to all participants, and to formulate sound technical solutions to these problems. Inasmuch as participation in the CCSDS is completely voluntary, the results of Committee actions are termed **Recommended Standards** and are not considered binding on any Agency.

This **Recommended Standard** is issued by, and represents the consensus of, the CCSDS members. Endorsement of this **Recommendation** is entirely voluntary. Endorsement, however, indicates the following understandings:

- o Whenever a member establishes a CCSDS-related **standard**, this **standard** will be in accord with the relevant **Recommended Standard**. Establishing such a **standard** does not preclude other provisions which a member may develop.
- o Whenever a member establishes a CCSDS-related **standard**, that member will provide other CCSDS members with the following information:
 - -- The **standard** itself.
 - -- The anticipated date of initial operational capability.
 - -- The anticipated duration of operational service.
- o Specific service arrangements shall be made via memoranda of agreement. Neither this **Recommended Standard** nor any ensuing **standard** is a substitute for a memorandum of agreement.

No later than three years from its date of issuance, this **Recommended Standard** will be reviewed by the CCSDS to determine whether it should: (1) remain in effect without change; (2) be changed to reflect the impact of new technologies, new requirements, or new directions; or (3) be retired or canceled.

In those instances when a new version of a **Recommended Standard** is issued, existing CCSDS-related member standards and implementations are not negated or deemed to be non-CCSDS compatible. It is the responsibility of each member to determine when such standards or implementations are to be modified. Each member is, however, strongly encouraged to direct planning for its new standards and implementations towards the later version of the Recommended Standard.

FOREWORD

Through the process of normal evolution, it is expected that expansion, deletion, or modification of this document may occur. This Recommended Standard is therefore subject to CCSDS document management and change control procedures, which are defined in the Procedures Manual for the Consultative Committee for Space Data Systems. Current versions of CCSDS documents are maintained at the CCSDS Web site:

http://www.ccsds.org/

the con. at the address. Questions relating to the contents or status of this document should be addressed to the CCSDS Secretariat at the address indicated on page i.

At time of publication, the active Member and Observer Agencies of the CCSDS were:

Member Agencies

- Agenzia Spaziale Italiana (ASI)/Italy.
- Canadian Space Agency (CSA)/Canada.
- Centre National d'Etudes Spatiales (CNES)/France.
- China National Space Administration (CNSA)/People's Republic of China.
- Deutsches Zentrum f
 ür Luft- und Raumfahrt e.V. (DLR)/Germany.
- European Space Agency (ESA)/Europe.
- Federal Space Agency (FSA)/Russian Federation.
- Instituto Nacional de Pesquisas Espaciais (INPE)/Brazil.
- Japan Aerospace Exploration Agency (JAXA)/Japan.
- National Aeronautics and Space Administration (NASA)/USA.
- UK Space Agency/United Kingdom.

Observer Agencies

- Austrian Space Agency (ASA)/Austria.
- Belgian Federal Science Policy Office (BFSPO)/Belgium.
- Central Research Institute of Machine Building (TsNIIMash)/Russian Federation.
- China Satellite Launch and Tracking Control General, Beijing Institute of Tracking and Telecommunications Technology (CLTC/BITTT)/China.
- Chinese Academy of Sciences (CAS)/China.
- Chinese Academy of Space Technology (CAST)/China.
- Commonwealth Scientific and Industrial Research Organization (CSIRO)/Australia.
- CSIR Satellite Applications Centre (CSIR)/Republic of South Africa.
- Danish National Space Center (DNSC)/Denmark.
- Departamento de Ciência e Tecnologia Aeroespacial (DCTA)/Brazil.
- European Organization for the Exploitation of Meteorological Satellites (EUMETSAT)/Europe.
- European Telecommunications Satellite Organization (EUTELSAT)/Europe.
- Geo-Informatics and Space Technology Development Agency (GISTDA)/Thailand.
- Hellenic National Space Committee (HNSC)/Greece.
- Indian Space Research Organization (ISRO)/India.
- Institute of Space Research (IKI)/Russian Federation.
- KFKI Research Institute for Particle & Nuclear Physics (KFKI)/Hungary.
- Korea Aerospace Research Institute (KARI)/Korea.
- Ministry of Communications (MOC)/Israel.
- National Institute of Information and Communications Technology (NICT)/Japan.
- National Oceanic and Atmospheric Administration (NOAA)/USA.
- National Space Agency of the Republic of Kazakhstan (NSARK)/Kazakhstan.
- National Space Organization (NSPO)/Chinese Taipei.
- Naval Center for Space Technology (NCST)/USA.
- Scientific and Technological Research Council of Turkey (TUBITAK)/Turkey.
- Space and Upper Atmosphere Research Commission (SUPARCO)/Pakistan.
- Swedish Space Corporation (SSC)/Sweden.
- United States Geological Survey (USGS)/USA.

DOCUMENT CONTROL

Document	Title	Date	Status
CCSDS 131.3-B-1	CCSDS Space Link Protocols over ETSI DVB-S2 Standard, Recommended Standard, Issue 1		Current issue
CCSDS 131.3-	-B-1 Page v		March 2013

CONTENTS

<u>Se</u>	<u>ction</u>		<u>Page</u>
1	INT	RODUCTION	1-1
	1.1	BACKGROUND	1-1
	1.2	PURPOSE	
	1.3	SCOPE	
	1.4	APPLICABILITY	
	1.5	DOCUMENT STRUCTURE	
	1.6	NOMENCLATURE	
	1.7	DEFINITIONS AND CONVENTIONS	
	1.8	PATENTED TECHNOLOGIES	
	1.9	REFERENCE DOCUMENTS	
2	OV	ERVIEW	2-1
	2.1	ARCHITECTURE	2-1
	2.2	SUMMARY OF FUNCTIONS	2-1
	2.3	INTERNAL ORGANIZATION	2-2
3	CAI	DU STREAM GENERATION	3-1
	3.1	OVERVIEW	3-1
	3.2	OVERVIEWINPUT CCSDS TRANSFER FRAMES	3 ₋ 1
	3.3	CHANNEL ACCESS DATA UNIT	
1	DVI	B-S2 TRANSMISSION	1.1
4	ויים	D-52 TRAINSWIISSION	
	4.1	OVERVIEW	
	4.2	DVB-S2 MODE ADAPTATION FORMAT	
	4.3	AVERAGE SIGNAL ENERGY	
	4.4	SHAPING FILTERING	4-2
_	3.5.4	NA CED DAD AMERICA	= 1
5	MA	NAGED PARAMETERS	5-1
	5.1	OVERVIEW	
	5.2	PERMANENT MANAGED PARAMETERS	5-1
	5.3	VARIABLE MANAGED PARAMETERS	5-3
A 1	INITA	X A SEDVICE DEFINITION (NODMATIVE)	A-1
		K A SERVICE DEFINITION (NORMATIVE)K B SECURITY, SANA, AND PATENT CONSIDERATIONS	A-1
∠ •1	41 4152	(INFORMATIVE)	R-1

CONTENTS (continued)

Section				
		S AND TERMS (INFORMATIVE) CCTRAL EFFICIENCIES (INFORMA		
<u>Figu</u>	<u>re</u>			
1-1 2-1 2-2	Relationship with OS	ention SI Layers e Transmitting CCSDS Transfer Frames U	2-1	
<u>Tabl</u>	<u>e</u>			
5-1 5-2 5-3	Permanent Managed	Parameters for Transfer Frame Synchroniz Parameters for DVB-S2 Transmission	5.0	
		Parameters for DVB-32 Transmission		
CCG	DS 131 3-R-1	Page vii	March 2013	

1 INTRODUCTION

1.1 BACKGROUND

The high demand in TV broadcasting has pushed the European Telecommunications Standards Institute (ETSI) to define a new satellite communication standard called Digital Video Broadcasting—Satellite—Second Generation (DVB-S2) (reference [1]). This standard is suited to high data rate transmissions, and proposes variable or adaptive coding and modulation with high power and bandwidth efficiencies.

1.2 PURPOSE

The purpose of this document is to define a recommended interface between CCSDS Space Link Protocols (references [3] and [4]) and the DVB-S2 telecom standard (reference [1]), and to recommend options of the DVB-S2 standard suited to high data rate telemetry applications, such as Earth Exploration Satellite Services (EESS) payload telemetry.

1.3 SCOPE

The DVB-S2 standard (reference [1]) proposes advanced modulation techniques (QPSK, 8PSK, 16APSK, and 32APSK) and a wide range of coding rates (from 1/4 to 9/10) with near-Shannon coding schemes (LDPC codes). This high number of modulation and coding schemes allows a wide range of possibilities to satisfy specific mission constraints.

Moreover, to maximize the telemetry system throughput, it appears possible to adapt the transmitted waveform (and the useful data rate) to the variable conditions of the link. The DVB-S2 standard can actually implement Variable Coding and Modulation (VCM) mode, which adapts the transmission scheme to the channel conditions following a predetermined schedule (for example, following a dynamic link budget). When a channel is available to provide feedback (e.g., via a telecommand link), the transmission scheme can be dynamically adjusted using the Adaptive Coding and Modulation (ACM) mode.

The use of the DVB-S2 standard for telemetry makes possible the use of generic Very High Scale Integrated Circuits (VHSIC) Hardware Description Language (VHDL) Intellectual Property (IP) modules for developments. The use of a widely implemented standard simplifies finding transmitting or receiving equipment to check compatibility. Finally, for the ground part, some telecom DVB-S2 receivers or Application Specific Integrated Circuits (ASICs) developed for the telecom market could be reused.

This Recommended Standard is an adaptation profile describing how to use the DVB-S2 standard to transmit CCSDS Transfer Frames for telemetry purpose. The interface between CCSDS and DVB-S2 is based on the Attached Synchronization Marker (ASM) and Channel Access Data Unit (CADU) already introduced in reference [2].

DVB-S2 is used in this adaptation profile as a complete and self-sufficient standard, and definitions and specifications taken from DVB-S2 are applicable only in the context of this Recommended Standard. However, individual DVB-S2 functions or components (e.g., VCM/ACM, 8-PSK, and higher-order modulations) might be reused, redefined, and/or respecified by CCSDS in future Recommended Standards.

1.4 APPLICABILITY

This Recommended Standard applies to the creation of Agency standards and to data communications over space links between CCSDS Agencies in cross-support situations for near Earth Exploration Satellite Services (EESS) payload telemetry. This Recommended Standard includes comprehensive specification of the data formats and procedures for inter-Agency cross support. It is neither a specification of, nor a design for, real systems that may be implemented for existing or future missions.

The Recommended Standard specified in this document is to be invoked through the normal standards programs of each CCSDS Agency and is applicable to those missions for which cross support based on capabilities described in this Recommended Standard is anticipated. Where mandatory capabilities are clearly indicated in sections of this Recommended Standard, it is mandatory to implement them when this document is used as a basis for cross support. Where options are allowed or implied, implementation of these options is subject to specific bilateral cross-support agreements between the Agencies involved.

1.5 DOCUMENT STRUCTURE

Section 1 presents the background, purpose, scope, applicability, and rationale of this Recommended Standard and lists the conventions, definitions, and references used throughout the document.

Section 2 provides an overview of the system architecture.

Section 3 specifies the CADU stream generation.

Section 4 specifies the DVB-S2 transmission of the CADU stream.

Section 5 specifies managed parameters.

Annex A provides the service definition.

Annex B discusses security, Space Assigned Numbers Authority (SANA), and patent considerations.

Annex C lists acronyms and terms used within this document.

Annex D lists MODCOD available in the DVB-S2 standard.