

Edition 1.0 2015-07

# ATERNATIC STANDARD Wert







# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

### IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



Edition 1.0 2015-07

# INTERNATIONAL



Sfer (Colling) Colling of the Collin Electric vehicle wireless power transfer (WPT) systems -Part 1: General requirements

**INTERNATIONAL ELECTROTECHNICAL** COMMISSION

ICS 43.120 ISBN 978-2-8322-2814-2

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

Ε(	DREMC	DRD	7
IN	TRODU	JCTION	9
1	Scop	ge	10
2	Norn	native references	10
3	Term	ns and definitions	14
4	_	reviations	
5		eral	
6		sification	
	6.1	General	
	6.2	Transfer technologies	
	6.3	Transfer power classes	
	6.4	Environmental conditions	
_	6.5	Installationoperability	
7			
8	Gene	eral system requirements	
	8.1	General Efficiency	19
	8.2	Efficiency	20
	8.3	Measurement convention	21
	8.3.1	I General	27
	8.3.2		21
	8.3.3	5 I	
	8.3.4		
	8.3.5	1 - / /	23
	8.3.6	(an)	23
	8.3.7	7 Primary device mounting	24
	8.3.8	In-ground-mounting	24
	8.3.9		
	8.4	Primary and secondary device construction	25
9	Com	nmunication	25
	9.1	Command and control communication	25
	9.2	High level communication	25
10	Prote	ection against electric shock	26
	10.1	General requirements	26
	10.2	Protection against direct contact	26
	10.2	Degrees of protection against access to hazardous parts	26
	10.2		
	10.2	.3 IP degrees for primary device	26
	10.3	Stored energy – discharge of capacitors	26
	10.4	Fault protection	27
	10.5	Protective conductor dimensions	27
	10.6	Supplementary measures	27
	10.6	.1 Additional protection	27
	10.6	.2 Manual/automatic reset	28
	10.7	Telecommunication network	28
11	Spec	cific requirements for WPT systems	28

	General	
11.2	Leakage – touch current	28
11.3	Insulation resistance	29
11.4	Dielectric withstand characteristic	29
11.4.	1 Dielectric withstand voltage	29
11.4.	Impulse dielectric withstand (1,2/50 μs)	29
	Overload protection and short circuit withstand	30
11.5.	General	30
11.5.	Earthing electrode and continuity test	30
11.5.		
11.5.4	Short circuit withstand strength	30
11.6	Temperature rise and protection against thermal incidents	30
11.6.		
11.6.	2 Permissible surface temperature of accessible parts of the WPT system	31
11.6.		
11.6.4		
11.7	Heat, fire and tracking	
	Protection against mechanical incident	
11.8.		
11.8.		
	Areas of protection	
	Protection from electro-magnetic field	
	Operational safety	
	Emergency service disconnect (optional)	
12 Powe	r cable assembly requirements	35
12 10110	r dable decembly regularities	
12 Cono	tructional requirements	26
13 Cons	tructional requirements	36
13 Cons 13.1	r cable assembly requirements tructional requirements General	36
13 Cons 13.1 13.2	General Breaking capacity of switching devices	36 36
13 Cons 13.1 13.2 13.2.	General	36 36 36
13 Cons 13.1 13.2 13.2.	General.  Breaking capacity of switching devices  General  Switch and switch-disconnector	36 36 36 36
13.2 13.2. 13.2. 13.2.	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor	36 36 36
13.2 13.2. 13.2. 13.2. 13.2.	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker	36 36 36 36
13.2 13.2.2 13.2.2 13.2.2 13.2.2	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker  Relays	36 36 36 36
13.2 13.2. 13.2. 13.2. 13.2. 13.2. 13.3	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker  Relays  Clearance and creepage distances	36 36 36 36 36
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker  Relays  Clearance and creepage distances  Protection measures	36 36 36 36 36 36
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4 14 Stren	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker  Relays  Clearance and creepage distances	36 36 36 36 36 36
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Relays  Clearance and creepage distances  Protection measures  gth of materials and parts  General	36 36 36 36 36 37 37
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Relays  Clearance and creepage distances  Protection measures  gth of materials and parts  General  Stability/Mechanical impact	36363636363737
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Relays  Clearance and creepage distances  Protection measures  gth of materials and parts  General  Stability/Mechanical impact	36363636363737
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1 14.2	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Relays  Clearance and creepage distances  Protection measures  gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access	3636363636373737
13.2 13.2 13.2 13.2 13.2 13.3 13.4 14 Stren 14.1 14.2 14.2	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Relays  Clearance and creepage distances  Protection measures  gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access  Locations with non-restricted access	363636363637373737
13.2 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1 14.2 14.2.	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker  Relays  Clearance and creepage distances  Protection measures gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access  Locations with non-restricted access  Vehicle drive-over	3636363637373737
13.2 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1 14.2 14.2. 14.2. 14.2.	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Relays  Clearance and creepage distances  Protection measures gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access  Locations with non-restricted access  Vehicle drive-over	3636363637373737
13.2 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1 14.2 14.2. 14.2. 14.2.	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker  Relays  Clearance and creepage distances  Protection measures gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access  Locations with non-restricted access  Vehicle drive-over  Lateral force by thrust power  Mechanical load	36363636373737373738
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1 14.2 14.2. 14.2. 14.2. 14.3	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Relays  Clearance and creepage distances  Protection measures gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access  Locations with non-restricted access  Vehicle drive-over  Lateral force by thrust power  Mechanical load  General	3636363637373737373838
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1 14.2 14.2. 14.2. 14.2. 14.3 14.3.	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker  Relays  Clearance and creepage distances  Protection measures gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access  Locations with non-restricted access  Vehicle drive-over  Lateral force by thrust power  Mechanical load  General  Static load	3636363637373737383838
13.2 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1 14.2 14.2. 14.2. 14.2. 14.3 14.3.	Breaking capacity of switching devices  General  Cyswitch and switch-disconnector  Contactor  Circuit-breaker  Relays  Clearance and creepage distances  Protection measures  gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access  Locations with non-restricted access  Vehicle drive-over  Lateral force by thrust power  Mechanical load  General  Static load  Shock load	363636363737373737383838
13.2 13.2. 13.2. 13.2. 13.2. 13.3 13.4 14 Stren 14.1 14.2 14.2. 14.2. 14.2. 14.3. 14.3. 14.3.	Breaking capacity of switching devices  General  Switch and switch-disconnector  Contactor  Circuit-breaker  Relays  Clearance and creepage distances  Protection measures  gth of materials and parts  General  Stability/Mechanical impact  Locations with restricted access  Locations with non-restricted access  Vehicle drive-over  Lateral force by thrust power  Mechanical load  General  Static load  Shock load  Torsional stress	36363636373737373838383838

	14.4	Strength of materials and parts	39
	14.4.	1 Protection against corrosion	39
	14.4.	2 Test criteria	39
	14.5	Environmental conditions	10
	14.6	Properties of insulating materials	10
	14.6.	1 Verification of thermal stability of enclosures	10
	14.6.	2 Resistance to fire (Glow wire)	10
	14.6.	3 Ball pressure test	10
	14.6.	4 Resistance to tracking	10
	14.6.	5 Resistance to ultra-violet radiation	11
	14.7	Static strength and stability	11
	14.8	Vibration	11
15	Servi	ce and test conditions	11
	15.1	General	11
	15.2	Environmental test	11
	15.2.	1 Ambient air temperature4	11
	15.2.		
	15.2.		12
	15.2.	·	
	15.2.	4 Altitude	13
	15.2.	6 Dry heat	43
	15.2.	7 Cold test4	43
	15.3	Special service conditions	13
	15.4	Conditions during transport, storage and installation	13
	15.5	Outdoor exposure	14
	15.5.		14
	15.5.		14
	15.6	Damp and salt mist test for marine and coastal environments	14
	15.7	Condensation within the assembly	14
	15.8	Vibration and shock	14
	15.9	Safety appointant	1 1
16	Elect	romagnetic Compatibility (EMC)	14
	16.1	Immunity requirements  Disturbance requirement	14
	16.2	Disturbance requirement	16
	16.2.	1 Load and operating conditions	46
	16.2.	2 Disturbance limits	17
17	Marki	ing and instructions	50
	17.1	General	
	17.2	Marking of EV supply equipment	5 1
	17.3	Legibility	
	17.4	Connection instructions	
		informative) Use cases	
	A.1	General	h
	A.2	Use case descriptions	~
	A.2.1	·	
	A.2.1		
	A.2.3	, ,	
	A.2.4	· · · · · · · · · · · · · · · · · · ·	
	, \. <del>_</del> . T		

A.2.5 UC Start Power Transfer	57
A.2.6 UC Perform Power Transfer	59
A.2.7 UC Safety Monitoring and Diagnostics (see Table A.7)	61
A 2.8 UC Stop Power transfer	
Annex B (informative) EMC tables, EV connected to an WPT system	
B.1 General	63
B.2 WPT equipment immunity requirement (informative)	63
B.3 Radio frequency (RF) disturbances	63
B.4 WPT system with EV included (radiated disturbances in the range 30 MHz to 1 000 MHz)	64
Annex C (informative) EMF, protection from electromagnetic field	66
C.1 Protection from electromagnetic field	66
C.2 Assessment of electronic and electrical equipment	66
C.3 EMF measurement procedure	66
C.4 Measurement points	68
C.4.1 Area 3 measurement points of nominal position	
C.4.2 Area 3 measurement points of offset positions	
C.4.3 Area 4 measurement points	
Bibliography	70
Figure 1 – Installation	18
Figure 2 – Wireless Power Transfer system	20
Figure 3 – Position of axes relative to orientation	21
Figure 4 – Position of the primary device	22
Figure 5 – X and Y maximum offset	23
Figure 6 – In-ground-mounting	24
Figure 7 – On-ground-mounting	25
Figure 8 – Qualitative example of material temperature	31
Figure 9 – Example for areas of protection, for ground mounted systems	
	52
Figure A.2 – Use cases from ISO/IEC 15118-1 reusable for WPT systems	53
Figure A.3 – Activity diagram for UC Select "Charging Spot"	
Figure A.4 – Activity diagram for UC Compatibility Check	55
Figure A.5 – Activity diagram for UC Fine Positioning	56
Figure A.6 – Activity diagram fur UC Pairing Confirmation	57
Figure A.7 – Activity diagram for UC Start Power Transfer	59
Figure A.8 – Activity diagram for UC Perform Power Transfer	60
Figure A.9 – Activity diagram for UC Stop Power Transfer	62
Figure B.1 – EV model for the radiated emission measurement (top view)	64
Figure B.2 – EV model for radiated emission measurements (side view)	65
Figure C.1 – Top view	68
Figure C.2 – Front view	
Figure C.3 – Seats position	
Figure C.4 – Measurement points of seats	69

Table 1 – Transfer technologies	17
Table 2 – Position of primary device	22
Table 3 – Offset	23
Table 4 – Primary device	23
Table 5 - Mechanical air gap	24
Table 6 - Touch currents	28
Table 7 – Values of temperature rise in normal use	33
Table 8 – WPT equipment immunity requirement – Environment other than residential $\dots$	45
Table 9 – WPT equipment immunity requirement – residential environment	46
Table 10 – Low frequency disturbances	48
Table 11 – Radio frequency (RF) disturbances	49
Table 12 – Limits of the magnetic field strength for WPT system	50
Table A.1 – UC Select "charging spot"	53
Table A.2 – UC Compatibility Check	55
Table A.3 – UC Fine Positioning	56
Table A.4 – UC Pairing Confirmation	57
Table A.5 – UC Start Power Transfer	58
Table A.6 – UC Perform Power Transfer	60
Table A.7 – UC Safety Monitoring and Diagnostics	61
Table A.8 – UC Stop Power transfer	61
Table B.1 – Environment other than residential environment with EV	63
Table B.2 – Residential environment with EV	63
Table B.3 – Radio frequency (RF) disturbances – WPT system with EV	63

MPT system with EV ......

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS -

### Part 1: General requirements

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations laising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61980-1 has been prepared by Technical Committee 69: Electric road vehicles and electric industrial trucks.

The text of this standard is based on the following documents:

FDIS	Report on voting
69/370/FDIS	69/380/RVD

Full information on the voting for the approval of this standard can be found in the report or voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part is to be used in conjunction with the appropriate part of IEC 61980 series.

NOTE The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed
- · withdrawn,
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates should be should that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

### INTRODUCTION

The LEC 61980 series is published in separate parts according to the following structure:

Part 1 covers general requirements for electric road vehicle (EV) wireless power transfer (WPT) systems including general background and definitions (e.g. efficiency, electrical safety, EMC. EMF).

Future Part 2 will cover specific requirements for communication between electric road vehicle (EV) and wireless power transfer (WPT) systems including general background and definitions.

Future Part 3 will cover specific requirements for electric road vehicle (EV) magnetic field wireless power transfer (MF-WPT) systems including general background and definitions (e.g. efficiency, electrical safety, EMC, EMF).

The requirements described in Part 1 are general. The technical requirements for the various wireless power transfer (WPT) technologies are very different, they will be treated in technology specific parts of the 61980 series. A list of possible WPT technologies can be seen in 6.2. The requirements for magnetic field-wireless power transfer systems (MF-WPT) will be described in future Part 3. Further parts of this series will describe other technologies such as power transfer via electric field wireless power transfer systems (EF-WPT) or electromagnetic field-WPT systems also named microwave-WPT systems (MW-WPT).

Reference to "technology specific parts" always refer to the technology specific future Part 3 and further technology specific parts of this series. The structure of the "technology specific parts" will follow the structure of Part 1.

School State of the state of th

Electric road vehicle (EV) will be covered by ISO 193631.

<sup>1</sup> Under consideration.

# ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS -

### Part 1: General requirements

### 1 Scope

This part of IEC 61980 applies to the equipment for the wireless transfer of electric power from the supply network to electric road vehicles for purposes of supplying electric energy to the RESS (Rechargeable energy storage system) and/or other on-board electrical systems in an operational state when connected to the supply network, at standard supply voltages ratings per IEC 60038 up to 1 000 V a.c. and up to 1 500 V d.c.

This standard also applies to Wireless Power Transfer (WPT) equipment supplied from on-site storage systems (e.g. buffer batteries, etc.).

The aspects covered in this standard include:

- the characteristics and operating conditions;
- the specification for required level of electrical safety;
- requirements for basic communication for safety and process matters if required by a WPT system;
- requirements for basic positioning, efficiency and process matters if required by a WPT system;
- requirements for two- and three-wheel vehicles (under consideration);
- requirements for WPT system while driving (under consideration);
- requirements for bidirectional power transfer (under consideration);
- specific EMC requirements for WPT systems.

This standard does not apply to:

- safety aspects related to maintenance;
- trolley buses, rail vehicles and vehicles designed primarily for use off-road;
- WPT vehicle power supply circuit, which is covered by ISO 6469 series, ISO 193632;
- EMC requirements for on-board equipment while connected, which are covered in IEC 61851-21-13;
- high level communication which are covered in ISO/IEC 15118 series.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, IEC standard voltages

<sup>2</sup> Under consideration.

<sup>3</sup> Under consideration.