

INTERNATIONAL STANDARD

ISO
7141

Third edition
2005-07-01

Road vehicles — Light alloy wheels — Impact test

Véhicules routiers — Roues en alliage léger — Essai de choc



Reference number
ISO 7141:2005(E)

© ISO 2005

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 7141 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 19, *Wheels*.

This third edition cancels and replaces the second edition (ISO 7141:1995), the title and scope of which have been modified to include all road applications (not just passenger car applications) for light alloy wheels.

This document is a preview generated by EVS

Road vehicles — Light alloy wheels — Impact test

1 Scope

This International Standard specifies a laboratory test procedure to evaluate the axial (lateral) kerb impact collision properties of a wheel manufactured either wholly or partly of light alloys. It is intended for passenger car applications, and special vehicle applications where the wheel may impact the kerb, with the purpose of screening and/or quality control of the wheel.

The vocabulary used is in accordance with ISO 3911.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3911, *Wheels and rims for pneumatic tyres — Vocabulary, designation and marking*

3 Test equipment

3.1 New wheels, fully processed, representative of wheels intended for vehicle application, fitted with a tyre.

Tyres and wheels used in the tests should not be used subsequently on a vehicle.

3.2 Impact loading test machine with a vertically acting steel striker having an impacting face at least 125 mm wide and at least 375 mm long and sharp edges broken by radius or chamfer, in accordance with Figure 1. The striker mass, m , within a tolerance of $\pm 2\%$, expressed in kilograms, shall be as follows:

$$m = 0,6W + 180$$

where W is the maximum static wheel loading, as specified by the wheel and/or vehicle manufacturer, expressed in kilograms.

3.3 Mass of 1 000 kg.

4 Calibration

Ensure, by means of a test calibration adapter, that the 1 000 kg mass (3.3) applied vertically to the centre of the wheel fixing as shown in Figure 2 causes a deflection of $7,5 \text{ mm} \pm 0,75 \text{ mm}$ when measured at the centre of the beam.