Energy performance of buildings - Overarching EPB assessment - Part 1: General framework and procedures (ISO 52000-1:2017)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| See Eesti standard EVS-EN ISO 52000-1:2017 sisaldab Euroopa standardi EN ISO 52000-1:2017 ingliskeelset teksti. | This Estonian standard EVS-EN ISO 52000-1:2017 consists of the English text of the European standard EN ISO 52000-1:2017. |
|---|--|
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 26.07.2017. | Date of Availability of the European standard is 26.07.2017. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 91.120.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2017

EN ISO 52000-1

ICS 91.120.10

Supersedes EN 15603:2008

English Version

Energy performance of buildings - Overarching EPB assessment - Part 1: General framework and procedures (ISO 52000-1:2017)

Performance énergétique des bâtiments - Évaluation cadre PEB - Partie 1: Cadre général et modes opératoires (ISO 52000-1:2017)

Energieeffizienz von Gebäuden - Festlegungen zur Bewertung der Energieeffizienz von Gebäuden - Teil 1: Allgemeiner Rahmen und Verfahren (ISO 52000-1:2017)

This European Standard was approved by CEN on 27 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 52000-1:2017) has been prepared by Technical Committee CEN/TC 371 "Energy Performance of Buildings project group", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 163 "Thermal performance and energy use in the built environment".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2018 and conflicting national standards shall be withdrawn at the latest by January 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15603:2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 52000-1:2017 has been approved by CEN as EN ISO 52000-1:2017 without any modification.

| 2 Normative references | Co | ntent | :S | Page |
|--|-------------|---------|---|----------|
| 1 Scope 1 2 Normative references 1 3 Terms and definitions 1 3.1 Building 2 3.2 Indoor and outdoor conditions 4 3.3 Technical building systems 5 3.4 Energy 7 3.5 Energy performance 10 3.6 Energy calculation 13 4 Symbols, subscripts and abbreviations 14 4.1 Symbols 15 4.2 Subscripts 16 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.2 Type of application 21 6.2.2 Type of application 21 6.2.2 Type of application | For | eword | | vi |
| 2 Normative references 1 | Intr | oductio | yn | vii |
| 2 Normative references 1 | 1 | Scon |)e | 1 |
| 3.1 Building 2.2 3.2 Indoor and outdoor conditions 4 3.3 Technical building systems 5 3.4 Energy 7 3.5 Energy performance 10 3.6 Energy calculation 13 3.6 Energy calculation 14 5 5 Energy calculations 15 4.1 Symbols 15 4.2 Subscripts 16 4.3 Abbreviations 17 5 4.2 Subscripts 16 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6.1 General 20 6.2 List of types and categories 20 6.2 List of types and categories 20 6.2 List of types and categories 20 6.2 Energy calculation 20 Energy calcu | | | | |
| 3.1 Building 2 3.2 Indoor and outdoor conditions 4 3.3 Technical building systems 5 3.4 Energy 7 3.5 Energy performance 10 3.6 Energy calculation 13 4 Symbols, subscripts and abbreviations 14 4.1 Symbols 15 4.2 Subscripts 16 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6.1 General 20 6.2 List of types and categories 20 6.1 General 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.1 Type of application 21 6.2.3 Type of application 21 6.2.4 Type of applicat | | | | |
| 3.2 Indoor and outdoor conditions 4 3.3 Technical building systems 5 3.4 Energy 7 3.5 Energy performance 10 3.6 Energy calculation 13 4 Symbols, subscripts and abbreviations 14 4.1 Symbols 15 4.2 Subscripts 16 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.1 Type of application 21 6.2.2 Building category and space categories 21 6.2.3 Types of application 21 6.2.4 Types of application 21 6 | 3 | | | |
| 3.3 Technical building systems 5 3.4 Energy 7 7 7 3.5 Energy performance 10 3.6 Energy calculation 13 3.6 Energy calculation 13 3.6 Energy calculation 13 3.6 Energy calculation 13 3.6 Energy calculation 14 Symbols 15 4.2 Subscripts and abbreviations 15 4.2 Subscripts 16 4.3 Abbreviations 16 4.3 Abbreviations 17 17 17 17 17 18 18 19 19 19 19 19 19 | | | | |
| 3.4 Energy performance. 10 3.5 Energy performance. 10 3.6 Energy calculation. 13 4 Symbols, subscripts and abbreviations. 14 4.1 Symbols 15 4.2 Subscripts 16 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.2 Type of application 21 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.5 Building category and space categories 22 <td></td> <td></td> <td></td> <td></td> | | | | |
| 3.6 Energy calculation. 13 4 Symbols, subscripts and abbreviations. 15 4.1 Symbols. 15 4.2 Subscripts. 16 4.3 Abbreviations. 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Types of application 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 23 7 Calculated energy performance of buildings 23 7.1 Output data | | | Energy | 7 |
| 4 Symbols, subscripts and abbreviations 14 4.1 Symbols 15 4.2 Subscripts 16 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of object 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of object 20 6.2.4 Type of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a speci | | | | |
| 4.1 Symbols 15 4.2 Subscripts 16 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of object 20 6.2.4 Type of application 21 6.2.3 Type of assessment 21 6.2.4 Type of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7.1 Output data 23 7.2 | | 3.6 | Energy calculation | 13 |
| 4.2 Subscripts 16 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7. Calculated energy performance of buildings 23 7.1 Output data 23 7.2.1 Calculation interval 24< | 4 | - | | |
| 4.3 Abbreviations 17 5 Description of the overarching framework and procedures 18 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Type of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7. Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation intervals and calculation period 24 7. | | | | |
| 5 Description of the overarching framework and procedures 18 5.1 Output of the method. 18 5.2 General description of the procedures and routing. 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps. 20 6.1 General. 20 6.2 List of types and categories. 20 6.2.1 Type of object. 20 6.2.2 Building category and space categories. 21 6.2.3 Type of application. 21 6.2.4 Types of assessment. 21 6.2.5 Building services. 22 6.3 Identification of types and categories for a specific case. 22 6.3.1 General. 22 6.3.2 Output data. 23 7.1 Output data. 23 7.2 Calculation interval and calculation period. 24 7.2.1 Calculation interval. 24 7.2.2 Calculation period. 24 7.3.1 <td></td> <td></td> <td>Abbreviations</td> <td>16 17</td> | | | Abbreviations | 16 17 |
| 5.1 Output of the method 18 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7.1 Output data 23 7.2 Calculated energy performance of buildings 23 7.1 Output data 23 7.2.1 Calculation intervals and calculation period 24 7.2.1 Calculation intervals and calculation period 24 7.3.1 Product data 25 7.3.2 System design data | _ | | | |
| 5.2 General description of the procedures and routing 18 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.2 Building services 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7. Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.2 Calculation period 24 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data | 5 | Desc | Cutput of the overarching framework and procedures | 18 |
| 5.3 Selection criteria between the methods 20 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3.1 General 22 6.3.2 Output data 23 7.1 Output data 23 7.2 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.2 Calculation interval 24 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 8.1 Gen | | | | |
| 6 Overarching preparation steps 20 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7.1 Output data 23 7.2 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.5 | | | | |
| 6.1 General 20 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7.1 Output data 23 7.2 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.2 Calculation period 24 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement | 6 | Over | | |
| 6.2 List of types and categories 20 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 23 6.3.2 Output data 23 7.1 Output data 23 7.2 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation intervals and calculation period 24 7.2.1 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.4 Constants and physical data 25 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 <td>U</td> <td></td> <td>General</td> <td>20</td> | U | | General | 20 |
| 6.2.1 Type of object 20 6.2.2 Building category and space categories 21 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.1 Calculation interval 24 7.2.2 Calculation interval 24 7.2.1 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations | | _ | List of types and categories | 20 |
| 6.2.3 Type of application 21 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation period 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 | | | 6.2.1 Type of object | 20 |
| 6.2.4 Types of assessment 21 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation period 24 7.2.2 Calculation period 24 7.3.1 Product data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data | | | | |
| 6.2.5 Building services 22 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7.1 Output data 23 7.2 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 </td <td></td> <td></td> <td>6.2.3 Type of application</td> <td>21</td> | | | 6.2.3 Type of application | 21 |
| 6.3 Identification of types and categories for a specific case 22 6.3.1 General 22 6.3.2 Output data 23 7 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation period 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 </td <td></td> <td></td> <td>6.2.4 Types of assessment</td> <td>21 22</td> | | | 6.2.4 Types of assessment | 21 22 |
| 6.3.1 General 22 6.3.2 Output data 23 7 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.3 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | 6.3 | | |
| 7 Calculated energy performance of buildings 23 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation period 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.2 System design data 30 </td <td>4 5 6</td> <td></td> <td>6.3.1 General</td> <td>22</td> | 4 5 6 | | 6.3.1 General | 22 |
| 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | | | |
| 7.1 Output data 23 7.2 Calculation intervals and calculation period 24 7.2.1 Calculation interval 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | 7 | Calc | ulated energy performance of buildings | 23 |
| 7.2.1 Calculation interval 24 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | 7.1 | Output data | 23 |
| 7.2.2 Calculation period 24 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.3 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | 7.2 | | |
| 7.3 Input data 25 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | | | |
| 7.3.1 Product data 25 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | 73 | | |
| 7.3.2 System design data 25 7.3.3 Operating conditions data 25 7.3.4 Constants and physical data 28 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | 7.5 | | |
| 7.3.4 Constants and physical data 28 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | | | |
| 7.3.5 Other data 28 7.4 Description of the calculation procedure 28 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | | F 8 | |
| 7.4 Description of the calculation procedure | | | | |
| 8 Measured overall energy performance and comparison with calculations 29 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | 7.4 | | |
| 8.1 General 29 8.2 Output of the method 29 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | _ | | | |
| 8.2Output of the method298.3Measurement intervals and measurement period298.4Input data308.4.1Product data308.4.2System design data308.4.3Operating conditions data30 | 8 | Meas | sured overall energy performance and comparison with calculations | 29 |
| 8.3 Measurement intervals and measurement period 29 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | | | |
| 8.4 Input data 30 8.4.1 Product data 30 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | | | |
| 8.4.2 System design data 30 8.4.3 Operating conditions data 30 | | | Input data | 30 |
| 8.4.3 Operating conditions data | | | | |
| 1 0 | | | , , | |
| | | | 8.4.4 Constants and physical data | |

| | | 8.4.5 Other data | 31 |
|-----|-------------------|---|----|
| | 8.5 | Measurement procedures | 31 |
| | 8.6 | Calculation of the energy performance based on measured energy | 31 |
| | 8.7 | Comparison between calculated energy performance and measured | |
| | | energy performance | 32 |
| | 8.8 | Measured energy performance reporting | 32 |
| 9 | Overa | all assessment of the energy performance of buildings | 32 |
| | 9.1 | Categorization of building and/or spaces | 32 |
| | 9.2 | Combination of building services included in EPB in each space | |
| | 9.3 | Useful floor area and air volume | |
| | 9.4 | Normalization to building size | 34 |
| | | 9.4.1 Reference size | |
| | | 9.4.2 Normalization | |
| | | 9.4.3 Reference floor area | |
| | 9.5 | Assessment boundary and perimeters | |
| | | 9.5.1 General principles | |
| | | 9.5.2 Assessment boundary for multiple buildings | |
| | 9.6 | Overall energy performance | |
| | | 9.6.1 Weighted overall energy balance | |
| | | 9.6.2 Primary energy factors | 38 |
| | | 9.6.3 Greenhouse gas emission factors | |
| | | 9.6.4 Additional weighting factors | |
| | | 9.6.5 Costs factors | |
| | | 9.6.6 Weighting factors for exported energy | |
| | 9.7 | 9.6.7 Energy flows Share of renewable energy | |
| | 9.7 | Energy performance indicators for technical building systems | |
| | 9.9 | Calculation methods for energy performance indicators per part of a building | 44 |
| |).) | and/or service | 44 |
| 4.0 | | ng | |
| 10 | Zonir 10.1 | ng General | 45 |
| | 10.1 | Thermal zones and service areas | |
| | 10.2 | Spaces | |
| | 10.3 | Zoning rules | |
| | 10.7 | 10.4.1 Principle | |
| | | 10.4.2 Specific zoning criteria | |
| | 10.5 | Assignment rules | 50 |
| | 1010 | 10.5.1 Subdivision | |
| | | 10.5.2 Recombination | |
| | 10.6 | Zoning procedure | |
| 11 | | | |
| 11 | 11.1 | llation of the energy performance, routing and energy balance | 33 |
| | 11.1 | Overall calculation procedure (steps) | 53 |
| | 11.3 | Calculation principles of the recovered gains and losses | 54 |
| | 11.5 | 11.3.1 General | |
| | | 11.3.2 Detailed approach | |
| | | 11.3.3 Simplified approach | |
| | 11.4 | | |
| | **** | Effect of building automation and control (BAC) and technical building management (TBM) | 56 |
| | 11.5 | Climatic and external environment data | 57 |
| | 11.6 | Overall energy performance | |
| | - | 11.6.1 General | 57 |
| | | 11.6.2 Electricity and other energy carriers with exportation | |
| | | 11.6.3 Energy carriers without exportation | |
| | | 11.6.4 Exported heat produced on-site and not included in thermal use of | |
| | | the building | 63 |

| 12 | Common overarching output | |
|--------|---|-----|
| | 12.1 General12.2 Tabulated overview of the amounts of energy per energy carrier and energy service | |
| Annex | A (normative) Input and method selection data sheet — Template | |
| | B (informative) Input and method selection data sheet — Default choices | |
| | (C (normative) Common subscripts | |
| | x D (informative) Calculation of measured energy performance | |
| | E (normative) Calculation methods for energy performance indicators per part of a building and/or service | |
| Annex | F (informative) Alphabetical index of terms | 119 |
| Annex | G (informative) Electrical grid related indicators | 122 |
| | H (informative) Proposal of indicators for the assessment of nearly Zero-Energy Buildings (NZEB) | |
| Biblio | graphy | 126 |
| | | |
| | | |
| | | |
| | | |
| | ∞ . | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Q_{j} | |
| | | |
| | | |
| | | |
| | | |
| | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

ISO 52000-1 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 371, Energy Performance of Buildings project group, in collaboration with ISO Technical Committees TC 163, Thermal performance and energy use in the built environment, and TC 205, Building Environment Design, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

A list of all parts in the ISO 52000 series can be found on the ISO website.

This document cancels and replaces ISO/TR 16344:2012^[3] and ISO 16346:2013^[2].

Introduction

This document is part of a series aimed at the international harmonization of the methodology for assessing the energy performance of buildings. Throughout, this series is referred to as a "set of EPB standards".

All EPB standards follow specific rules to ensure overall consistency, unambiguity and transparency.

All EPB standards provide a certain flexibility with regard to the methods, the required input data and references to other EPB standards, by the introduction of a normative template in <u>Annex A</u> and <u>Annex B</u> with informative default choices.

For the correct use of this document, a normative template is given in $\underline{Annex\ A}$ to specify these choices. Informative default choices are provided in $\underline{Annex\ B}$.

The main target groups for this document are architects, engineers and regulators.

Use by or for regulators: In case the document is used in the context of national or regional legal requirements, mandatory choices may be given at national or regional level for such specific applications. These choices (either the informative default choices from Annex B or choices adapted to national/regional needs, but in any case following the template of Annex A) can be made available as national annex or as separate (e.g. legal) document (national data sheet).

NOTE 1 So in this case:

- the regulators will specify the choices;
- the individual user will apply the document to assess the energy performance of a building, and thereby use the choices made by the regulators.

Topics addressed in this document can be subject to public regulation. Public regulation on the same topics can override the default values in Annex B. Public regulation on the same topics can even, for certain applications, override the use of this document. Legal requirements and choices are in general not published in standards but in legal documents. In order to avoid double publications and difficult updating of double documents, a national annex may refer to the legal texts where national choices have been made by public authorities. Different national annexes or national data sheets are possible, for different applications.

It is expected, if the default values, choices and references to other EPB standards in <u>Annex B</u> are not followed due to national regulations, policy or traditions, that:

- national or regional authorities prepare data sheets containing the choices and national or regional values, according to the model in <u>Annex A</u>. In this case a national annex (e.g. NA) is recommended, containing a reference to these data sheets;
- or, by default, the national standards body will consider the possibility to add or include a national
 annex in agreement with the template of <u>Annex A</u>, in accordance to the legal documents that give
 national or regional values and choices.

Further target groups are parties wanting to motivate their assumptions by classifying the building energy performance for a dedicated building stock.

More information is provided in the Technical Report accompanying this document ISO/TR 52000-2[6].

The framework for overall EPB includes:

- a) common terms, definitions and symbols;
- b) building and assessment boundaries;
- c) building partitioning into space categories;

- d) methodology for calculating the EPB (formulae on energy used, delivered, produced and/or exported at the building site and nearby);
- e) a set of overall formulae and input-output relations, linking the various elements relevant for the assessment of the overall EPB;
- f) general requirements for EPB dealing with partial calculations;
- g) rules for the combination of different spaces into zones;
- h) performance indicators;
- i) methodology for measured energy performance assessment.

<u>Table 1</u> shows the relative position of this document within the set of EPB standards in the context of the modular structure as set out in ISO 52000-1.

NOTE 2 In ISO/TR 52000-2^[6] the same table can be found, with, for each module, the numbers of the relevant EPB standards and accompanying technical reports that are published or in preparation.

al, re EPL The modules represent EPB standards, although one EPB standard could cover more than one module and one module could be covered by more than one EPB standard, for instance, a simplified and a detailed method respectively. See also <u>Tables A.1</u> and <u>B.1</u>.

Table 1 — Position of this document (in casu M1–1 - M1–3, M1–5, M1–7 – M1–10), within the modular structure of the set of EPB standards

| | Overar | ching | Building (as such | ;) | Technical Building Systems | | | | | | | | | |
|---------------|--|-------------|--|--------|------------------------------------|--------------|--------------|-----------------------|--------------------------|----------------------------|-------------------------------|--------------|---|--------------|
| Sub module | Descriptions | | Descriptions | | Descriptions | Heat- ing | Cool- ing | Ven- tila- tion | Hu- midifi- cation | Dehu- midifi- cation | Do- mestic hot water | Light ing | Build ing auto mation and control | PV, wind, |
| sub1 | C | M1 | | M2 | | МЗ | M4 | M5 | M6 | M7 | М8 | М9 | M10 | M11 |
| 1 | General | ISO 52000-1 | General | | General | | | | | | | | | |
| 2 | Common terms and definitions; symbols, units and subscripts | ISO 52000-1 | Building energy needs | | Needs | | | | | | | | a | |
| 3 | Applications | ISO 52000-1 | (Free) Indoor conditions without systems | 9 | Maximum load and power | | | | | | | | | |
| 4 | Ways to express energy performance | | Ways to express energy performance | | Ways to express energy performance | | | | | | | | | |
| 5 | Building categories and building boundaries | ISO 52000-1 | Heat transfer by transmis- sion | | Emission and control | 2 | 2 |)_ | | | | | | |
| 6 | Building occupancy and operating conditions | | Heat transfer by infiltra- tion and ventilation | | Distribution and control | | | 3 | 0 | × | | | | |
| 7 | Aggregation of energy services and energy carriers | ISO 52000-1 | Internal heat gains | | Storage and control | | | | | 0 | 9 | | | |
| 8 | Building zoning | ISO 52000-1 | Solar heat gains | | Generation and control | | | | | | | 1/2 | | |

 Table 1 (continued)

| | Overar | ching | Building (as such) | Building (as such) Technical Building Systems | | | | | | | | | | |
|---------------|--|---------------|---|---|--|--------------|--------------|-----------------------|--------------------------|----------------------------|-------------------------------|--------------|---|--------------|
| Sub module | Descriptions | D- | Descriptions | | Descriptions | Heat- ing | Cool- ing | Ven- tila- tion | Hu- midifi- cation | Dehu- midifi- cation | Do- mestic hot water | Light ing | Build ing auto mation and control | PV, wind, |
| sub1 | | M1 | | M2 | | М3 | M4 | M5 | M6 | M7 | M8 | M9 | M10 | M11 |
| 9 | Calculated energy per- formance | ISO 52000-1 | Building dynamics (thermal mass) | | Load dis- patching and operating conditions | | | | | | | | | |
| 10 | Measured energy per- formance | ISO 52000-1 | Measured energy per- formance | × / | Measured energy per- formance | | | | | | | | | |
| 11 | Inspection | | Inspection | | Inspection | | | | | | | | | |
| 12 | Ways to ex- press indoor comfort | | | | BMS | | | | | | | | | |
| 13 | External environment conditions | | | | | | | | | | | | | |
| 14 | Economic calculation | | | | | | | | | | | | | |
| NOTE The | e shaded module | s are not app | licable. | | | | | | Q, | | | | | |
| | | | | | | | | | | | | 9 | | |

Energy performance of buildings — Overarching EPB assessment —

Part 1:

General framework and procedures

1 Scope

This document establishes a systematic, comprehensive and modular structure for assessing the energy performance of new and existing buildings (EPB) in a holistic way.

It is applicable to the assessment of overall energy use of a building, by measurement or calculation, and the calculation of energy performance in terms of primary energy or other energy-related metrics. It takes into account the specific possibilities and limitations for the different applications, such as building design, new buildings 'as built', and existing buildings in the use phase as well as renovation.

NOTE <u>Table 1</u> in the Introduction shows the relative position of this document within the set of EPB standards in the context of the modular structure as set out in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7345:1987, Thermal insulation — Physical quantities and definitions

NOTE Default references to EPB standards other than ISO 52000-1 are identified by the EPB module code number and given in <u>Annex A</u> (normative template in <u>Table A.1</u>) and <u>Annex B</u> (informative default choice in <u>Table B.1</u>).

EXAMPLE EPB module code number: M5–5, or M5–5.1 (if module M5–5 is subdivided), or M5–5/1 (if reference to a specific clause of the documents covering M5–5).

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 7345:1987 and the following apply.

<u>Clause 3</u> includes terms that are not used in this document, but that are needed for overall consistency in the EPB standards.

NOTE 1 An alphabetic list of all terms defined in this document is given in Annex F.

NOTE 2 See ISO/TR 52000-2^[6] for explanation on the overarching terms and definitions and how possible conflicts with national or regional (e.g., legal) specifications is avoided.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp