

## Flexible couplings - Part 1: Performance requirements

This document is a preview generated by EVS

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 16397-1:2014 sisaldab Euroopa standardi EN 16397-1:2014 inglisekeelset teksti.	This Estonian standard EVS-EN 16397-1:2014 consists of the English text of the European standard EN 16397-1:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 05.11.2014.	Date of Availability of the European standard is 05.11.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 23.040.60

### Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:  
Aru 10, 10317 Tallinn, Estonia; [www.evs.ee](http://www.evs.ee); phone 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

ICS 23.040.60

English Version

## Flexible couplings - Part 1: Performance requirements

Raccords flexibles - Partie 1: Exigences de performance

Flexible Kupplungen - Teil 1: Leistungsanforderungen

This European Standard was approved by CEN on 30 August 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

Page

Foreword.....	3
1 Scope .....	4
2 Normative references .....	4
3 Terms and definitions .....	4
4 Symbols and abbreviations .....	8
5 Product characteristics .....	8
5.1 General.....	8
5.2 Materials .....	8
5.3 Dimensional tolerances .....	8
5.4 Tightness of joint assemblies .....	8
5.4.1 General.....	8
5.4.2 Test pressures .....	9
5.4.3 Angular deflection .....	9
5.4.4 Shear resistance and deformation.....	9
5.4.5 Thermal cycling.....	10
5.5 Strength of clamping and shear bands .....	10
5.5.1 Clamping band assemblies .....	10
5.5.2 Testing of means of fixing clamping and shear band adjustor strips .....	10
5.6 Reaction to fire.....	10
5.6.1 Use below ground .....	10
5.6.2 Use above ground.....	11
5.7 Durability .....	11
5.7.1 General.....	11
5.7.2 Durability of watertightness .....	11
5.8 Dangerous substances .....	11
6 Test methods.....	12
6.1 Tightness test methods for joint assemblies .....	12
6.1.1 General.....	12
6.1.2 Internal pressure.....	12
6.1.3 Vacuum .....	12
6.1.4 Deflection test .....	12
6.1.5 Shear test.....	13
6.1.6 Thermal cycling test .....	15

## Foreword

This document (EN 16397-1:2014) has been prepared by Technical Committee CEN/TC 165 "Waste water engineering", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2015 and conflicting national standards shall be withdrawn at the latest by August 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

EN 16397 "*Flexible couplings*" contains the following parts:

- Part 1: Performance requirements;
- Part 2: Characteristics and testing for metal banded flexible couplings, adaptors and bushes.

This European Standard takes into account the requirements of EN 476.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies the performance requirements for flexible couplings and adaptors and bushes for use with pipes and fittings in drain and sewer systems, usually operated under gravity and periodic hydraulic surcharge, both above and below ground inside or outside buildings and intended to connect pipes for:

- repair of damaged pipelines;
- connecting pipes of different materials and/or diameters;
- jointing short/cut lengths of pipe;
- jointing specific pipe systems;
- jointing post-inserted preformed junctions.

Typically a coupling consists of a moulded or extruded flexible sleeve with two clamping bands with or without a shear band. The clamping bands enable the sleeve to form a seal with the pipes to be jointed. The shear band gives resistance to shear forces. Connections may be made between pipes which cannot be satisfactorily jointed by a coupling alone, of dissimilar sizes or material, by using an appropriate bush or bushes with the coupling or by using an appropriate adaptor.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 476:2011, *General requirements for components used in drains and sewers*

EN 1055:1996, *Plastics piping systems - Thermoplastics piping systems for soil and waste discharge inside buildings - Test method for resistance to elevated temperature cycling*

EN 13501-1, *Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests*

EN 16397-2, *Flexible couplings – Part 2: Characteristics and testing for metal banded flexible couplings, adaptors and bushes*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

**3.1**  
**flexible coupling**  
 moulded or extruded and joined flexible sleeve, with or without bushes or shear band, with adjustable clamping bands by which it is secured to the ends of pipes with outside diameters within the tolerance range covered by the coupling

Note 1 to entry: Examples are shown in Figures 1 to 3.