

**Foodstuffs - Determination of trace elements -
Determination of tin by flame and graphite furnace
atomic absorption spectrometry (FAAS and GFAAS)
after pressure digestion**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 15764:2010 sisaldab Euroopa standardi EN 15764:2009 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 28.02.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 16.12.2009.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 15764:2010 consists of the English text of the European standard EN 15764:2009.

This standard is ratified with the order of Estonian Centre for Standardisation dated 28.02.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 16.12.2009.

The standard is available from Estonian standardisation organisation.

ICS 67.250

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute Estonian Standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: +372 605 5050; E-mail: info@evs.ee

ICS 67.050

English Version

**Foodstuffs - Determination of trace elements - Determination of
tin by flame and graphite furnace atomic absorption
spectrometry (FAAS and GFAAS) after pressure digestion**

Produits alimentaires - Dosage des éléments traces -
Dosage de l'étain par spectrométrie d'absorption atomique
flamme (SAAF) et spectrométrie d'absorption atomique à
four graphite (SAAFG) après digestion sous pression

Lebensmittel - Bestimmung von Elementspuren -
Bestimmung von Zinn mit der Flammen- und Graphitofen-
Atomabsorptionsspektrometrie (FAAS und GFAAS) nach
Druckaufschluss

This European Standard was approved by CEN on 7 November 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword	3
1 Scope	4
2 Normative references	4
3 Principle	4
4 Reagents	4
5 Apparatus and equipment	6
6 Procedure	7
7 Evaluations	9
8 Precision	10
9 Test report	11
Annex A (informative) Results of the inter-laboratory test	12
Bibliography	16

Foreword

This document (EN 15764:2009) has been prepared by Technical Committee CEN/TC 275 "Food analysis - Horizontal methods", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2010, and conflicting national standards shall be withdrawn at the latest by June 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies a method for the determination of tin in foodstuffs and canned foods by flame and graphite furnace atomic absorption spectrometry (AAS) after pressurized digestion.

The collaborative study included foodstuffs such as carrot puree, tomato puree, pineapple, mixed fruit, white wine, peach powder, tomato powder, powdered beans, powdered fruit yoghurt, fish powder, having mass fractions of tin ranging from 43 mg/kg to 260 mg/kg (Flame-AAS) and from 2,5 mg/kg to 269 mg/kg (Graphite Furnace AAS).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13805, *Foodstuffs — Determination of trace elements — Pressure digestion*

3 Principle

The sample is mineralized through pressurized digestion with nitric acid and hydrochloric acid in accordance with EN 13805. In the resulting digestion solution, tin is quantified by flame AAS (F-AAS) or graphite furnace AAS (GF-AAS) depending on the concentration in the sample solution.

4 Reagents

4.1 General

The concentration of tin in the reagents and water used shall be low enough not to affect the results of the determination.

4.2 Nitric acid

Mass fraction $w(\text{HNO}_3) \geq 65\%$, mass concentration $\rho(\text{HNO}_3) \approx 1,4 \text{ g/ml}$.

4.3 Hydrochloric acid

$w(\text{HCL}) \geq 30\%$, $\rho(\text{HCl}) \approx 1,15 \text{ g/ml}$.

4.4 Tin stock solution

$\rho(\text{Sn}) = 1\,000 \text{ mg/l}$.

4.5 Tin standard and calibration solutions

4.5.1 General

The standard and calibration solutions are prepared from the stock solution by dilution in glass volumetric flasks. For calibration, prepare at least four calibration solutions of different concentrations. The acid concentration shall correspond to the concentration in the measurement solution.