Petroleum and natural gas industries - Glass-reinforced plastics (GRP) piping - Part 2: Qualification and manufacture (ISO 14692-2:2017)



#### EESTI STANDARDI EESSÕNA

#### NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 14692-2:2017 sisaldab Euroopa standardi EN ISO 14692-2:2017 ingliskeelset teksti.		
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.	
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 13.09.2017.	Date of Availability of the European standard is 13.09.2017.	
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.	

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

#### ICS 23.040.01, 75.200

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

### EUROPEAN STANDARD NORME EUROPÉENNE

**EN ISO 14692-2** 

**EUROPÄISCHE NORM** 

September 2017

ICS 75.200; 83.140.30

Supersedes EN ISO 14692-2:2002

#### **English Version**

# Petroleum and natural gas industries - Glass-reinforced plastics (GRP) piping - Part 2: Qualification and manufacture (ISO 14692-2:2017)

Industries du pétrole et du gaz naturel - Canalisations en plastique renforcé de verre (PRV) - Partie 2: Conformité aux exigences de performance et fabrication (ISO 14692-2:2017) Erdöl- und Erdgasindustrie - Glasfaserverstärkte Kunststoffrohrleitungen (GFK) - Teil 2: Zulassung und Herstellung (ISO 14692-2:2017)

This European Standard was approved by CEN on 22 June 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

#### **European foreword**

This document (EN ISO 14692-2:2017) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2018 and conflicting national standards shall be withdrawn at the latest by March 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 14692-2:2002.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 14692-2:2017 has been approved by CEN as EN ISO 14692-2:2017 without any modification.

Contents								
Fore	word		v					
Intro	oductio	on	vi					
1		oe						
2	Norn	native references	1					
3	Tern	rms, definitions, symbols and abbreviated terms						
4	Mani	ufacturer's declarations	2					
_	4.1	Procedure						
	4.2	Long term regression testing	4					
	4.3	Gradient, $G_{\mathrm{xx}}$						
	4.4	MPR <sub>xx</sub>						
	4.5	Partial factors						
		4.5.1 Partial factor for design lifetime, $A_0$	5					
		4.5.2 Partial factor for chemical degradation, $A_2$	5					
	1.6	4.5.3 Partial factor for cyclic loading, <i>A</i> <sub>3</sub>						
	4.6	Long term envelope data points						
	4.7 4.8	Baseline values						
	4.6 4.9	Flexibility factors and SIFs						
	4.10	Production processes and jointing instructions						
_								
5		lification programme	7					
	5.1 5.2	General Scaling rules	/					
	5.2	Product qualification						
	5.5	5.3.1 Validation of long term envelopes						
		5.3.2 Density	10					
		5.3.3 Thermal expansion coefficient						
		5.3.4 Qualification procedure for external pressure						
	5.4	Elastic properties	10					
		5.4.1 General	10					
		5.4.2 Axial tensile modulus, $E_a$	12					
		5.4.3 Hoop tensile modulus, $E_{\rm h}$ , and minor Poisson's ratio, $v_{\rm ah}$	12					
		5.4.4 Major Poisson's ratio, v <sub>ha</sub>	12					
		5.4.5 Circumferential bending modulus, <i>E</i> <sub>hb</sub>	13					
	5.5	Optional qualification requirements.	13					
		5.5.1 Electrical conductivity	13					
		5.5.2 Potable water certification						
		5.5.3 Impact resistance						
		5.5.4 Qualification procedure for fire performance 5.5.5 Low temperature performance						
		r r r r r r r r r r r r r r r r r r r						
6	_	ualification						
7	Qual	lity programme for manufacture	15					
	7.1	General requirements	15					
	7.2	Quality control tests	16					
		7.2.1 General						
		7.2.2 Mill hydrostatic test for pipes						
		7.2.3 Mill hydrostatic test for spoolpieces						
		7.2.4 Degree of cure						
		7.2.5 Barcol hardness						
		7.2.6 Glass content						
		7.2.7 Visual inspection						
		7.2.8 Key component dimensions 7.2.9 Retest						
		/ . L. / ICCOL	エフ					

					) '
Dibilo	grapny				00
Biblio	granhv			0,,	80
Annex	<b>K</b> (info	rmative	Example of qualification summary form	9	78
Annex	I (norr	native) <b>\</b>	/isual inspection		74
Annex	I (norn	native) A	Alternate material qualification		68
Annex H (normative) Fire endurance testing					59
Annex G (normative) Major Poisson's ratio					
			Flange qualification		
Annex	E (nor	mative) l	Representative products		50
Annex D (normative) Scaling rules					39
			Survival tests		
Annex	B (nor	mative)	Long term envelope data points		29
Annex	A (nor	mative)	Gradients and temperature limits		24
	10.5		tion documentation		
			Raw material certificates Production quality control reports		
			Manufacturing procedure		
	10.4		General		
	10.4		Potable water approval certificatestion quality control documentation		
		10.3.2	Qualification reports		22
	10.3		ation documentationGeneral		
	10.2		and purchase order documentation		
10	10.1	General			22
10			on		
9	Handl	ing, stor	rage and transportation		22
8	Compo	onent m	arking		22
		7.3.4	Additional quality control tests		
		7.3.2 7.3.3	Fire performance Residual styrene monomer content		
		7.3.1	Electrical conductivity per length		
	7.3	Optiona	il quality control tests		
		7.2.9	7.2.9		10

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 6, *Processing equipment and systems*.

This second edition cancels and replaces the first edition (ISO 14692-2:2002), which has been technically revised. It also incorporates the Technical Corrigendum ISO 14692-2:2002/Cor 1:2005.

A list of all the parts of ISO 14692 can be found on the ISO website.

#### Introduction

The objective of this document is to enable the purchase of GRP components with known and consistent urce and gov ogramme a. properties from any source. Main users of this document will be the principal and the manufacturer, certifying authorities and government agencies.

The qualification programme and the quality programme are the most significant clauses in this document.

## Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping —

#### Part 2:

#### Qualification and manufacture

#### 1 Scope

This document gives requirements for the qualification and manufacture of GRP piping and fittings in order to enable the purchase of GRP components with known and consistent properties from any source.

It is applicable to qualification procedures, preferred dimensions, quality programmes, component marking and documentation.

This document is intended to be read in conjunction with ISO 14692-1.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 834-1, Fire-resistance tests — Elements of building construction — Part 1: General requirements

ISO 1172, Textile-glass-reinforced plastics — Prepregs, moulding compounds and laminates — Determination of the textile-glass and mineral-filler content — Calcination methods

ISO 4901, Reinforced plastics based on unsaturated-polyester resins — Determination of the residual styrene monomer content, as well as the content of other volatile aromatic hydrocarbons, by gas chromatography

ISO 11357-2, Plastics — Differential scanning calorimetry (DSC) — Part 2: Determination of glass transition temperature and glass transition step height

ISO 11359-2, Plastics — Thermomechanical analysis (TMA) — Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature

ISO 14130, Fibre-reinforced plastic composites — Determination of apparent interlaminar shear strength by short-beam method

ISO 14692-1:2017, Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping — Part 1: Vocabulary, symbols, applications and materials

ISO 14692-3:2017, Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping — Part 3: System design

ISO 14692-4:2017, Petroleum and natural gas industries — Glass-reinforced plastics (GRP) piping — Part 4: Fabrication, installation, inspection and maintenance

API 15HR, Specification for high pressure fiberglass line pipe, Fourth Edition

ASME RTP-1-2007, Reinforced thermoset plastic corrosion-resistant equipment

ASTM D638, Standard test method for tensile properties of plastics

ASTM D696, Standard test method for coefficient of linear thermal expansion of plastics between  $-30~^{\circ}C$  and  $30~^{\circ}C$  with a vitreous silica dilatometer

ASTM D1598, Standard Test Method for Time-to-Failure of Plastic Pipe Under Constant Internal Pressure

ASTM D2105, Standard test method for longitudinal tensile properties of "fiberglass" (glass-fiber-reinforced thermosetting-resin) pipe and tube

ASTM D2412, Standard test method for determination of external loading characteristics of plastic pipe by parallel-plate loading

ASTM D2583, Standard test method for indentation hardness of rigid plastics by means of a barcol impressor

ASTM D2992, Standard practice for obtaining hydrostatic or pressure design basis for "fiberglass" (glass-fiber-reinforced thermosetting-resin) pipe and fittings

ASTM D3567, Standard practice for determining dimensions of "fiberglass" (glass-fiber-reinforced thermosetting resin) pipe and fittings

ASTM E1529, Standard test methods for determining effects of large hydrocarbon pool fires on structural members and assemblies

IMO MSC.61(67), Adoption of the International Code for application of fire test procedures

IMO Resolution A.653(16), Fire test procedures for surface flammability of bulkhead, ceiling and deck finsh materials as amended by Resolution IMO MSC.61(67): Annex 1 Part 5

#### 3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the terms, definitions, symbols and abbreviated terms given in ISO 14692-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="http://www.iso.org/obp">http://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

#### 4 Manufacturer's declarations

#### 4.1 Procedure

Prior to the start of the qualification programme, the manufacturer shall declare:

- a)  $G_{XX}$ ;
- b)  $MPR_{xx}$ ;
- c) the long term envelope data points;
- d) the threshold envelope data points;
- e) dimensional data;
- f) baseline values for degree of cure, barcol hardness (GRUP and GRVE only) and glass content, where applicable.

The data shall be based on a standard design life of 20 years. Figure 1 provides a flowchart of the procedure for declaring the manufacturer's data.