

**Systems for renovation of drains and sewers - Lining
with a rigidly anchored plastics inner layer (RAPL)**

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16506:2014 sisaldab Euroopa standardi EN 16506:2014 inglisekeelset teksti.	This Estonian standard EVS-EN 16506:2014 consists of the English text of the European standard EN 16506:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.10.2014.	Date of Availability of the European standard is 15.10.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.040.20, 23.040.45, 23.040.99, 93.030

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

ICS 23.040.20; 23.040.45; 23.040.99; 93.030

English Version

Systems for renovation of drains and sewers - Lining with a rigidly anchored plastics inner layer (RAPL)

Systèmes de rénovation des réseaux d'assainissement -
Chemisage par revêtement de plastique interne rigidement
ancré

Systeme für die Renovierung von Abwasserkanälen und -
leitungen - Lining mit fest verankerter Kunststoffauskleidung

This European Standard was approved by CEN on 18 July 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Symbols and abbreviations	8
4.1 Symbols	8
4.2 Abbreviations	8
5 Pipes at the “M” stage	8
5.1 General	8
5.2 Appearance	9
5.3 Materials	9
5.3.1 Components of RAPL	9
5.3.2 Material characteristics of inner layers	10
5.3.3 Material characteristics of the grout system	11
5.4 Geometric characteristics	12
5.4.1 General	12
5.4.2 Profiled plastics strips	13
5.4.3 PE sheet material with integral anchors	14
5.5 Jointing of components of internal layers	14
5.5.1 General	14
5.5.2 Welding of PE-sheet material with studs to form it into tube	14
5.5.3 Mechanical jointing of spirally wound PVC-U plastics profiled strips	14
6 Marking	15
6.1 Marking of plastics inner layers	15
6.2 Marking of packaged grout	15
7 Fittings at the “M” stage	15
7.1 General	15
7.2 Lateral connections	15
7.2.1 Materials	15
7.2.2 Geometric characteristics	16
8 Lining system at the “I” stage	16
8.1 General	16
8.2 Wall thickness	17
8.3 Performance requirements	17
8.4 Preparation and conditioning of simulated “I” stage samples	17
9 Installation	18
9.1 Preparatory work	18
9.2 Storage, handling and transport of pipe components	18
9.3 Equipment	18
9.4 Installation procedures	18
9.5 Lining termination in manholes	18
9.6 Reconnecting to existing laterals	19
9.7 Final inspection	19
10 Documentation	19
Annex A (normative) Test method for anchoring strength of plastics inner layer by pull-off	20
A.1 General	20

A.2	Principle	20
A.3	Equipment	20
A.4	Preparation	21
A.5	Carrying out test	22
Annex B	(normative) “I” stage crushing strength test	26
B.1	Scope	26
B.2	Principle	26
B.3	Equipment	26
B.4	Preparation	26
B.5	Carrying out test	27
B.6	Calculation and expression of results	27
B.7	Test report	28
	Bibliography	29

Foreword

This document (EN 16506:2014) has been prepared by Technical Committee CEN/TC 165 "Wastewater engineering", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2015 and conflicting national standards shall be withdrawn at the latest by April 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Products conforming to this standard do not belong to the product family "Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks", because the structural behaviour depends mainly on the cementitious grout and the plastics inner layer serves primarily as permanent formwork for corrosion protection.

For the technique of spirally wound pipes in particular the scope of EN ISO 11296-7 is distinguished from that of this standard in requiring the plastics pipe component to have adequate ring stiffness to resist all external loads on its own without any structural contribution from grout used as annular filler as given in EN 15885:2010, 5.7. Plastic piping systems used for renovation are specified in the standards series EN ISO 11296, comprising a "Part 1: General" and various technique related parts.

This document follows the approach in considering products used for renovation at the "M" stage and the "I" stage as specified in EN 13380 and the series EN ISO 11296.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies performance requirements and test methods for pipes and fittings for the renovation of underground drain and sewer systems by lining with a single rigid annulus of structural cementitious grout formed behind a plastics inner layer. This plastics layer serves as permanent formwork anchored to the grout. It is applicable to plastics inner layers and grout systems with or without steel reinforcement.

This European Standard does not apply to the structural design of the lining system.

NOTE Systems with multiple annuli are available, but these are controlled by patent rights and not covered by this European Standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 196-1, *Methods of testing cement - Part 1: Determination of strength*

EN 206:2013, *Concrete - Specification, performance, production and conformity*

EN 445:2007, *Grout for prestressing tendons - Test methods*

EN 728, *Plastics piping and ducting systems - Polyolefin pipes and fittings - Determination of oxidation induction time*

EN 1015-3, *Methods of test for mortar for masonry - Part 3: Determination of consistence of fresh mortar (by flow table)*

EN 1015-6, *Methods of test for mortar for masonry - Part 6: Determination of bulk density of fresh mortar*

EN 1107-2, *Flexible sheets for waterproofing - Determination of dimensional stability - Part 2: Plastic and rubber sheets for roof waterproofing*

EN 1542:1999, *Products and systems for the protection and repair of concrete structures - Test methods - Measurement of bond strength by pull-off*

EN 1610:1997, *Construction and testing of drains and sewers*

EN 1916:2002, *Concrete pipes and fittings, unreinforced, steel fibre and reinforced*

EN 1979, *Plastics piping and ducting systems - Thermoplastics spirally-formed structured-wall pipes - Determination of the tensile strength of a seam*

EN 10025-1, *Hot rolled products of structural steels - Part 1: General technical delivery conditions*

EN 10025-2, *Hot rolled products of structural steels - Part 2: Technical delivery conditions for non-alloy structural steels*

EN 10048, *Hot rolled narrow steel strip - Tolerances on dimensions and shape*

EN 12814-2, *Testing of welded joints of thermoplastics semi-finished products - Part 2: Tensile test*

EN 12814-8, *Testing of welded joints of thermoplastics semi-finished products - Part 8: Requirements*

EN 13067, *Plastics welding personnel - Qualification testing of welders - Thermoplastics welded assemblies*

EN 13100-4, *Non destructive testing of welded joints of thermoplastics semifinished products - Part 4: High voltage testing*

EN 13412:2006, *Products and systems for the protection and repair of concrete structures - Test methods - Determination of modulus of elasticity in compression*

EN 14117, *Products systems for the protection and repair of concrete structures - Test methods - Determination of time of efflux of cementitious injection products*

EN 14654-1, *Management and control of operational activities in drain and sewer systems outside buildings - Part 1: Cleaning*

CEN/TR 14920, *Jetting resistance of drain and sewer pipes - Moving jet test method*

EN ISO 75-2:2013, *Plastics - Determination of temperature of deflection under load - Part 2: Plastics and ebonite (ISO 75-2:2013)*

EN ISO 527-2:2012, *Plastics - Determination of tensile properties - Part 2: Test conditions for moulding and extrusion plastics (ISO 527-2:2012)*

EN ISO 527-3, *Plastics - Determination of tensile properties - Part 3: Test conditions for films and sheets (ISO 527-3)*

EN ISO 1133-1:2011, *Plastics - Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics - Part 1: Standard method (ISO 1133-1:2011)*

EN ISO 1133-2:2011, *Plastics - Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics - Part 2: Method for materials sensitive to time-temperature history and/or moisture (ISO 1133-2:2011)*

EN ISO 1183-1, *Plastics - Methods for determining the density of non-cellular plastics - Part 1: Immersion method, liquid pycnometer method and titration method (ISO 1183-1)*

EN ISO 2039-1, *Plastics - Determination of hardness - Part 1: Ball indentation method (ISO 2039-1)*

EN ISO 4624:2003, *Paints and varnishes - Pull-off test for adhesion (ISO 4624:2002)*

EN ISO 6259-1, *Thermoplastics pipes - Determination of tensile properties - Part 1: General test method (ISO 6259-1)*

EN ISO 11296-1:2011, *Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks - Part 1: General (ISO 11296-1:2009)*

EN ISO 11296-7:2013, *Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks - Part 7: Lining with spirally-wound pipes (ISO 11296-7:2011)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 11296-1 and the following apply.

3.1

lining with a rigidly anchored plastics inner layer

RAPL

lining with pipe comprising a single rigid annulus of structural cementitious grout and a plastics inner layer anchored to the grout