

Jäätmete iseloomustus. Staatiline katse sulfiide sisaldavate jäätmete hapestumis- ja neutraliseerimisvõime määramiseks

Characterization of waste - Static test for determination of acid potential and neutralisation potential of sulfidic waste

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 15875:2011 sisaldab Euroopa standardi EN 15875:2011 ingliskeelset teksti.	This Estonian standard EVS-EN 15875:2011 consists of the English text of the European standard EN 15875:2011.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 26.10.2011.	Date of Availability of the European standard is 26.10.2011.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.030.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

ICS 13.030.10

English Version

Characterization of waste - Static test for determination of acid potential and neutralisation potential of sulfidic waste

Caractérisation des déchets - Essai statique pour la détermination du potentiel de génération d'acide et du potentiel de neutralisation des déchets sulfurés

Charakterisierung von Abfällen - Statische Prüfung zur Bestimmung des Säurebildungspotenzials und des Neutralisationspotenzials von sulfidhaltigen Abfällen

This European Standard was approved by CEN on 17 September 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	3
Introduction.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Symbols and abbreviations	6
5 Principle	7
6 Reagents and laboratory devices	7
6.1 Reagents.....	7
6.2 Laboratory devices.....	7
7 Sampling and sample preparation	7
7.1 Laboratory sample.....	7
7.2 Test sample.....	8
7.3 Determination of dry residue of the sample.....	8
7.4 Test portion for the determination of neutralisation potential.....	8
8 Test procedures	9
8.1 Determination of acid potential.....	9
8.1.1 General.....	9
8.1.2 Total sulfur content.....	9
8.1.3 Determination of sulfur species.....	9
8.1.4 Calculation.....	9
8.2 Determination of neutralisation potential.....	10
8.2.1 General.....	10
8.2.2 Carbonate rating.....	10
8.2.3 Neutralisation potential.....	10
8.2.4 Calculation.....	12
9 Calculation of neutralisation potential ratio and net neutralisation potential	12
10 Performance characteristics	13
11 Test report	13
Annex A (informative) Example of a data sheet for the recording of test results according to 8.2.3	15
Annex B (informative) Operation and uses of the test: influence of parameters	16
B.1 Sulfur determination.....	16
B.2 Particle size.....	16
B.3 Mineralogy.....	16
B.3.1 Sources of acidity.....	16
B.3.2 Neutralisation potential.....	18
Annex C (informative) Speciation of sulfur compounds	20
Annex D (informative) Explanation of formulas used	23
D.1 Acid potential.....	23
D.2 Carbonate rating.....	23
Bibliography	25

Foreword

This document (EN 15875:2011) has been prepared by Technical Committee CEN/TC 292 "Characterization of waste", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2012, and conflicting national standards shall be withdrawn at the latest by April 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

The preparation of this document by CEN is based on a mandate by the European Commission (Mandate M/395), which assigned the development of standards on the characterization of waste from extractive industries.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

This document has been developed primarily to support the implementation of the Directive 2006/21/EC of the European Parliament and of the council on the management of waste from the extractive industries, especially relating to technical requirements for waste characterization as sulfide bearing materials may generate sulfuric acid when subjected to weathering.

Test methods for the determination of acid generation behaviour can be divided in static and kinetic tests. A static test is usually relatively fast to perform, but gives only indicative information based on total composition of the waste material. The kinetic test gives more detailed information on behaviour based on reaction rates under specified conditions. This standard only covers static testing.

The application of this test method alone may not be sufficient to determine the actual potential in the field for the formation of acidic drainage as site specific conditions will affect the behaviour in the field and require a more detailed assessment.

To carry out a more precise assessment of the acid generation potential and buffering capacity mineralogical information is required. A number of special cases can be identified: e.g. presence of sulfate (e.g. gypsum), non-acid producing sulfides or carbonates with no buffering capacity. Acid neutralisation behaviour as obtained by other methods can provide additional information in circumstances of uncertainty.

1 Scope

This European standard specifies methods to determine the potential of sulfide bearing materials for the formation of acidic drainage. Specified are methods for determining both the acid potential (AP) and the neutralisation potential (NP) of the material. From these results the net neutralisation potential (NNP) and the neutralisation potential ratio (NPR) are calculated.

This European standard is applicable to all sulfide bearing wastes from the extractive industries excluding wastes which will have $\text{pH} < 2$ in the initial step of the procedure described in 8.2.3.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13137:2001, *Characterization of waste — Determination of total organic carbon (TOC) in waste, sludges and sediments*

EN 14346, *Characterization of waste — Calculation of dry matter by determination of dry residue or water content*

EN 14582, *Characterization of waste — Halogen and sulfur content — Oxygen combustion in closed systems and determination methods*

EN 14899, *Characterization of waste — Sampling of waste materials — Framework for the preparation and application of a Sampling Plan*

EN 15002, *Characterization of waste — Preparation of test portions from the laboratory sample*

ISO 3310-1, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ISO 15178, *Soil quality — Determination of total sulfur by dry combustion*

ISO 16720, *Soil quality — Pretreatment of samples by freeze-drying for subsequent analysis*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

laboratory sample

sample sent to or received by the laboratory

3.2

test sample

sample, prepared from the laboratory sample, from which test portions are removed for testing or analysis

3.3

test portion

quantity of material of proper size, for measurement of the concentration or other properties of interest, taken from the test sample

NOTE The test portion may be taken from the laboratory sample directly if no preparation of sample is required (e.g. samples of proper homogeneity, size and fineness).