# **INTERNATIONAL STANDARD**

**ISO** 4993

Third edition 2015-09-15

# St. Raa. Pièces mou.





© ISO 2015, Published in Switzerland

voduced or utilized c 've internet or an 've 180's memb All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Coi	ntents	Page
Fore	eword	iv
Intr	roduction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Basis of purchase	1
5	General 5.1 Protection against ionizing radiation 5.2 General requirements	2
6	Testing parameters	2
7	Personnel qualifications	3
8	Testing arrangements	
9	Film position plan	3
	9.1 Film position plan for pilot radiography	
10	Rejection/acceptance criteria	4
11	Foundry responsibility	4
Ann	nex A (normative) Examination arrangements	5
Ann	nex B (informative) Techniques for increasing the covered thickness range	11

# **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information.

The committee responsible for this document is ISO/TC 17, *Steel*, Subcommittee SC 11, *Steel castings*.

This third edition cancels and replaces the second edition (ISO 4993:2009), which has been technically revised with the following changes:

- Clause 12 has been deleted;
- B.3, B.4, B.5: ISO 5579 has been added;
- C.3, "light alloys and copper", has been deleted.

# Introduction

raphy can be a for lower densit. Radiography can be used to detect internal discontinuities in castings. The discontinuities can have This document is a previous general ded by tills

# Steel and iron castings — Radiographic testing

## 1 Scope

This International Standard specifies the general requirements for the radiography of steel and iron castings by means of X-rays or gamma-rays, in accordance with procedures given in ISO 5579 and ISO 19232.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5579, Non-destructive testing — Radiographic testing of metallic materials using film and X- or gamma rays — Basic rules

ISO 19232-1, Non-destructive testing — Image quality of radiographs — Part 1: Determination of the image quality value using wire-type image quality indicators

ISO 19232-2, Non-destructive testing — Image quality of radiographs — Part 2: Determination of the image quality value using step/hole-type image quality indicators

ISO 19232-3, Non-destructive testing — Image quality of radiographs — Part 3: Image quality classes

ISO 19232-4, Non-destructive testing — Image quality of radiographs — Part 4: Experimental evaluation of image quality values and image quality tables

ISO 19232-5, Non-destructive testing — Image quality of radiographs — Part 5: Determination of the image unsharpness value using duplex wire-type image quality indicators

ASTM E186, Standard Reference Radiographs for Heavy-Walled (2 to 4 1/2 in. [50.8 to 114 mm]) Steel Castings

ASTM E192, Standard Reference Radiographs for Investment Steel Castings for Aerospace Applications

ASTM E280, Standard Reference Radiographs for Heavy-Walled (4 1/2 to 12 in. [114 to 305 mm]) Steel Castings

ASTM E446, Standard Reference Radiographs for Steel Castings up to 2 in. (50.8 mm) in Thickness

ASTM E689, Standard Reference Radiographs for Ductile Iron Castings

ASTM E802, Standard Reference Radiographs for Gray Iron Castings up to 4 1/2 in. (114 mm) in Thickness

ASTM E2660, Standard Digital Reference Images for Investment Steel Castings for Aerospace Applications

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5579 apply.

# 4 Basis of purchase

The request for radiographic testing and all pertinent information relating thereto, such as sensitivity, coverage, and acceptance criteria, shall be indicated in the enquiry and order.

Unless otherwise specified in the enquiry and order, the radiographic coverage may be of two types, i.e. pilot or regular production inspection. For both types, the manufacturing plan shall show the area