# INTERNATIONAL STANDARD

ISO 14397-2

> Second edition 2007-09-15

## Earth-moving machinery — Loaders and backhoe loaders —

## Part 2:

Test method for measuring breakout forces and lift capacity to maximum lift height

Engins de terrassement — Chargeuses et chargeuses-pelleteuses —

Partie 2: Méthode d'essai pour mesurer les forces d'arrachement et la capacité de levage à la hauteur de levage maximale




#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below





### COPYRIGHT PROTECTED DOCUMENT

#### © ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14397-2 was prepared by Technical Committee ISO/TC 127, Earth-moving machinery, Subcommittee SC 1, Test methods relating to machine performance.

This second edition cancels and replaces the first edition (ISO 14397-2:2002), which has been technically revised.

ISO 14397 consists of the following parts, under the general title *Earth-moving machinery* — *Loaders and backhoe loaders*:

- Part 1: Calculation of rated operating capacity and test method for verifying calculated tipping load
- Part 2: Test method for measuring breakout forces and no capacity to maximum lift height

© ISO 2007 – All rights reserved

Inis document is a preview denetated by EUS

## Earth-moving machinery — Loaders and backhoe loaders —

## Part 2:

Test method for measuring breakout forces and lift capacity to maximum lift height

## 1 Scope

This part of ISO 14397 specifies a test method for measuring the breakout forces and lift capacity to maximum lift height of wheeled or crawler paders, or of the loader portion of backhoe loaders, as these machine types are defined in ISO 6165.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6016:1998, Earth-moving machinery — Methods of measuring the masses of whole machines, their equipment and components

ISO 6165:2006, Earth-moving machinery — Basic types — Identification and terms and definitions

ISO 6746-1:2003, Earth-moving machinery — Definitions of dimensions and codes — Part 1: Base machine

ISO 7546:1983, Earth-moving machinery — Loader and front loading excavator buckets — Volumetric ratings

ISO 9248:1992, Earth-moving machinery — Units for dimensions performance and capacities, and their measurement accuracies

ISO 14397-1, Earth-moving machinery — Loaders and backhoe loaders — Part 1: Calculation of rated operating capacity and test method for verifying calculated tipping load

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6165, ISO 6746-1 and ISO 14397-1, and the following apply.

## 3.1

#### breakout force

maximum sustained upward vertical force, in newtons, generated at a point 100 mm behind the leading edge of the bucket of a loader, or behind the foremost point of the cutting edge for a loader having a bucket with an irregular (pointed, curved, etc.) cutting-edge shape, by a lift or tilt cylinder, with the bottom of the bucket's cutting edge parallel to, and not more than 20 mm above, the ground reference plane (GRP)

NOTE Typical test arrangements are shown in Figures 1 and 2.

© ISO 2007 – All rights reserved