

This document is a preview generated by EVS

Copper and copper alloys - Seamless, round tubes for general purposes

ESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 12449:2016 sisaldab Euroopa standardi EN 12449:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 12449:2016 consists of the English text of the European standard EN 12449:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 25.05.2016.	Date of Availability of the European standard is 25.05.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.040.15

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 12449

May 2016

ICS 23.040.15

Supersedes EN 12449:2012

English Version

Copper and copper alloys - Seamless, round tubes for
general purposes

Cuivre et alliages de cuivre - Tubes ronds sans soudure
pour usages généraux

Kupfer und Kupferlegierungen - Nahtlose Rundrohre
zur allgemeinen Verwendung

This European Standard was approved by CEN on 28 February 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
European foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Designations	7
4.1 Material	7
4.1.1 General	7
4.1.2 Symbol	7
4.1.3 Number	7
4.2 Material condition	7
4.3 Product	8
5 Ordering information	9
6 Requirements	10
6.1 Composition	10
6.2 Mechanical properties	10
6.3 Dimensions and tolerances	10
6.3.1 General	10
6.3.2 Outside or inside diameter	10
6.3.3 Wall thickness	10
6.3.4 Fixed lengths	11
6.3.5 Tolerances on form	11
6.4 Surface quality	11
6.5 Technological requirements	11
6.5.1 Drift expanding	11
6.5.2 Residual stress level	11
6.5.3 Grain size	11
6.5.4 Freedom from defects	12
7 Sampling	12
7.1 General	12
7.2 Analysis	12
7.3 Mechanical tests and stress corrosion resistance test	12
8 Test methods	12
8.1 Analysis	12
8.2 Tensile test	13
8.3 Hardness test	13
8.4 Technological tests	13
8.4.1 Drift expanding test	13
8.4.2 Stress corrosion resistance test	13
8.4.3 Average grain size determination	13
8.5 Freedom from defects tests	13
8.6 Retests	13

8.6.1	Analysis, tensile, hardness, drift expanding and grain size tests.....	13
8.6.2	Stress corrosion resistance test	14
8.7	Rounding of results.....	14
9	Declaration of conformity and inspection documentation	14
9.1	Declaration of conformity	14
9.2	Inspection documentation	14
10	Marking, packaging, labelling	14
	Bibliography	41

Figures

Figure 1 — Measurement of straightness	40
--	----

Tables

Table 1 — Composition of copper.....	15
Table 2 — Composition of low alloyed copper alloys.....	15
Table 3 — Composition of copper-nickel alloys	16
Table 4 — Composition of copper-nickel-zinc alloys.....	16
Table 5 — Composition of copper-tin alloys.....	16
Table 6 — Composition of binary copper-zinc alloys	17
Table 7 — Composition of copper-zinc-lead alloys	17
Table 8 — Composition of complex copper-zinc alloys.....	18
Table 9 — Mechanical properties of copper and low alloyed copper alloys.....	19
Table 10 — Mechanical properties of copper-nickel alloys	22
Table 11 — Mechanical properties of copper-nickel-zinc alloys	23
Table 12 — Mechanical properties of copper-tin alloys.....	24
Table 13 — Mechanical properties of binary copper-zinc alloys	27
Table 14 — Mechanical properties of copper-zinc-lead alloys	31
Table 15 — Mechanical properties of complex copper-zinc alloys	34
Table 16 — Minimal elongation values for R250 (half hard) material condition tubes.....	38
Table 17 — Tolerances on diameter.....	38
Table 18 — Tolerances on wall thickness.....	38
Table 19 — Tolerances on fixed lengths, tubes in straight lengths.....	39
Table 20 — Tolerances on fixed lengths, tube in coils (not level wound).....	39
Table 21 — Tolerances on diameter including deviation from circular form, tube in coils	39
Table 22 — Tolerances on straightness.....	40
Table 23 — Sampling rate.....	40

European foreword

This document (EN 12449:2016) has been prepared by Technical Committee CEN/TC 133 "Copper and copper alloys", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2016 and conflicting national standards shall be withdrawn at the latest by November 2016.

This document supersedes EN 12449:2012.

In comparison with EN 12449:2012, the following significant technical changes were made:

- a) Addition of the new material CuFe0,1Sn0,1P (CW125C);
- b) Modification of the elongation values for Cu-DHP (CW024A) in material condition R250 including new Table 16;
- c) Modification of iron and tin content for CuZn37Pb1 (CW605N) from 0,2 % to 0,3 % in Table 7;
- d) Replacement of the material number CW121C by CW124C for CuSi3Zn2P.

Within its programme of work, Technical Committee CEN/TC 133 requested CEN/TC 133/WG 3 "Copper tubes (installation and industrial)" to revise the following standard:

- EN 12449:2012, *Copper and copper alloys — Seamless, round copper tubes for general purposes*.

This is one of a series of European Standards for copper and copper alloy tubes. Other products are specified as follows:

- EN 1057, *Copper and copper alloys — Seamless, round copper tubes for water and gas in sanitary and heating applications*;
- EN 12450, *Copper and copper alloys — Seamless, round copper capillary tubes*;
- EN 12451, *Copper and copper alloys — Seamless, round tubes for heat exchangers*;
- EN 12452, *Copper and copper alloys — Rolled, finned, seamless tubes for heat exchangers*;
- EN 12735-1, *Copper and copper alloys — Seamless, round tubes for air conditioning and refrigeration — Part 1: Tubes for piping systems*;
- EN 12735-2, *Copper and copper alloys — Seamless, round tubes for air conditioning and refrigeration — Part 2: Tubes for equipment*;
- EN 13348, *Copper and copper alloys — Seamless, round copper tubes for medical gases or vacuum*;
- EN 13349, *Copper and copper alloys — Pre-insulated copper tubes with solid covering*;
- EN 13600, *Copper and copper alloys — Seamless copper tubes for electrical purposes*.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the alloy CuSi3Zn2P (CW124C) and CuZn21Si3P (CW724R) given in 6.1.

CEN takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the CEN that he is willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with CEN.

- For CuSi3Zn2P (CW124C) information may be obtained from:

VIEGA GmbH & Co. KG
Ennester Weg 9
57439 Attendorn
GERMANY

- For CuZn21Si3P (CW724R) information may be obtained from:

Wieland-Werke AG
Graf-Arco-Straße 36
89079 Ulm
GERMANY

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

CEN and CENELEC (<http://www.cencenelec.eu/ipr/Patents/PatentDeclaration/Pages/default.aspx>) maintain on-line lists of patents relevant to their standards. Users are encouraged to consult the lists for the most up to date information concerning patents.

1 Scope

This European Standard specifies the composition, property requirements and tolerances on dimensions and form for seamless round drawn copper and copper alloy tubes for general purposes supplied in the size range from 3 mm up to and including 450 mm outside diameter and from 0,3 mm up to and including 20 mm wall thickness.

The sampling procedures and the methods of test for verification of conformity to the requirements of this European Standard are also specified.

NOTE Tubes having an outside diameter less than 80 mm and/or a wall thickness greater than 2 mm in certain alloys are most frequently used for free machining purposes which are specified in EN 12168.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1655, *Copper and copper alloys - Declarations of conformity*

EN 1971-1, *Copper and copper alloys - Eddy current test for measuring defects on seamless round copper and copper alloy tubes - Part 1: Test with an encircling test coil on the outer surface*

EN 1971-2, *Copper and copper alloys - Eddy current test for measuring defects on seamless round copper and copper alloy tubes - Part 2: Test with an internal probe on the inner surface*

EN 1976, *Copper and copper alloys - Cast unwrought copper products*

EN 10204, *Metallic products - Types of inspection documents*

EN 16090, *Copper and copper alloys - Estimation of average grain size by ultrasound*

EN ISO 196, *Wrought copper and copper alloys - Detection of residual stress - Mercury(I) nitrate test (ISO 196)*

EN ISO 2624, *Copper and copper alloys - Estimation of average grain size (ISO 2624)*

EN ISO 6506-1, *Metallic materials - Brinell hardness test - Part 1: Test method (ISO 6506-1)*

EN ISO 6507-1, *Metallic materials - Vickers hardness test - Part 1: Test method (ISO 6507-1)*

EN ISO 6892-1, *Metallic materials - Tensile testing - Part 1: Method of test at room temperature (ISO 6892-1)*

EN ISO 8493, *Metallic materials - Tube - Drift-expanding test (ISO 8493)*

ISO 6957, *Copper alloys - Ammonia test for stress corrosion resistance*