GAASKÜTTEGA MAHUTIGA VEEKUUMUTUSSEADMED KODUMAJAPIDAMISES

Gas-fired storage water heaters for the production of domestic hot water



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 89:2015 consists of the English text of the European standard EN 89:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 13.05.2015.	Date of Availability of the European standard is 13.05.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 91.140.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 89

May 2015

ICS 91.140.65 Supersedes EN 89:1999

English Version

Gas-fired storage water heaters for the production of domestic hot water

Appareils de production d'eau chaude par accumulation pour usages sanitaires utilisant les combustibles gazeux

Gasbeheizte Vorrats-Wasserheizer für den sanitären Gebrauch

This European Standard was approved by CEN on 29 November 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont		Page
Forew	ord	7
1	Scope	8
2	Normative references	8
3	Terms and definitions	10
4	Classification of storage water heaters	23
4.1	General	
4.2	Classification of gases	
4.3	Appliance categories	
4.4	Mode of supply of the combustion air and evacuation of the combustion products	20
	(appliance types)	23
5	Construction requirement	
5 5.1	Introduction	23
5.2	General	-
5.2.1	Conversion to different gases	
5.2.1	Materials	
5.2.2	Design - Assembly - Strength	
5.2.4	Accessibility - Ease of maintenance - Fitting and removal	
5.2.5	Gas and water pipe connections	
5.2.6	Means of achieving soundness	
5.2.7	Supply of combustion air and evacuation of the combustion products	
5.2.8	Checking the state of operation	
5.2.9	Drainage	32
5.2.10		32
5.2.11	Operational safety in the event of failure or restoration of the auxiliary energy	
5.2.12	Mechanical resistance and stability of ducts, terminal and fitting pieces	
5.3	Adjusting, control and safety devices	
5.3.1	General	
5.3.2	User controls	
5.3.3	Preset gas rate adjusters	
5.3.4	Gas pressure regulator	
5.3.5	Pressure test points	37
5.3.6	Ignition devices	38
5.3.7	Flame supervision device	
5.3.8	Combustion products discharge safety device	
5.3.9	Protection against accidental overheating	
5.3.10	The state of the s	
5.3.11	Automatic shut-off valves	40
5.3.12	Combustion products temperature limiter	41
5.3.13	Combined temperature and pressure relief valve	41
5.3.14	Flue damper	
5.4	Main burner	
5.5	Supplementary requirements for condensing water heaters	
5.5.1	Materials in contact with condensate	
5.5.2	Discharge of condensate	
5.5.3	Control of the combustion products temperature	
5.5.4	Chemical composition of the condensate	43
6	Operational requirements	43

6.1	Carrying out the tests	43
6.1.1	General	43
6.1.2	Characteristics of the test gases	44
6.1.3	Requirements for preparation of the test gases	44
6.1.4	Choice of test gases	
6.1.5	Test pressures	44
6.1.6	General test conditions	
6.2	Soundness	
6.2.1	Soundness of the gas circuit	
6.2.2	Soundness of the combustion circuit and evacuation of the combustion products	
6.2.3	Hydraulic test and soundness of the water circuit	
6.3	Heat inputs	
6.3.1	General	
6.3.2	Nominal heat input	
6.4	Temperature of the control knobs	
6.4.1	Requirements	
6.4.2	Test	
6.4.3	Supplementary requirements for type B ₁₄ , B ₂ and B ₃ water heaters	
6.5	Temperature of the adjusting, control and safety devices	
6.5.1	Requirement	
6.5.2	Test	
6.6	Limit temperature of the walls and the test panels	
6.6.1	Side walls, front and top	
6.6.2	Test panels	
6.7	Ignition - Cross-lighting - Flame stability	
6.7.1	Normal conditions	
6.7.2	Special conditions	
6.7.3	Reduction of supply to ignition burner	
6.7.4	Additional requirements relating to operation of the permanent ignition burner when the	
	fan is stopped	63
6.8	Temperature of combustion products in condensing appliances	
6.8.1	Requirements	
6.8.2	Tests	
6.9	Adjusting, control and safety devices	
6.9.1	General	
6.9.2	Ignition devices	64
6.9.3	Opening and safety times	
6.9.4	Endurance of thermostats and temperature limiters	
6.9.5	Operation of water temperature safety devices	
6.9.6	Combustion products evacuation safety device for type B _{11BS} appliances	
6.9.7	Pressure regulator	
6.9.8	Flue dampers	74
6.10	Repeated draw-off	74
6.10.1	Requirements	74
6.10.2	Tests	
6.11	Nominal capacity	
6.11.1	Requirements	
6.11.2	Tests	75
6.12	Combustion	
6.12.1	Requirements	
6.12.2	Tests	
6.13	Non-condensation in the flue (type B appliances)	
6.13.1	Requirements	
6.13.2	Tests	
6.14	Supplementary tests for condensing water heaters	
6.14.1	Formation of condensate	
6.14.2	Temperature of combustion products	81

6.15	Prepurging	81
6.15.1	Requirements	81
6.15.2	Test	82
6.16	Air monitoring device	82
6.16.1	Type B ₁₂ and B ₁₃	82
6.16.2	Type C and other type B	83
6.16.3	Gas/air ratio controls	84
6.17	Functioning of the fan of a type C₄ water heater	
6.17.1	Requirements	
6.17.2	Tests	
6.18	Nitrogen oxides	
6.18.1	General	
6.18.2	Weighting	
6.19	Electrical power measurements	
6.19.1	Nominal conditions	
6.19.2	Standby	
0.19.2		
7	Rational use of energy	
7.1	Efficiency	
7.1.1	Requirements	88
7.1.2	Tests	88
7.2	Maintenance consumption	89
7.2.1	Requirements	89
7.2.2	Tests	
_		
8	Fitness for purpose	
8.1	Heating-up time	
8.1.1	Requirements	
8.1.2	Tests	-
8.2	Mixing factor of the water temperature in the appliance	
8.2.1	Requirements	
8.2.2	Tests	
8.3	Draw-off limits causing operation of the burner	
8.3.1	Requirements	
8.3.2	Tests	
8.4	Continuous draw-off	92
8.4.1	Requirements	92
8.4.2	Tests	
8.5	Requirements for the specific rate	93
8.6	Designation and measurement of reference temperatures of flue systems	93
8.6.1	Nominal working combustion products temperature	93
8.6.2	Overheat combustion products temperature	
8.6.3	Mechanical resistance and stability of ducts, terminal and fitting pieces	
B.7	Requirements for plastic in the combustion product evacuation ducts, terminals and	
	fitting pieces for appliances	95
8.7.1	Thermal resistance	
8.7.2	Materials	
8.8	Requirements for elastomeric seals and elastomeric sealants in the combustion product	••
	evacuation ducts, terminals and fitting pieces	101
8.8.1	Characterization	
8.8.2	Long-term resistance to thermal load	
8.8.3	Long-term resistance to thermal load	
8.8.4	Cyclic condensate resistance test	
8.8.5	Relaxation behaviour	
6.6.6 8.8.6	Compression set	
8.8.7	•	
	Low temperature resistance	
8.8.8	Joints in elastomeric seals	. 105

9	Marking and instructions	
9.1 9.1.1	Appliance marking Data plate	
9.1.1	Supplementary markings	
9.1.3	Packaging	
9.1.4	Warnings on the appliance and packaging	
9.1.5	Other information	
9.1.6	Additional marking for appliances with flue dampers	
9.2	Instructions	
9.2.1 9.2.2	Installation instructions	
9.2.2 9.2.3	Instructions for use	
9.3	Presentation	
10 10.1	Ecodesign Data Water heating energy efficiency (η _{wh})	
10.1	Nitrogen oxides emissions	
10.3	Additional product information	
10.4	Storage volume	
10.5	Mixed water at 40 °C (V40)	113
11	Energy Labelling Data	113
11.1	General	
11.2	Printed label	113
11.2.1	General	
11.2.2	Annual Electricity Consumption (AEC)	
11.2.3	Annual Fuel Consumption (AFC)	
11.2.4 11.3	Sound power level (L _{WA}) Product fiche	
11.4	Technical documentation	
12	Figures referenced in this standard	
Annex	A (informative) National situations	
	B (normative) Test apparatus for type C ₁₁ appliances (see 6.7.2.2.1)	
	C (normative) Test apparatus for type C ₂₁ appliances (see 6.7.2.2.2.3)	
	D (informative) Examples of composition of the gas circuit	
	E (normative) Soundness test - Volumetric method	
	F (informative) Guidelines for extension to other categories	
	G (informative) A-deviations	
	H (informative) NO _x conversion calculation	
	I (informative) Requirements and test methods for separate air supply and combustion products evacuation ducts of type C ₆ water heaters	
Annex	J (normative) Lists of materials currently used	
	K (normative) Test methods to determine the effects of to long-term thermal load, long-term condensate exposure, condensing/ non- condensing cycling and resistance to UV radiation	
Annex	L (normative) Parts in copper or copper alloys	
	M (informative) Compilation of the test conditions for the various gas families	151
AIIIEX	maximum and minimum heat input (according to 6.3.1) for appliances using a pneumatic gas/air ratio control system	153

Commission Delegated Regulation (EU) No 812/2013	x ZC (informative) Relationship be	o 814/2013tween this European Standard and the requirements of	
	Commission Delegated Regulat	tion (EU) No 812/2013	
	graphy		15
	C)		
	9		
	7),		
		(0)	
Order Ochologia de De Fills			
ON ORDER OF THE STATE OF THE ST			
		C),	
		<i>-</i> :	
		4	
			(0)

Foreword

This document (EN 89:2015) has been prepared by Technical Committee CEN/TC 48 "Domestic gas-fired water heaters", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2015 and conflicting national standards shall be withdrawn at the latest by November 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 89:1999.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, Annex ZB or Annex ZC, which are integral parts of this document.

The present standard deals with:

- safety;
- rational use of energy;
- fitness for purpose.

It gives specific requirements relative to:

- appliances with burners with a fan;
- combustion products discharge orifice closure devices;
- type C water heaters with a fan incorporated in the combustion air supply circuit or in the combustion products evacuation circuit;
- condensing water heaters;
- measurement of NO_x emissions of water heaters;
- the metallic, plastic and other non-metallic materials that are used in water heaters and which come into contact with water intended for human consumption. It is intended to ensure that products of this kind complying with these requirements meet current technological development and requirements with regard to the service life of the water heaters and their physiological suitability;
- the growth of microorganism on materials in contact with drinking water.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard defines the specifications and test methods for the construction, safety, rational use of energy and fitness for purpose, environment and classification and marking of gas-fired storage water heaters for domestic hot water uses, hereafter called "appliance".

This European Standard applies to appliances:

- of selected types B₁, B₂, B₃, B₅, C₁, C₂, C₃, C₄, C₅, C₆, C₇, C₈, C₉ according to CEN/TR 1749;
- fitted with atmospheric burners;
- using one or more combustible gases corresponding to the three gas families and the pressures indicated in EN 437;
- of nominal heat input not exceeding 150 kW (net calorific value);
- fitted with electrically operated mechanical flue dampers that are positioned downstream of the heat exchanger.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 88-1:2011, Pressure regulators and associated safety devices for gas appliances — Part 1: Pressure regulators for inlet pressures up to and including 50 kPa

EN 125, Flame supervision devices for gas burning appliances — Thermoelectric flame supervision devices

EN 126, Multifunctional controls for gas burning appliances

EN 161, Automatic shut-off valves for gas burners and gas appliances

EN 298:2012, Automatic burner control systems for burners and appliances burning gaseous or liquid fuels

EN 437, Test gases — Test pressures — Appliance categories

EN 513, Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors — Determination of the resistance to artificial weathering

EN 549, Rubber materials for seals and diaphragms for gas appliances and gas equipment

EN 573-1, Aluminium and aluminium alloys — Chemical composition and form of wrought products — Part 1: Numerical designation system

EN 1057, Copper and copper alloys — Seamless, round copper tubes for water and gas in sanitary and heating applications

CR 1404, Determination of emissions from appliances burning gaseous fuels during type-testing

EN 1490, Building valves — Combined temperature and pressure relief valves — Tests and requirements

CEN/TR 1749 European scheme for the classification of gas appliances according to the method of evacuation of the combustion products (types)

EN 1856-1:2009, Chimneys — Requirements for metal chimneys — Part 1: System chimney products

EN 10088-1, Stainless steels — Part 1: List of stainless steels

EN 10226-1, Pipe threads where pressure tight joints are made on the threads — Part 1: Taper external threads and parallel internal threads — Dimensions, tolerances and designation

EN 13203-1, Gas-fired domestic appliances producing hot water — Appliances not exceding 70 kW heat input and 300 l water storage capacity — Part 1: Assessment of performance of hot water deliveries

EN 13203-2, Gas-fired domestic appliances producing hot water — Appliances not exceeding 70 kW heat input and 300 l water storage capacity — Part 2: Assessment of energy consumption

EN 13216-1, Chimneys — Test methods for system chimneys — Part 1: General test methods

EN 13501-1, Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests

EN 13611:2007+A2:2011, Safety and control devices for gas burners and gas burning appliances — General requirements

EN 14241-1:2013, Chimneys — Elastomeric seals and elastomeric sealants — Material requirements and test methods — Part 1: Seals in flue liners

EN 14459, Control functions in electronic systems for gas burners and gas burning appliances — Methods for classification and assessment

EN 14471:2013, Chimneys — System chimneys with plastic flue liners — Requirements and test methods

EN 60335-1:2012, Household and similar electrical appliances — Safety — Part 1: General requirements (IEC 60335-1:2010)

EN 60335-2-102, Household and similar electrical appliances — Safety — Part 2-102: Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections (IEC 60335-2-102)

EN 60730-2-9, Automatic electrical controls for household and similar use — Part 2-9: Particular requirements for temperature sensing controls (IEC 60730-2-9)

EN ISO 178, Plastics — Determination of flexural properties (ISO 178)

EN ISO 179-1, Plastics — Determination of Charpy impact properties — Part 1: Non-instrumented impact test (ISO 179-1)

EN ISO 228-1, Pipe threads where pressure-tight joints are not made on the threads — Part 1: Dimensions, tolerances and designation (ISO 228-1)

EN ISO 527-1, Plastics — Determination of tensile properties — Part 1: General principles (ISO 527-1)

EN ISO 527-2, Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics (ISO 527-2)

EN ISO 1183 (all parts), Plastics — Methods for determining the density of non-cellular plastics (ISO 1183)

EN ISO 3166-1, Codes for the representation of names of countries and their subdivisions — Part 1: Country codes (ISO 3166-1)

EN ISO 9969, Thermoplastics pipes — Determination of ring stiffness (ISO 9969)

ISO 37, Rubber, vulcanized or thermoplastic — Determination of tensile stress-strain properties

ISO 188, Rubber, vulcanized or thermoplastic — Accelerated ageing and heat resistance tests

ISO 262, ISO general purpose metric screw threads — Selected sizes for screws, bolts and nuts

ISO 301, Zinc alloy ingots intended for castings

ISO 815-1, Rubber, vulcanized or thermoplastic — Determination of compression set — Part 1: At ambient or elevated temperatures

ISO 1817, Rubber, vulcanized or thermoplastic — Determination of the effect of liquids

ISO 2781, Rubber, vulcanized or thermoplastic — Determination of density

ISO 6914, Rubber, vulcanized or thermoplastic — Determination of ageing characteristics by measurement of stress relaxation in tension

ISO 7005, Pipe flanges

ISO 7619, Rubber — Determination of indentation hardness by means of pocket hardness meters

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

water heater

3.1.1

storage water heater

appliance which heats and stores a quantity of water contained in a vessel at a pre-set temperature and which has the heating source located inside the vessel

3.1.2

fixed temperature storage water heater

appliance fitted with a non-adjustable thermostat which controls the water temperature to a given setting

3.1.3

adjustable temperature storage water heater

appliance fitted with a thermostat controlling the water temperature with the set point value of this device being adjustable between two values, one being the minimum and the other the maximum

3.1.4

open storage water heater

appliance with a vent to the atmosphere

3.1.5

closed storage water heater

appliance which has no vent to the atmosphere