

Intelligent transport systems - ESafety - ECall high level application requirements (HLAP)

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 16062:2011 sisaldab Euroopa standardi EN 16062:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 30.09.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 14.09.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 16062:2011 consists of the English text of the European standard EN 16062:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 30.09.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 14.09.2011.

The standard is available from Estonian standardisation organisation.

ICS 03.220.20, 35.240.60

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

ICS 03.220.20; 35.240.60

English Version

Intelligent transport systems - eSafety - eCall high level application requirements (HLAP)

Systèmes intelligents de transport - eSafety - Exigences
HLAP pour l'eCall

Intelligente Transportsysteme - eSicherheit -
Anforderungen an Notruf-Anwendungsprotokolle

This European Standard was approved by CEN on 6 August 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword	6
Introduction.....	7
1 Scope	9
2 Conformance	10
3 Normative references	11
4 Terms and definitions	13
5 Symbols and abbreviations	16
6 General overview of the eCall transaction for pan-European eCall	17
7 Requirements	21
7.1 Procedures following power-up of the in-vehicle system.....	21
7.1.1 General	21
7.1.2 Enabled IVS	21
7.1.3 Enabled PSAP	21
7.1.4 IVS configured only for eCall	21
7.1.5 Self test.....	22
7.1.6 Standby mode applicable to IVS configured for eCall only	22
7.2 Activation	22
7.2.1 Activation of pan-European eCall	22
7.2.2 Activation of a test eCall.....	23
7.3 Call set-up	23
7.3.1 General	23
7.3.2 IVS network access device (NAD) already registered on PLMN.....	24
7.3.3 eCall in progress	24
7.3.4 Network selection and registration	24
7.3.5 Authentication of the subscriber	24
7.3.6 eCall establishment.....	24
7.3.7 Cell localisation (by network).....	25
7.3.8 Manual termination of eCall by vehicle occupants before trigger confirmation	25
7.4 MSD transfer	25
7.4.1 General	25
7.4.2 Send initiation signal from IVS eCall modem to PSAP	26
7.4.3 eCall modem synchronisation	26
7.4.4 Request MSD by PSAP eCall modem to IVS eCall modem	26
7.4.5 Send MSD from vehicle IVS to PSAP eCall modem	27
7.4.6 Link layer error check	27
7.4.7 Link layer ACK from PSAP eCall modem to IVS eCall modem.....	27
7.5 Application layer acknowledgement (AL- ACK).....	27
7.5.1 Following transmission of the MSD to the eCall PSAP application.....	27
7.5.2 PSAP acknowledges the MSD.....	28
7.5.3 No receipt of application layer ACK	28
7.5.4 PSAP requests a new MSD.....	28
7.5.5 PSAP clears down the call.....	28
7.5.6 Form of presentation of the AL-ACK.....	28
7.6 Request "SEND MSD"	29
7.6.1 General	29
7.6.2 Before call clear-down	30
7.6.3 After call clear-down	30
7.7 PSAP application features.....	31

7.7.1	General requirements	31
7.7.2	MSD display to the PSAP operator	31
7.7.3	PSAP operator user interface	31
7.8	Audio link to vehicle occupants	32
7.9	eCall clear-down	32
7.10	PSAP call back	33
7.11	Rerouting to another PSAP/emergency control centre	33
7.12	Handling non equipped situations / error cases	33
7.12.1	MSD not transmitted correctly	33
7.12.2	False generation of eCalls	33
7.12.3	Network registration fails	34
7.12.4	Call failure before the MSD is sent and acknowledged	34
7.12.5	Mobile network not capable to support eCall flag	34
7.12.6	PSAP modem failure	35
7.12.7	PSAP network/ICT failure	35
7.12.8	PSAP application failure	35
7.12.9	PSAP operator does not respond	35
7.12.10	No response if line engaged	36
7.12.11	MSD not sent	36
7.12.12	MSD not received	36
7.12.13	Audio link not established	36
7.12.14	Audio link established but subsequently fails	37
7.12.15	Re-attempt in case of interrupted call	37
7.12.16	Automatic repeat attempts	37
7.12.17	IVS NAD does not receive call clear-down	37
8	Third party supported eCall	37
8.1	Overview	37
9	Defences against attack (Security provisions)	37
10	Quality of service requirements	38
11	Test and conformance requirements	38
11.1	General	38
11.2	Test and conformance requirements for the IVS	39
11.2.1	General	39
11.2.2	Selection of conformance points for the IVS	39
11.2.3	Test purpose for the IVS	41
11.2.4	Conformance requirements catalogue for the IVS	41
11.3	Test and conformance requirements for the PSAP equipment	46
11.3.1	General	46
11.3.2	Selection of conformance points for the PSAP equipment	47
11.3.3	Test purpose for the PSAP equipment	47
11.3.4	Conformance requirements catalogue for the PSAP equipment	48
12	Marking, labelling and packaging	49
13	Declaration of patents and intellectual property	49
Annex A	(normative) Table of timings	50
Annex B	(informative) Summary abstracts of normative referenced documents	52
B.1	Objective	52
B.2	EN 15722, Intelligent transport systems — ESafety — ECall minimum set of data (MSD)	52
B.3	EN ISO 24978, Intelligent transport systems — ITS safety and emergency messages using any available wireless media — Data registry procedures (ISO 24978:2009)	52
B.4	WGS84	World Geodetic System 84 (last revised 2004)
B.5	EN 16072, Intelligent transport systems — eSafety — Pan-European eCall operating requirements	52

B.6	prEN 16102 (in ballot), Intelligent transport systems — eSafety — Third party supporting eCall : Operating requirements	53
B.7	ETSI TS 122 101, Universal Mobile Telecommunications System (UMTS); LTE; Service aspects; Service principles (Release 8)	54
B.8	ETSI TS 124 008, Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Mobile radio interface Layer 3 specification; Core network protocols; Stage 3	54
B.9	ETSI TS 126 267, Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; General description	54
B.10	ETSI TS 126 268, Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; ANSI-C reference code	55
B.11	Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; Conformance testing	55
B.12	Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations and Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations	56
B.13	Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity	56
B.14	ETSI TS 122 003, Digital cellular communications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Circuit Teleservices supported by a Public Land Mobile Network (PLMN) (Teleservice 12/TC12) /E12	57
B.15	ETSI TS 122 011, Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Service accessibility	57
B.16	ETSI TS 127 007, Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); AT command set for user equipment	57
B.17	ETSI TS 122 071, Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Location Services (LCS); Service description; Stage 1	58
B.18	ETSI TS 122 002, Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Circuit bearer services (BS) supported by a Public Land Mobile Network (PLMN)	59
B.19	ETSI TS 122 004, Digital cellular telecommunications system (Phase 2+); Universal mobile telecommunications system (UMTS); General on supplementary services	59
B.20	Directive 2002/22/EC, Directive of the European Parliament and of the Council on universal service and users' rights relating to electronic communications networks and services (Universal Service Directive)	59
B.21	ETSI TS 122 001, Digital cellular telecommunications system (Phase 2+); TSG Services and System Aspects; Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN) (Release 8)	60
B.22	ETSI TS 123 018, Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Basic call handling; Technical realization (Release 8)	60
B.23	ETSI TS 102 164, Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Emergency location protocols	60
B.24	ETSI TS 151 010, Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 8.1.0)	61
B.25	ETSI TS 124 123, Universal Mobile Telecommunications System (UMTS); User Equipment (UE) conformance specification; Part 1: Protocol conformance specification (3GPP TS 34.123-1 version 8.6.0)	61
B.26	ETSI TS 121 133, Universal Mobile Telecommunications System (UMTS); 3G Security; Security Threats and Requirements (3GPP TS 21.133 version 4.1.0)	62

B.27	Directive 2002/22/EC of The European Parliament and of The Council of 7 March 2002 on universal service and users' rights relating to electronic communications networks and services (Universal Service Directive), amended by Directive 2009/136/EC of the European Parliament and of the Council of 25 November 2009.....	63
Annex C	(informative) Test system strategies	65
C.1	General	65
C.2	Vehicle and PSAP equipment life cycle	65
C.3	Laboratory environment	66
C.4	OEM or third party test systems	66
Bibliography	68

Foreword

This document (EN 16062:2011) has been prepared by Technical Committee CEN/TC 278 “ Road transport and traffic telematics ”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2012, and conflicting national standards shall be withdrawn at the latest by March 2012.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

An *eCall* is an emergency call generated either automatically via activation of in-vehicle sensors or manually by the *vehicle occupants*; when activated, to provide notification and relevant location information to the most appropriate *Public Safety Answering Points* (PSAP), by means of *mobile wireless communications networks* and carries a defined standardised *minimum set of data*, notifying that there has been an incident that requires response from the emergency services and establishes an audio channel between the occupants of the vehicle and the *most appropriate PSAP*.

EN 15722 specifies a standardized MSD for *eCall*, and EN 16072 specifies pan-European *eCall* operating requirements. (For third party systems, EN 16102 specifies third party services supporting *eCall* operating requirements. See EC Communication on *eCall* Implementation 2009 [COM(2009) 434 final] for more information).

The operating requirements for pan-European *eCall* are made using Public Land Mobile Networks (PLMN) (such as GSM and 3G), as specified in a number of ETSI standards and technical specifications.

In order to provide the *eCall service* across a wireless network, high level application protocols are required as an important essential element to effect this service provision. This European Standard specifies the protocols to put into effect the pan-European *eCall* operating requirements using PLMNs, and also identifies common elements that can be used in the link between third party services supporting *eCall* and PSAPs.

NOTE The term PSAP, which is most widely used in the *eCall* documentation, European Commission documents etc., is used throughout this document and equates to the term *emergency call response centre* used in the ITS Implementation Directive.

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this European Standard may involve the use of patents concerning *eCall* given in this European Standard.

CEN takes no position concerning the evidence, validity and scope of these patent rights.

The holder of these patent rights has assured to CEN that they are willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of these patent rights is registered with CEN. Information may be obtained from:

Mr. Thomas R. Rouse

VP QTL Patent Counsel

QUALCOMM Incorporated

5775 Morehouse Drive

San Diego, California 92121

Phone: +1-858-587-1121

Fax: +1-858-658-2503

Email: trouse@qualcomm.com

URL: www.qualcomm.com

and:

Mr. Thomas W. Davis Jr.

General Council

AIRBIQUITY Incorporated

1011 Western Avenue, Suite 600

Seattle, Washington 98104

USA

Phone: +1.206.219.2700

Fax: +1.206.842.9259

Toll-Free: +1.888.334.7741

Email: tdavis@airbiquity.com

URL: www.airbiquity.com

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

1 Scope

In respect of pan-European *eCall* (operating requirements defined in EN 16072), this European Standard defines the high level application protocols, procedures and processes required to provide the *eCall* service using a TS12 emergency call over a mobile communications network.

NOTE 1 The objective of implementing the pan-European in-vehicle emergency call system (*eCall*) is to automate the notification of a traffic accident, wherever in Europe, with the same technical standards and the same quality of services objectives by using a PLMN (such as ETSI prime medium) which supports the European harmonised 112/E112 emergency number (TS12 ETSI TS 122 003) and to provide a means of manually triggering the notification of an emergency incident.

NOTE 2 HLAP requirements for third party services supporting *eCall* can be found in EN 16102, and have been developed in conjunction with the development of this work item, and is consistent in respect of the interface to the PSAP. This deliverable makes reference to those provisions but does not duplicate them.

2 Conformance

Conformance to this European Standard is achieved by conforming to the requirements of this European Standard specified in Clause 7 below and the test methods specified in Clause 11.

NOTE Pan-European *eCall* equipment providers, PLMNs and PSAPs that cannot support the *eCall* flag and MSD, as defined within this European Standard and EN 15722 cannot claim compliance to this European Standard.

Pan-European *eCall* system conformance testing ensures the full interoperability of its distributed elements, in an emergency context, to conform to pan-European *eCall service* functional and operating requirements.

This European Standard makes no conformance specifications or requirements in respect of TPS *eCall* operating requirements, and conformance requirements in respect of TPS *eCall* can be found in EN 16102.

The first step enabling the interoperability of the pan-European *eCall* system elements is to verify the conformity of each element to the relevant pan-European *eCall* set of standards. In such cases, each element becomes a system under test (SUT) which is tested against a reference conformance test system. Two levels of conformity have to be achieved:

- conformity of the SUT to the network access standards, including support by the network of the *eCall identifier* (flag) in accordance with ETSI TS 124 008, being used to achieve the routing and end to end transport of information between the IVS and the PSAP, and the establishment maintenance and termination of an audio link between both using the 112 emergency number (or dedicated test number);
- conformity of the SUT to the high level application protocol as specified in this European Standard and conformity to both EN 15722 and EN 16072.

Any interoperability test between a given vehicle type and/or communication network and/or PSAP shall be achieved without interference to an operational emergency system, unless by prior arrangement.

The *eCall* system is composed of three distributed main subsystems comprising IVS, mobile network and PSAP, corresponding to SUT1, SUT2 and SUT3 respectively. Each SUT shall be tested for conformance using the necessary subsystem simulators, as shown in Figure1.




Figure 1 — End-to-End eCall system extended with conformance test system

Clause 11 provides the test and conformance requirements for both the IVS and the PSAP equipment. Network support for the eCall flag is necessary to ensure correct filtering and optimal routing of eCalls to the required PSAP.

Consequently, at the transport network level, the conformance testing shall be simply achieved by verifying that the eCalls are correctly routed to relevant PSAPs designated to handle them according to their triggering sources (manual or automatic).

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15722:2011, *Intelligent transport systems — eSafety — eCall minimum set of data (MSD)*

EN 16072, *Intelligent transport systems — eSafety — Pan-European eCall operating requirements*

FprEN 16102¹, *Intelligent transport systems — eCall — Operating requirements for third party support*

ETSI TS 122 101, *Universal Mobile Telecommunications System (UMTS); LTE; Service aspects; Service principles (3GPP TS 22.101 version 8.14.0 Release 8)*

¹ In ballot.

ETSI TS 124 008, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 [Release 8 or later]*

ETSI TS 126 267, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; General description [Release 8 or later]*

ETSI TS 126 268, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; ANSI-C reference code [Release 8 or later]*

ETSI TS 126 269, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; Conformance testing [Release 8 or later]*

ETSI TS 122 003, *Digital cellular communications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Circuit Teleservices supported by a Public Land Mobile Network (PLMN) (Teleservice 12/TC12) /E12 [Release 8 or later]*

ETSI TS 122 011, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Service accessibility [Release 8 or later]*

ETSI TS 127 007, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); AT command set for user equipment [Release 8 or later]*

ETSI TS 102 164, *Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Emergency Location Protocols (version 1.3.1)*

ETSI TS 151 010-1, *Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 8.1.0) [Release 8 or later]*

ETSI TS 121 133, *Universal Mobile Telecommunications System (UMTS); 3G Security; Security Threats and Requirements; (3GPP TS 21.133 version 4.1.0) [Release 4]*

ETSI TS 122 071, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Location Services (LCS); Service description; Stage 1 [Release 8 or later]*

ISO/IEC 9646 (all parts), *Information technology — Open Systems Interconnection — Conformance testing methodology and framework*