INTERNATIONAL STANDARD

ISO 21138-1

First edition 2007-10-15

Plastics piping systems for non-pressure underground drainage and sewerage — Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) —

Part 1:

Material specifications and performance criteria for pipes, fittings and system

Systèmes de canalisations en plastique pour les branchements et les collecteurs d'assainissement sans pression enterrés — Systèmes de canalisations à parois structurées en poly(chlorure de vinyle) non plastifié (PVC-U), polypropylène (PP) et polyéthylène (PE) —

Partie 1: Spécifications des matières et critères de performance des tubes, raccords et système



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below





COPYRIGHT PROTECTED DOCUMENT

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Cont	ents Page
Forewo	ordiv
Introdu	iction
1	Scope
2	Normative references
3 3.1 3.2 3.3	Terms, definitions, symbols and abbreviated terms
4 4.1 4.2 4.3 4.4	Abbreviated terms Material General Sealing ring retaining components Sealing rings Fused or welded joints
5	Designation of wall construction
6	Colour
7	Geometrical characteristics
8 8.1	Geometrical characteristics Types of fitting General Design length of fittings Functional characteristics
8.2	Design length of fittings
9	Functional characteristics
10	Relation between ring stiffness, installation tempique and resulting deflection 1
Annex	A (informative) General material characteristics of VC-U, PP and PE pipes and fittings 13
Annex	B (informative) General performance characteristics PVC-U, PP and PE pipes and fittings
Annex	C (informative) Structural design1
Bibliog	fittings

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical confinitees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires applying by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 21138-1 was prepared by Technical Committee ISO/TC 138, Plastics pipes, fittings and valves for the transport of fluids, Subcommittee SC 1, Plastics pipes and fittings for soil, waste and drainage (including land drainage).

138 consists ground drainage and U), polypropylene (PP) and performance.

Part 1: Material specifications and performance.

Part 2: Pipes and fittings with smooth external surface, Type B.

Part 3: Pipes and fittings with non-smooth external surface, Type B.

Order D.

Order ISO 21138 consists of the following parts, under the general title Plastics piping systems for non-pressure underground drainage and sewerage — Structured-wattpiping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE):

Introduction

ISO 21138 is the system standard covering the plastics piping systems for non-pressure underground drainage and sewerage, in particular thermoplastics structured-wall piping systems.

This document is a preview denerated by EUS

Inis document is a preview denetated by EUS

Plastics piping systems for non-pressure underground drainage and sewerage — Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) —

Part 1:

Material specifications and performance criteria for pipes, fittings and system

1 Scope

This part of ISO 21138 specifies the definitions and requirements for pipes, fittings and the system based on unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) structured-wall piping systems in the field of non-pressure undergound systems for underground drainage and sewerage.

NOTE 1 These pipes, fittings and the system can be used for highway drainage and surface water.

This part of ISO 21138 specifically refers to PVC, PP and PE materials.

NOTE 2 Other thermoplastic materials can be added via an addendum.

This part of ISO 21138 covers a range of pipe and fitting sizes, materials, pipe constructions, nominal ring stiffnesses, and gives recommendations concerning colours.

NOTE 3 It is the responsibility of the purchaser or specifier to make the appropriate selections from these aspects, taking into account their particular requirements and any relevant national regulations and installation practices or codes.

In conjunction with ISO 21138-2 and ISO 21138-3, it is applicable to PVC-U, PP and PE structured-wall pipes and fittings, to their joints and to joints with components of other plastics and non-plastics materials intended to be used for buried piping systems for the transport of drainage and sewerage.

It is applicable to PVC-U, PP and PE structured-wall pipes and fittings with or without an integral socket with elastomeric ring seal joints as well as welded and fused joints.

NOTE 4 Pipes, fittings and other components conforming to any plastics product standards referred to in Clause 2 can be used with pipes and fittings conforming to this part of ISO 21138 when they conform to the requirements for joint dimensions given in Parts 2 and 3 of ISO 21138 and to the performance requirements given in Clause 9.

NOTE 5 For dimensions larger than DN/OD 1200 or DN/ID 1200, this part of ISO 21138 can serve as a general guide regarding appearance, colour, physical and mechanical characteristics as well as performance requirements.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

© ISO 2007 – All rights reserved

- ISO 472, Plastics Vocabulary
- ISO 580:2005, Plastics piping and ducting systems Injection-moulded thermoplastics fittings Methods for visually assessing the effects of heating
- ISO 1043-1:2001, Plastics Symbols and abbreviated terms Part 1: Basic polymers and their special characteristics
- ISO 1133:2005, Plastics Determination of the melt mass-flow rate (MFR) and the melt volume-flow rate (MVR) of thermoplastics
- ISO 1167-1, Thermoplastics pipes, fittings and assemblies for the conveyance of fluids Determination of the resistance to internal pressure Part 1: General method
- ISO 1167-2, Thermoplastics pipes, fittings and assemblies for the conveyance of fluids Determination of the resistance to internal pressure Part 2: Preparation of pipe test pieces
- ISO 1183-1, Plastics Methods for determining the density of non-cellular plastics Part 1: Immersion method, liquid pyknometer method and titration method
- ISO 2505, Thermoplastics pipes Longitudinal reversion Test method and parameters
- ISO 2507-1, Thermoplastics pipes and fittings -Vicat softening temperature Part 1: General test method
- ISO 2507-2, Thermoplastics pipes and fittings Vicat softening temperature Part 2: Test conditions for unplasticized poly(vinyl chloride) (PVC-U) or chloridated poly(vinyl chloride) (PVC-C) pipes and fittings and for high impact resistance poly(vinyl chloride) (PVC-HI) pipes
- ISO 3126, Plastics piping systems Plastics componed Determination of dimensions
- ISO 3127, Thermoplastics pipes Determination of resistant to external blows Round-the-clock method
- ISO 4435, Plastics piping systems for non-pressure underground drainage and sewerage Unplasticized poly(vinyl chloride) (PVC-U)
- ISO 8772, Plastics piping systems for non-pressure underground drainage and sewerage Polyethylene (PE)
- ISO 8773, Plastics piping systems for non-pressure underground drainage and sewerage Polypropylene (PP)
- ISO 9852, Unplasticized poly(vinyl chloride) (PVC-U) pipes Dichloromethane resistance at specified temperature (DCMT) Test method
- ISO 9967, Thermoplastics pipes Determination of creep ratio
- ISO 9969, Thermoplastics pipes Determination of ring stiffness
- ISO 11173, Thermoplastics pipes Determination of resistance to external blows Staircase method
- ISO 11357-6, Plastics Differential scanning calorimetry (DSC) Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)
- ISO 11922-1:1997, Thermoplastics pipes for the conveyance of fluids Dimensions and tolerances Part 1: Metric series
- ISO 12091:1995, Structured-wall thermoplastics pipes Oven test
- ISO 13967, Thermoplastics fittings Determination of ring stiffness

ISO 21138-2:2007, Plastics piping systems for non-pressure underground drainage and sewerage — Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) — Part 2: Pipes and fittings with smooth external surface, Type A

ISO 21138-3:2007, Plastics piping systems for non-pressure underground drainage and sewerage — Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) — Part 3: Pipes and fittings with non-smooth external surface, Type B

EN 681-1, Elastomeric seals — Materials requirements for pipe joint seals used in water and drainage applications — Part 1: Vulcanized rubber

EN 681-2, Elastomeric seals — Materials requirements for pipe joint seals used in water and drainage applications — Part 2: Thermoplastic elastomers

EN 681-4, Elastomeric seals — Materials requirements for pipe joint seals used in water and drainage applications — Part 4: East polyurethane sealing elements

EN 1053, Plastics piping systems — Thermoplastics piping systems for non-pressure applications — Test method for watertightness

EN 1277, Plastics piping systems— Thermoplastics piping systems for buried non-pressure applications— Test methods for leaktightness of elastomeric sealing ring type joints

EN 1446, Plastics piping and ducting systems — Thermoplastics pipes — Determination of ring flexibility

EN 1979, Plastics piping and ducting systems — Thermoplastics spirally-formed structured-wall pipes — Determination of the tensile strength of a search

EN 12061, Plastics piping systems — Thermoplatics fittings — Test method for impact resistance

EN 12256, Plastics piping systems — Thermoplasios fittings — Test method for mechanical strength or flexibility of fabricated fittings

EN 14741, Thermoplastics piping and ducting systems — Doints for buried non-pressure applications — Test method for the long-term sealing performance of joints with elastomeric seals by estimating the sealing pressure

3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the following terms, definitions, symbols and abbreviated terms apply.

3.1 Terms and definitions

In addition to the terms and definitions given below, the terms and definitions given in ISO 472, ISO 1043-1 and ISO 11922-1 apply.

3.1.1 General terms

3.1.1.1

structured-wall pipes and fittings

products that have an optimized design with regard to material usage to achieve the physical, mechanical and performance requirements of this part of ISO 21138

NOTE For a description of the particular designs covered by this part of ISO 21138, see ISO 21138-2 for Type A and ISO 21138-3 for Type B. Type A pipes have an internal and external plain surface. Type B pipes have an internal plain surface and a hollow spiral or annular ribbed external surface.

© ISO 2007 – All rights reserved