

**Intelligent transport systems - eSafety - Pan-European  
eCall operating requirements**

This document is a preview generated by EVS

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN 16072:2011 sisaldab Euroopa standardi EN 16072:2011 ingliskeelset teksti.</p> <p>Standard on kinnitatud Eesti Standardikeskuse 31.10.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 28.09.2011.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 16072:2011 consists of the English text of the European standard EN 16072:2011.</p> <p>This standard is ratified with the order of Estonian Centre for Standardisation dated 31.10.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.</p> <p>Date of Availability of the European standard text 28.09.2011.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

ICS 03.220.20, 13.200, 35.240.60, 43.040.15

### Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:  
Aru 10 Tallinn 10317 Eesti; [www.evs.ee](http://www.evs.ee); Telefon: 605 5050; E-post: [info@evs.ee](mailto:info@evs.ee)

### Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:  
Aru str 10 Tallinn 10317 Estonia; [www.evs.ee](http://www.evs.ee); Phone: 605 5050; E-mail: [info@evs.ee](mailto:info@evs.ee)

ICS 03.220.20; 13.200; 35.240.60; 43.040.15

English Version

## Intelligent transport systems - eSafety - Pan-European eCall operating requirements

Systèmes intelligents de transport - eSafety - Exigences  
HLAP pour l'eCall

Intelligente Transportsysteme - ESicherheit -  
Paneuropäische Notruf-Betriebsanforderungen

This European Standard was approved by CEN on 18 August 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# Contents

Page

Foreword.....	4
Introduction.....	5
1 Scope.....	6
2 Conformance.....	7
3 Normative references.....	7
4 Terms and definitions.....	8
5 Symbols and abbreviations.....	11
6 High level functional requirements.....	12
6.1 General high level functional requirements.....	12
6.1.1 General.....	12
6.1.2 Linguistic aspects.....	12
6.1.3 High level In-Vehicle System requirements.....	13
6.1.4 eCall architecture.....	13
6.1.5 eCall operation sequence.....	13
6.2 eCall service chain.....	14
6.2.1 General.....	14
6.2.2 Actors in eCall service provision.....	14
6.2.3 Privacy aspects.....	14
6.2.4 Use of location and heading at PSAP.....	14
7 Operational requirements.....	15
7.1 General.....	15
7.2 Liability.....	15
7.3 Routing of an eCall.....	16
7.3.1 General.....	16
7.3.2 eCall 'flag'.....	16
7.3.3 eCall routing to PSAP.....	17
7.4 Prioritisation of an eCall.....	17
7.5 Post crash performance of in-vehicle equipment.....	17
7.6 Location and direction.....	17
7.6.1 Location data.....	17
7.6.2 Data concerning direction and location.....	18
7.6.3 Optional data regarding location and direction.....	18
7.7 Minimum Set of Data (MSD).....	19
7.7.1 Data within the MSD.....	19
7.7.2 Optional additional data.....	19
7.8 Modes of operation for automatic triggered eCall.....	19
7.9 In-vehicle Human Machine Interface (HMI) aspects.....	20
7.9.1 General.....	20
7.9.2 HMI aspects in the case of automatic triggering.....	20
7.9.3 HMI aspects in the case of manual triggering.....	20
7.9.4 Alerting of initiated eCall (automatically or manually triggered).....	20
7.10 Triggering.....	20
7.10.1 Automatic eCall triggering strategy.....	20
7.10.2 Manual eCall triggering strategy.....	21
7.10.3 Manual termination of eCall by vehicle occupants before trigger confirmation.....	21
7.11 Termination of an in progress eCall.....	21
7.12 Requirements to physical layer.....	21
7.12.1 Transport protocol.....	21

7.12.2	Performance requirements- time required to transmit data .....	21
7.12.3	End-to-end performance criteria.....	22
7.12.4	Performance criteria – Wireless network.....	22
7.12.5	Performance criteria – PSAP.....	22
7.13	Establish voice channel.....	23
7.13.1	General .....	23
7.13.2	Coverage issues .....	23
7.13.3	Roaming requirements for service .....	23
7.14	Acknowledgement of eCall.....	23
7.15	Continuing availability .....	23
7.16	PSAP response.....	23
7.17	eCall termination .....	23
7.17.1	General .....	23
7.17.2	IVS redial .....	24
7.17.3	PSAP call-back .....	24
7.17.4	Record transaction.....	24
8	Defences against attack.....	24
8.1	Call line security .....	24
8.2	Hoax calls .....	25
8.3	Denial of service attack.....	25
8.4	Malicious attack on PSAP.....	25
9	Different requirements for HGVs .....	25
10	Different requirements for 2 wheel vehicles.....	25
11	Test and conformance requirements .....	25
11.1	General .....	25
11.2	eCall conformance .....	26
11.3	In-vehicle equipment conformance.....	26
11.4	Network conformance.....	26
11.5	PSAP conformance .....	26
11.6	Interoperability conformance.....	27
12	Marking, labelling and packaging.....	27
	Bibliography.....	28

## Foreword

This document (EN 16072:2011) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2012, and conflicting national standards shall be withdrawn at the latest by March 2012.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## Introduction

The scale of death and injury on roads in Europe needs to be fully comprehended to understand the need for 'Emergency Call' (*eCall*). In 2008 there were 38 900 fatalities in EU-27. The figure for 2009 is around 34 500 fatalities. The trend 2001 to 2008 is around 5 % reduction annually. Road accident injuries are in the region of 1,7 million (2008). Roads remain unsafe and further efforts are needed. The pan-European in-vehicle emergency call, *eCall*, is estimated to have the potential to save up to 2 500 fatalities annually in EU-27 when fully deployed and furthermore to reduce the severity of injuries, to bring significant savings to the society in and to reduce human suffering.

Emergency calls made from vehicles or mobile telephones using wireless technologies can assist with the objectives of significantly reducing road deaths and injuries, but drivers often have poor (imprecise) location-awareness, especially on interurban roads or abroad. Additionally, in many situations, the car occupants may not be in a position to call using a normal mobile phone.

The situation is worse for those travelling abroad: A high (and increasing) number of vehicles travelling outside their home country is thus also contributing to the need for automated emergency call system in vehicles. In EU there are over 100 million trips to another EU country per year (EU-15). 65 % people feel less protected while abroad and most do not know which number to call in an emergency (in some countries over 60 %). Language problems are pertinent and may render proper communication difficult. Yet, in the most crucial cases, the victim(s) may not be able to call because they have been injured/trapped, do not know the local number to call and in many cases, particularly in rural situations and late at night, there may be no witnesses, who happen to have a mobile phone and a sense of community.

*eCall*, in the context of 'Road Traffic and Transport Telematics' (otherwise known as 'Intelligent Transport Systems' or 'ITS'), can be described as an 'automatic or user instigated system to provide notification to *Public Safety Answering Points* (PSAP), by means of wireless communications, that a vehicle has crashed, and to provide coordinates, a defined *Minimum Set of Data*, and where possible a voice link to the PSAP'.

The objective of implementing the pan-European in-vehicle emergency call system (*eCall*) is to automate the notification of a traffic accident, wherever in the European Union and associated countries, with the same technical standards and the same quality of services objectives of other emergency (TS12) services.

Definition of the *Minimum Set of Data*, the communications media and means of transferring the *data* are not specified in this European Standard.

This European Standard specifies the generic operational requirements for the provision of an *eCall service*.

The practical provision and operation of *eCall service* and equipment is dependent on the communications medium being available throughout the lifetime of equipment installed in vehicles.

NOTE The term PSAP, which is most widely used in the *eCall* documentation, European Commission documents etc., equates to the term *emergency call response centre*.

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this European Standard may involve the use of patents concerning *eCall* given in this European Standard.

CEN takes no position concerning the evidence, validity and scope of these patent rights.

The holder of these patent rights has assured to CEN that he/she is willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with CEN. Information may be obtained from:

Mr. Thomas R. Rouse

VP QTL Patent Counsel

QUALCOMM Incorporated

5775 Morehouse Drive

San Diego, California 92121

Phone: +1-858-587-1121

Fax: +1-858-658-2503

Email: [trouse@qualcomm.com](mailto:trouse@qualcomm.com)

URL: [www.qualcomm.com](http://www.qualcomm.com)

Mr. Thomas W. Davis Jr.

General Council

AIRBIQUITY Incorporated

1011 Western Avenue, Suite 600

Seattle, Washington 98104

USA

Phone: +1.206.219.2700

Fax: +1.206.842.9259

Toll-Free: +1.888.334.7741

Email: [tdavis@airbiquity.com](mailto:tdavis@airbiquity.com)

URL: [www.airbiquity.com](http://www.airbiquity.com)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

## 1 Scope

The objective of implementing the pan-European in-vehicle emergency call system (*eCall*) is to automate the notification of a traffic accident, wherever in Europe, with the same technical standards and the same quality of services objectives by using 'Public Land Mobile Networks'(PLMN) (such as GSM and 3G), which supports the European pre-assigned emergency destination address (see normative references) and to provide a means of manually triggering the notification of an incident.

This European Standard specifies the general operating requirements and intrinsic procedures for in-vehicle emergency call (*eCall*) services in order to transfer an emergency message from a vehicle to a *Public Safety Answering Point* (PSAP) in the event of a crash or emergency, via an *eCall* communication session and to establish a voice channel between the *in-vehicle equipment* and the PSAP.



NOTE 1 Private third party in-vehicle emergency supporting services may also provide a similar *eCall* function by other means. The provision of such services are being defined in EN 16102, and are outside the scope of this European Standard.

NOTE 2 The communications protocols and methods for the transmission of the *eCall* message are not specified in this European Standard.

NOTE 3 This European Standard specifies the operating requirements for an *eCall service*. An important part of the *eCall service* is a *Minimum Set of Data* (MSD). The operating requirements for the MSD are determined in this European Standard, but the form and *data content* of the MSD is not defined herein. A common European MSD is determined in EN 15722.

## 2 Conformance

Test requirements and conformance requirements are described in Clause 11. Conformance procedures will be specified in a separate deliverable and are outside of the scope of this European Standard.

## 3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15722:2011, *Intelligent transport systems — eSafety — eCall minimum set of data (MSD)*

EN 16062:2011, *Intelligent transport systems — eSafety — eCall high level application requirements (HLAP)*

EN ISO 24978, *Intelligent transport systems — ITS safety and emergency messages using any available wireless media — Data registry procedures (ISO 24978:2009)*

ETSI TS 122 101, *Universal Mobile Telecommunications System (UMTS); LTE; Service aspects; Service principles* (Release 8)

ETSI TS 124 008, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Mobile radio interface Layer 3 specification; Core network protocols; Stage 3* (Release 8)

ETSI TS 126 267, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; General description* (Release 8)

ETSI TS 126 268, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; ANSI-C reference code* (Release 8)

ETSI TS 126 269, *Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); eCall data transfer; In-band modem solution; Conformance testing* (Release 8)