

PÕLLUMAJANDUS- JA METSATÖÖMASINAD. KASUTUSEL
OLEVATE PRITSIDE KONTROLLIMINE. OSA 4:
STATSIONAARSED JA OSALISELT LIIKUVAD PRITSID

Agricultural and forestry machines - Inspection of
sprayers in use - Part 4: Fixed and semi-mobile sprayers
(ISO 16122-4:2015)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 16122-4:2015 sisaldab Euroopa standardi EN ISO 16122-4:2015 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 16122-4:2015 consists of the English text of the European standard EN ISO 16122-4:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.03.2015.	Date of Availability of the European standard is 18.03.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 65.060.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 65.060.40

English Version

**Agricultural and forestry machines - Inspection of sprayers in use
- Part 4: Fixed and semi-mobile sprayers (ISO 16122-4:2015)**

Matériel agricole et forestier - Contrôle des pulvérisateurs
en service - Partie 4: Pulvérisateurs fixes et semi-mobiles
(ISO 16122-4:2015)

Land- und Forstmaschinen - Kontrolle von in Gebrauch
befindlichen Pflanzenschutzgeräten zum Ausbringen von
Pflanzenschutzmitteln und flüssigen Düngemitteln - Teil 4:
Fest installierte und teilbewegliche Geräte (ISO 16122-
4:2015)

This European Standard was approved by CEN on 4 October 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 16122-4:2015) has been prepared by Technical Committee ISO/TC 23 "Tractors and machinery for agriculture and forestry" in collaboration with Technical Committee CEN/TC 144 "Tractors and machinery for agriculture and forestry" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2015, and conflicting national standards shall be withdrawn at the latest by September 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 16122-4:2015 has been approved by CEN as EN ISO 16122-4:2015 without any modification.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements and method of verification	2
4.1 Leaks and dripping	2
4.1.1 Static leaks	2
4.1.2 Dynamic leaks	2
4.1.3 Spraying and dripping on parts	2
4.2 Pump(s)	2
4.2.1 Capacity	2
4.2.2 Pulsations	3
4.2.3 Air chamber	3
4.3 Spray mix agitation	3
4.3.1 Hydraulic	3
4.3.2 Mechanical	3
4.4 Spray liquid tank(s)	4
4.4.1 Lid	4
4.4.2 Filling hole(s)	4
4.4.3 Induction hopper	4
4.4.4 Pressure compensation	4
4.4.5 Tank content indicator(s)	4
4.4.6 Tank emptying	4
4.4.7 Tank filling	4
4.4.8 Cleaning device for plant protection product containers	5
4.4.9 Cleaning equipment	5
4.5 Measuring systems, controls and regulation systems	5
4.5.1 General	5
4.5.2 Pressure indicator	5
4.5.3 Other measuring devices	6
4.5.4 Pressure adjusting devices	6
4.5.5 Direct injection systems	6
4.6 Lines (pipes and hoses)	6
4.7 Filters	7
4.7.1 Filter presence	7
4.7.2 Isolating device	7
4.7.3 Filter insert changeability	7
4.8 Application unit	7
4.8.1 Dripping	7
4.8.2 Horizontal spray boom	7
4.8.3 Vertical spray boom	9
4.8.4 Spray guns and lances	10
4.9 Blower	10
4.9.1 Switching off	10
4.9.2 Adjustability	10
4.10 Distribution	10
4.10.1 Uniformity of spray jet	10
4.10.2 Nozzle output	10
4.10.3 Spray distribution measurement on a patternator (optional)	11
4.10.4 Optional vertical distribution information	11
4.11 Autonomous application units	11
4.11.1 Drive system	11

4.11.2	Travel speed spray robots.....	11
4.12	Cleaning equipment.....	12
5	Test methods.....	12
5.1	Test facilities.....	12
5.2	Spray and agitation pump(s).....	12
5.2.1	Pump capacity test.....	12
5.2.2	Pump pulsations.....	14
5.3	Sprayer pressure indicators.....	14
5.3.1	Specifications of pressure indicators used for verification.....	14
5.3.2	Verification method of the sprayer pressure indicator.....	15
5.4	Flow meters for controlling the volume/hectare rate.....	15
5.4.1	General.....	15
5.4.2	Operating procedure No.1: Verification by nozzle flow rate measurement.....	15
5.4.3	Operating procedure No.2: Verification by installing a standard flow meter on the circuit of the sprayer.....	15
5.5	System for controlling forward speed.....	15
5.6	Uniformity of the transverse volume distribution with a horizontal patternator.....	15
5.6.1	Specification of horizontal patternators used for verification.....	15
5.6.2	Calculation of the coefficient of variation (CV).....	16
5.6.3	Verification method of the uniformity of the transverse distribution.....	16
5.7	Flow rate of the spray nozzles.....	17
5.7.1	General.....	17
5.7.2	Measurement with nozzles fitted on the sprayer.....	17
5.7.3	Measurement with nozzles removed from the sprayer.....	17
5.8	Pressure drop.....	17
5.9	Pressure variation when the sections are closed.....	17
5.10	Pressure variation when the spray is switched off.....	17
5.11	Accuracy of direct injection systems.....	18
5.12	Pressure distribution.....	18
	Bibliography.....	19

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

ISO 16122-4 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 144, *Tractors and machinery for agriculture and forestry*, in collaboration with ISO Technical Committee TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 6, *Equipment for crop protection*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 16122 consists of the following parts, under the general title *Agricultural and forestry machinery — Inspection of sprayers in use*:

- *Part 1: General*
- *Part 2: Horizontal boom sprayers*
- *Part 3: Sprayers for bush and tree crops*
- *Part 4: Fixed and semi-mobile sprayers*

Introduction

There are two main reasons for the inspection:

- less potential risk of environmental contamination by plant protection products;
- good control of the pest with the minimum possible input of plant protection product.

In order to use plant protection products in agricultural production safely, it is necessary to define the requirements and test methods for sprayers in use. This is a relevant step after having standardized minimum requirements for new sprayers, in respect of safety hazards (see ISO 4254-6) and potential risks of environmental contamination (see ISO 16119 series).

Standardising the requirements and methods for inspection of sprayers in use, takes into consideration not only the original performance of the sprayer, but also its use, care and maintenance. This is a logical link to ensure the continued benefit arising from the supply of new sprayers of good quality.

The inspection of sprayers in use can be a mandatory requirement or adopted on a voluntary basis. In both cases further requirements, outside the scope of this standard, are necessary for the management of inspections. These include, for example, requirements for the competence of persons carrying out inspections and the frequency of inspections.

NOTE National or local regulations may also apply concerning the qualifications and competence of inspectors.

Agricultural and forestry machines — Inspection of sprayers in use —

Part 4: Fixed and semi-mobile sprayers

1 Scope

This part of ISO 16122, when used together with ISO 16122-1, specifies the requirements and test methods for the inspection of fixed and semi-mobile sprayers, when in use.

The requirements relate mainly to the condition of the sprayer with respect to its potential risk for the environment and its performance to achieve good application.

It does not apply to application equipment for spatial treatment (e.g. foggers).

NOTE Requirements for the protection of inspectors during an inspection are given in ISO 16122-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5682-2:1997, *Equipment for crop protection — Spraying equipment — Part 2: Test methods for hydraulic sprayers*

ISO 16122-1:2015, *Agricultural and forestry machinery — Inspection of sprayers in use — Part 1: General*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 16122-1 and the following apply.

3.1

fixed sprayer

machine primarily for spraying plant protection products in covered structures, and where the *pump/tank unit* (3.3) and/or *application unit* (3.4) do not move

[SOURCE: ISO 16119-4:2014, 3.1]

3.2

semi-mobile sprayer

machine primarily for spraying plant protection products on crops grown in covered structures, and where the *pump/tank unit* (3.3) and *application unit* (3.4) are moveable

[SOURCE: ISO 16119-4:2014, 3.2]

3.3

pump/tank unit

device made at least by the pump and the spray liquid tank

Note 1 to entry: They can be built together as one unit or separate units.