
**Information technology — Coding of
audio-visual objects —**

**Part 19:
Synthesized texture stream**

Technologies de l'information — Codage des objets audiovisuels —

Partie 19: Flux de texture synthétisé

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO/IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vii
1 Scope	1
2 Normative References	1
3 Synthesized Texture Compression Technology	1
3.1 Functionality and Semantics	1
4 Coding and Bitstream	46
4.1 Overview	46
4.2 Global Input Bitstream and Decoding Context	46
4.3 Header Block ('H') Decoding	48
4.4 Scene Block ('S') Decoding	49
4.5 Object Block ('C') Decoding	50
4.6 Texture Block ('A') Decoding	51
4.7 Skeleton Decoding	73
4.8 Animation Decoding	76
4.9 Camera Decoding	80
4.10 Quantization	81
4.11 Sub-Streams	82
5 SynthesizedTexture Data Stream	86
5.1 Structure of the SynthesizedTexture Data Stream	86
5.2 Access Unit Definition	86

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

ISO/IEC 14496-19 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

ISO/IEC 14496 consists of the following parts, under the general title *Information technology — Coding of audio-visual objects*:

- *Part 1: Systems*
- *Part 2: Visual*
- *Part 3: Audio*
- *Part 4: Conformance testing*
- *Part 5: Reference software*
- *Part 6: Delivery Multimedia Integration Framework (DMIF)*
- *Part 7: Optimized reference software for coding of audio-visual objects*
- *Part 8: Carriage of ISO/IEC 14496 contents over IP networks*
- *Part 9: Reference hardware description*
- *Part 10: Advanced Video Coding*
- *Part 11: Scene description and application engine*
- *Part 12: ISO base media file format*
- *Part 13: Intellectual Property Management and Protection (IPMP) extensions*
- *Part 14: MP4 file format*
- *Part 15: Advanced Video Coding (AVC) file format*
- *Part 16: Animation Framework eXtension (AFX)*

- *Part 17: Streaming text format*
- *Part 18: Font compression and streaming*
- *Part 19: Synthesized texture stream*

This document is a preview generated by EVS

Introduction

ISO/IEC 14496 specifies a system for the communication of interactive audio-visual scenes. The specification includes the following elements:

1. the coded representation of natural or synthetic, two-dimensional (2D) or three-dimensional (3D) objects that can be manifested audibly and/or visually (audio-visual objects) (specified in part 1,2 and 3 of ISO/IEC 14496);
2. the coded representation of the spatio-temporal positioning of audio-visual objects as well as their behavior in response to interaction (scene description, specified in part 11 of ISO/IEC 14496);
3. the coded representation of information related to the management of data streams (synchronization, identification, description and association of stream content, specified in part 11 of ISO/IEC 14496);
4. a generic interface to the data stream delivery layer functionality (specified in part 6 of ISO/IEC 14496);
5. an application engine for programmatic control of the player: format, delivery of downloadable Java byte code as well as its execution lifecycle and behavior through APIs (specified in part 11 of ISO/IEC 14496); and
6. a file format to contain the media information of an ISO/IEC 14496 presentation in a flexible, extensible format to facilitate interchange, management, editing, and presentation of the media.

The information representation, specified in ISO/IEC 14496-1 and in ISO/IEC 14496-11, describes the means to create an interactive audio-visual scene in terms of coded audio-visual information and associated scene description information. The encoded content is presented to a terminal as the collection of elementary streams. Elementary streams contain the coded representation of either audio or visual data or scene description information or user interaction data. Elementary streams may as well themselves convey information to identify streams, to describe logical dependencies between streams, or to describe information related to the content of the streams. Each elementary stream contains only one type of data.

Elementary streams are decoded using their respective stream-specific decoders. The audio-visual objects are composed according to the scene description information and presented by the terminal's presentation device(s). All these processes are synchronized according to the systems decoder model (SDM) using the synchronization information provided at the synchronization layer.

The scene description stream identifies different types of objects, such as audio, visual, 2D and 3D graphics, etc. that define a scene composition of the content. Synthesized Textures streams provide for photo-realistic animations that can be transmitted using very low bitrates. These type of animations can be used in combination with other streams to enhance any scene.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of patents.

The ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the ISO and IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the ISO and IEC. Information may be obtained from:

Vimatix Inc.
5 Oppenheimer St.
Rehovot 76701
Israel

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

This document is a preview generated by EVS

Information technology — Coding of audio-visual objects —

Part 19:

Synthesized texture stream

1 Scope

This part of ISO/IEC 14496 specifies functionalities for the transmission of Synthesized Texture data as part of the MPEG-4 encoded audio-visual presentation. More specifically, it defines:

1. The synthesized texture format representation that is utilized for Synthesized Texture data encoding
2. The coded representation of Synthesized Texture data streams.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14496-1, *Information technology — Coding of audio-visual objects — Part 1: Systems*

ISO/IEC 14496-11, *Information technology — Coding of audio-visual objects — Part 11: Scene description and application engine*

3 Synthesized Texture Compression Technology

3.1 Functionality and Semantics

3.1.1 Overview

Synthesized Textures represent photo-realistic textures by describing color information of vectors. Synthesized Texture streams are used for creation of very low bit rate synthetic video clips. Synthesized Texture clips are built using key frame based animations of skeletons that affect photorealistic textures whose color information is modeled by equations.

A texture top-level **Synthesized Texture Node (STNode)** can be defined for playing **SynthesizedTextures**, see ISO/IEC 14496-11 for additional details. The **STNode** itself is similar to the **MovieTexture**, and uses url field to reference an Object Descriptor describing the associated stream(s). The stream contains both the object textures and their animation descriptions. The **STNode** also exposes control points that can be used to manipulate via affine transforms the objects carried in its associated stream. By this way **STNode** can implement synthesized interactive SynthesizedTextures. As any texture, the resulting texture can be mapped onto any 2D or 3D surface.