

This document is a review generated by EVS

Alarm and electronic security systems - Part 11-31:
Electronic access control systems - Core
interoperability protocol based on Web services

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 60839-11-31:2017 sisaldb Euroopa standardi EN 60839-11-31:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 60839-11-31:2017 consists of the English text of the European standard EN 60839-11-31:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 17.03.2017.	Date of Availability of the European standard is 17.03.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.320

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

March 2017

ICS 13.320

English Version

Alarm and electronic security systems -
Part 11-31: Electronic access control systems - Core
interoperability protocol based on Web services
(IEC 60839-11-31:2016)

Systèmes d'alarme et de sécurité électroniques -
Partie 11-31: Systèmes de contrôle d'accès électronique -
Protocole de base d'interopérabilité en fonction des
services Web
(IEC 60839-11-31:2016)

Alarmanlagen -
Teil 11-31: Elektronische Zutrittskontrollanlagen - IP
Interoperabilität auf Basis von Webservices -
Kernspezifikation
(IEC 60839-11-31:2016)

This European Standard was approved by CENELEC on 2016-12-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 79/522/CDV, future edition 1 of IEC 60839-11-31, prepared by IEC/TC 79 "Alarm and electronic security systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60839-11-31:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-09-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-12-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60839-11-31:2016 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEEE 1003.1	-	The Open Group Base Specifications Issue 6, IEEE Std 1003.1, 2004 Edition		
IEEE 802.11	2007	IEEE Standard for Information technology -- Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications		-
IEEE 802.1X	2004	Port Based Network Access Control	-	-
IETF RFC 952	-	DoD Internet Host Table Specification	-	-
IETF RFC 1123	1989	Requirements for Internet Hosts - Application and Support	-	-
IETF RFC 2131	-	Dynamic Host Configuration Protocol	-	-
IETF RFC 2136	-	Dynamic Updates in the Domain Name System (DNS UPDATE)	-	-
IETF RFC 2246	-	The TLS Protocol Version 1.0	-	-
IETF RFC 2617	-	HTTP Authentication: Basic and Digest Access Authentication	-	-
IETF RFC 2986	-	PKCS #10: Certification Request Syntax Specification Version 1.7	-	-
IETF RFC 3268	-	Advanced Encryption Standard (AES) Cipher suites for Transport Layer Security (TLS)	-	-
IETF RFC 3315	-	Dynamic Host Configuration Protocol for IPv6 (DHCPv6)	-	-
IETF RFC 3927	-	Dynamic Configuration of IPv4 Link-Local Addresses	-	-
IETF RFC 4122	-	A Universally Unique IDentifier (UUID) URN Namespace	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IETF RFC 4514	-	Lightweight Directory Access Protocol (LDAP): String Representation of Distinguished Names	-	-
IETF RFC 4702	-	The Dynamic Host Configuration Protocol (DHCP) Client Fully Qualified Domain Name (FQDN) Option	-	-
IETF RFC 4861	-	Neighbor Discovery for IP version 6 (IPv6)	-	-
IETF RFC 4862	-	IPv6 Stateless Address Auto configuration	-	-
ISO/IEC 8824-2	-	Information technology - Abstract Syntax Notation One (ASN.1): Information object specification	-	-
ISO/IEC 8824-3	-	Information technology - Abstract Syntax Notation One (ASN.1): Constraint specification	-	-
ISO/IEC 8824-4	-	Information technology - Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications	-	-
ISO/IEC 8825-1	-	Information technology - ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)	-	-
OASIS WS-BaseNotification	-	Web Services Base Notification 1.3 (WS-BaseNotification)		
OASIS WS-Topics	-	Web Services Topics 1.3 (WS-Topics)		
W3C SOAP-MTOM	-	SOAP Message Transmission Optimization-Mechanism		-
W3C SOAP Part 1	-	SOAP Version 1.2 - Part 1: Messaging Framework	-	-
W3C WS-Addressing	-	Web Services Addressing 1.0 - Core	-	-
WS-I BP 2.0	-	Basic Profile Version 2.0		
XMLSOAP WS-Discovery	-	Web Services Dynamic Discovery (WS-Discovery)", J. Beatty et al., April 2005		

CONTENTS

FOREWORD	10
INTRODUCTION	12
1 Scope	13
2 Normative references	13
3 Terms, definitions and abbreviated terms	15
3.1 Terms and definitions	15
3.2 Abbreviated terms	16
4 Overview	17
4.1 General	17
4.2 Web services	17
4.3 IP configuration	18
4.4 Device discovery	18
4.5 Device management	19
4.5.1 General	19
4.5.2 Capabilities	19
4.5.3 Network	19
4.5.4 System	20
4.5.5 Retrieval of system information	20
4.5.6 Firmware upgrade	20
4.5.7 SystemRestore	20
4.5.8 Security	20
4.6 DeviceIO	21
4.7 Event handling	21
4.8 Security	21
5 Web services framework	21
5.1 General	21
5.2 Services overview	22
5.2.1 General	22
5.2.2 Services requirements	22
5.3 WSDL overview	22
5.4 Namespaces	23
5.5 Types	24
5.6 Messages	24
5.7 Operations	25
5.7.1 General	25
5.7.2 One-way operation type	26
5.7.3 Request-response operation type	26
5.8 Port types	27
5.9 Binding	27
5.10 Ports	27
5.11 Services	28
5.12 Error handling	28
5.12.1 General	28
5.12.2 Protocol errors	28
5.12.3 SOAP errors	28
5.13 Security	31

5.13.1	Authentication.....	31
5.13.2	User-based access control	31
5.14	String representation	33
5.14.1	Character set.....	33
5.14.2	Allowed characters in strings	33
5.15	Proprietary extensions	33
6	IP configuration	33
7	Device discovery	34
7.1	General.....	34
7.2	Modes of operation	34
7.3	Discovery definitions.....	35
7.3.1	Endpoint reference	35
7.3.2	Hello.....	35
7.3.3	Probe and probe match	36
7.3.4	Resolve and resolve match.....	37
7.3.5	Bye.....	37
7.3.6	SOAP fault messages.....	37
8	Device management	37
8.1	General.....	37
8.2	Capabilities.....	38
8.2.1	Get WSDL URL	38
8.2.2	Capability exchange	38
8.3	Network	40
8.3.1	Get hostname	40
8.3.2	Set hostname	40
8.3.3	Set hostname from DHCP.....	41
8.3.4	Get DNS settings.....	41
8.3.5	Set DNS settings	42
8.3.6	Get NTP settings	42
8.3.7	Set NTP settings.....	43
8.3.8	Get dynamic DNS settings	43
8.3.9	Set dynamic DNS settings	44
8.3.10	Get network interface configuration	44
8.3.11	Set network interface configuration.....	45
8.3.12	Get network protocols.....	46
8.3.13	Set network protocols	47
8.3.14	Get default gateway.....	47
8.3.15	Set default gateway.....	48
8.3.16	Get zero configuration	48
8.3.17	Set zero configuration.....	48
8.3.18	Get IP address filter.....	49
8.3.19	Set IP address filter	49
8.3.20	Add an IP filter address	50
8.3.21	Remove an IP filter address.....	50
8.3.22	IEEE 802.11 configuration	51
8.4	System	55
8.4.1	Device information	55
8.4.2	Get system URIs	55
8.4.3	Backup	56

8.4.4	Restore.....	56
8.4.5	Start system restore	57
8.4.6	Get system date and time	57
8.4.7	Set system date and time	58
8.4.8	Factory default.....	59
8.4.9	Firmware upgrade.....	59
8.4.10	Start firmware upgrade	60
8.4.11	Get system logs.....	61
8.4.12	Get support information	61
8.4.13	Reboot.....	62
8.4.14	Get scope parameters	62
8.4.15	Set scope parameters.....	62
8.4.16	Add scope parameters.....	63
8.4.17	Remove scope parameters	63
8.4.18	Get discovery mode	64
8.4.19	Set discovery mode	64
8.5	Security	65
8.5.1	General	65
8.5.2	Get access policy	65
8.5.3	Set access policy.....	65
8.5.4	Get users.....	65
8.5.5	Create users.....	66
8.5.6	Delete users	67
8.5.7	Set users settings	67
8.5.8	IEEE 802.1X configuration	68
8.5.9	Create self-signed certificate	71
8.5.10	Get certificates	71
8.5.11	Get CA certificates	71
8.5.12	Get certificate status.....	72
8.5.13	Set certificate status	72
8.5.14	Get certificate request	72
8.5.15	Get client certificate status	73
8.5.16	Set client certificate status.....	73
8.5.17	Load device certificate	74
8.5.18	Load device certificates in conjunction with its private key	74
8.5.19	Get certificate information request	75
8.5.20	Load CA certificates	76
8.5.21	Delete certificate	76
8.5.22	Get remote user.....	76
8.5.23	Set remote user.....	77
8.5.24	Get endpoint reference	77
8.6	Auxiliary operation	78
8.7	Monitoring events	78
8.7.1	Processor usage.....	78
8.7.2	Link status	79
8.7.3	Upload status	79
8.7.4	Operating time.....	79
8.7.5	Environmental conditions	81
8.7.6	Battery capacity	81

8.7.7	Device management	82
8.8	Service specific fault codes.....	82
9	Device I/O	86
9.1	General.....	86
9.2	Relay outputs.....	86
9.2.1	Overview	86
9.2.2	Get relay outputs	86
9.2.3	Get relay output options.....	86
9.2.4	Set relay output settings	87
9.2.5	Trigger relay output	88
9.3	Digital inputs	88
9.3.1	Overview	88
9.3.2	GetDigitalInputs	88
9.4	SerialPorts	89
9.4.1	Overview	89
9.4.2	GetSerialPorts	89
9.4.3	GetSerialPortConfiguration	89
9.4.4	SetSerialPortConfiguration	89
9.4.5	GetSerialPortConfigurationOptions	90
9.4.6	Send and/or Receive serial command.....	90
9.5	Capabilities.....	92
9.6	Events	92
9.6.1	DigitalInput state change	92
9.6.2	Relay output trigger	92
9.7	Service specific fault codes.....	93
10	Event handling.....	93
10.1	General.....	93
10.2	Real-time Pull-Point notification interface.....	93
10.2.1	General	93
10.2.2	Create pull point subscription	95
10.2.3	Pull messages	95
10.2.4	Renew	96
10.2.5	Unsubscribe	96
10.2.6	Seek	97
10.2.7	Pull point lifecycle.....	98
10.2.8	Persistent notification storage.....	98
10.3	Basic notification interface	98
10.3.1	General	98
10.3.2	Summary	98
10.3.3	Requirements	99
10.4	Properties	100
10.5	Notification structure	100
10.5.1	General	100
10.5.2	Notification information	101
10.5.3	Message format.....	102
10.5.4	Message description language.....	103
10.5.5	Message content filter	104
10.6	Synchronization point.....	105
10.7	Topic structure.....	105

10.7.1	General	105
10.7.2	ONVIF topic namespace	106
10.7.3	Topic type information	106
10.7.4	Topic filter	107
10.8	Get event properties	108
10.9	Capabilities	108
10.10	SOAP fault messages	109
10.11	Notification example	110
10.11.1	General	110
10.11.2	GetEventPropertiesRequest.....	110
10.11.3	GetEventPropertiesResponse.....	110
10.11.4	CreatePullPointSubscription	111
10.11.5	CreatePullPointSubscriptionResponse.....	111
10.11.6	PullMessagesRequest	112
10.11.7	PullMessagesResponse.....	112
10.11.8	UnsubscribeRequest.....	113
10.11.9	UnsubscribeResponse	113
10.12	Persistent storage event:BeginningOfBuffer	114
10.13	Service specific fault codes	114
11	Security	114
11.1	General.....	114
11.2	Transport level security.....	114
11.2.1	General	114
11.2.2	Supported cipher suites	115
11.2.3	Server authentication.....	115
11.2.4	Client authentication	115
11.3	IEEE 802.1X	116
Annex A (informative)	Example for GetServices response with capabilities	117
Annex B (normative)	Device IP network interface XML schemata	119
B.1	Device management service WSDL	119
B.2	Device IO service WSDL.....	161
B.3	Event service WSDL	168
B.4	Common schema	179
Bibliography.....		197
Figure 1 – Web services based development principles	18	
Figure 2 – Sequence diagram for the Real-time Pull-Point notification interface	94	
Figure 3 – Sequence diagram for the base notification interface	99	
Table 1 – Defined namespaces in this document	23	
Table 2 – Referenced namespaces (with prefix).....	24	
Table 3 – Referenced namespaces (without prefix).....	24	
Table 4 – Operation description outline used in this document.....	25	
Table 5 – Generic faults.....	30	
Table 6 – HTTP errors	31	
Table 7 – Access class to user level mapping	32	
Table 8 – Scope parameters	36	

Table 9 – GetWSDLUrl command.....	38
Table 10 – GetServices command.....	38
Table 11 – GetServiceCapabilities command	39
Table 12 – Capabilities in the GetServiceCapabilities command	39
Table 13 – GetHostname command	40
Table 14 – SetHostname command.....	41
Table 15 – SetHostnameFromDHCP command	41
Table 16 – GetDNS command.....	42
Table 17 – SetDNS command	42
Table 18 – GetNTP command	43
Table 19 – SetNTP command	43
Table 20 – GetDynamicDNS command	44
Table 21 – SetDynamicDNS command.....	44
Table 22 – GetNetworkInterfaces command.....	45
Table 23 – SetNetworkInterfaces command	46
Table 24 – GetNetworkProtocols command.....	47
Table 25 – SetNetworkProtocols command	47
Table 26 – GetNetworkDefaultGateway command.....	47
Table 27 – SetNetworkDefaultGateway command	48
Table 28 – GetZeroConfiguration command	48
Table 29 – SetZeroConfiguration command	49
Table 30 – GetIPAddressFilter command	49
Table 31 – SetIPAddressFilter command	50
Table 32 – AddIPAddressFilter command	50
Table 33 – RemoveIPAddressFilter command	51
Table 34 – GetDot11Capabilities.....	53
Table 35 – IEEE 802.11 capabilities.....	53
Table 36 – GetDot11Status.....	54
Table 37 – ScanAvailableDot11Networks	55
Table 38 – GetDeviceInformation command	55
Table 39 – GetSystemUris command	56
Table 40 – GetSystemBackup command	56
Table 41 – RestoreSystem command	57
Table 42 – StartSystemRestore command	57
Table 43 – GetSystemDateAndTime command	58
Table 44 – SetSystemDateAndTime command	59
Table 45 – SetSystemFactoryDefault command	59
Table 46 – UpgradeSystemFirmware command	60
Table 47 – StartFirmwareUpgrade command	60
Table 48 – GetSystemLog command	61
Table 49 – GetSystemSupportInformation command	61
Table 50 – SystemReboot command	62
Table 51 – GetScopes command	62

Table 52 – SetScopes command	63
Table 53 – AddScopes command	63
Table 54 – RemoveScopes command	64
Table 55 – GetDiscoveryMode command	64
Table 56 – SetDiscoveryMode command	64
Table 57 – GetAccessPolicy command	65
Table 58 – SetAccessPolicy command	65
Table 59 – GetUsers command	66
Table 60 – CreateUsers command	66
Table 61 – DeleteUsers command	67
Table 62 – SetUser command	67
Table 63 – CreateDot1XConfiguration command	69
Table 64 – SetDot1XConfigurationRequest command	69
Table 65 – GetDot1XConfiguration command	70
Table 66 – GetDot1XConfigurations command	70
Table 67 – DeleteDot1XConfigurations command	70
Table 68 – CreateCertificate command	71
Table 69 – GetCertificates command	71
Table 70 – GetCACertificates command	72
Table 71 – GetCertificatesStatus command	72
Table 72 – SetCertificatesStatus command	72
Table 73 – GetPkcs10Request command	73
Table 74 – GetClientCertificateMode command	73
Table 75 – SetClientCertificateMode command	74
Table 76 – LoadCertificates command	74
Table 77 – LoadCertificateWithPrivateKey command	75
Table 78 – GetCertificateInformation command	75
Table 79 – LoadCACertificates command	76
Table 80 – DeleteCertificates command	76
Table 81 – GetRemoteUser command	77
Table 82 – SetRemoteUser command	77
Table 83 – GetEndpointReference command	78
Table 84 – SendAuxiliary command	78
Table 85 – Device service specific fault codes	82
Table 86 – GetRelayOutputs command	86
Table 87 – GetRelayOutputOptions command	87
Table 88 – SetRelayOutputSettings command	88
Table 89 – SetRelayOutputState command	88
Table 90 – GetDigitalInputs command	89
Table 91 – GetSerialPorts command	89
Table 92 – GetSerialPortConfiguration command	89
Table 93 – SetSerialPortConfiguration command	90
Table 94 – GetSerialPortConfigurationOptions command	90

Table 95 – Send and/or Receive serial command.....	91
Table 96 – GetServiceCapabilities command	92
Table 97 – DeviceIO service specific fault codes	93
Table 98 – CreatePullPointSubscription command	95
Table 99 – PullMessages command	96
Table 100 – Renew command	96
Table 101 – Unsubscribe command	97
Table 102 – Seek command.....	97
Table 103 – SetSynchronizationPoint command.....	105
Table 104 – GetEventProperties command	108
Table 105 – GetServiceCapabilities command	109

INTRODUCTION

The object of this document is to provide the common base for a fully interoperable network implementation comprised of products from different network vendors. This document describes the network model, interfaces, data types and data exchange patterns. This document reuses existing relevant standards where available, and introduces new specifications only where necessary.

This document is based upon work done by the ONVIF open industry forum. The ONVIF Core specification is compatible with this document.

This document is accompanied by a set of computer readable interface definitions:

- Device Service WSDL, see Clause B.1;
- Device IO Service WSDL, see Clause B.2;
- Event Service WSDL, see Clause B.3;
- Common schema, see Clause B.4.

This document is divided into the following clauses:

Document overview: Gives an overview of the different standard parts and how they are related to each other.

Web services frame work: Offers a brief introduction to Web services and the Web services basis for this document.

IP configuration: Defines the network IP configuration requirements.

Device discovery: Describes how devices are discovered in local and remote networks.

Device management: Defines the configuration of basics like network and security related settings.

Device IO: Defines the handling of input and output ports on a device.

Event handling: Defines how to subscribe to and receive notifications (events) from a device.

Security: Defines the transport and message level security requirements.

ALARM AND ELECTRONIC SECURITY SYSTEMS –

Part 11-31: Electronic access control systems – Core interoperability protocol based on Web services

1 Scope

This part of IEC 60839 defines procedures for communication between network clients and devices. This series of interoperability standards makes it possible to build an alarm and electronic security system with clients and devices from different manufacturers using common and well defined interfaces. The functions defined in this document covers discovery, device management and event framework. Supplementary dedicated services are defined in separate documents.

The management and control interfaces defined in this document are described as Web services. This document also contains full XML schema and Web Service Description Language (WSDL) definitions.

In order to offer full plug-and-play interoperability, this document defines procedures for device discovery. The device discovery mechanisms in this document are based on the WS-Discovery specification with extensions.

This document does not in any way limit a manufacturer to add other protocol or extend the protocol defined here and rules on how to accomplish this are also provided in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEEE 1003.1, *The Open Group Base Specifications Issue 6, IEEE Std 1003.1, 2004 Edition*
<<http://pubs.opengroup.org/onlinepubs/009695399/>>

IEEE 802.11, *Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications*
<<http://standards.ieee.org/getieee802/download/802.11-2007.pdf>>

IEEE 802.1X, *Port-Based Network Access Control*
<<http://standards.ieee.org/getieee802/download/802.1X-2004.pdf>>

IETF RFC 952, Internet Host Table Specification
<<https://tools.ietf.org/html/rfc952>>

IETF RFC 1123:1989, Requirements for Internet Hosts – Application and Support
<<https://tools.ietf.org/html/rfc1123>>

IETF RFC 2131, *Dynamic Host Configuration Protocol*
<<http://www.ietf.org/rfc/rfc2131.txt>>

IETF RFC 2136, *Dynamic Updates in the Domain Name System (DNS UPDATE)*
<<http://www.ietf.org/rfc/rfc2136.txt>>