

This document is a review generated by EVS

Geometrical product specifications (GPS) - Dimensional measuring equipment - Part 1: Plain limit gauges of linear size (ISO 1938-1:2015)

## ESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 1938-1:2015 sisaldb Euroopa standardi EN ISO 1938-1:2015 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 1938-1:2015 consists of the English text of the European standard EN ISO 1938-1:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.11.2015.	Date of Availability of the European standard is 18.11.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 17.040.10

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

EN ISO 1938-1

November 2015

ICS 17.040.10

English Version

Geometrical product specifications (GPS) - Dimensional  
measuring equipment - Part 1: Plain limit gauges of linear  
size (ISO 1938-1:2015)

Spécification géométrique des produits (GPS) -  
Équipement de mesure dimensionnel - Partie 1:  
Calibres lisses à limite de taille linéaire (ISO 1938-  
1:2015)

Geometrische Produktspezifikation (GPS) -  
Maßstolerierung - Teil 1: Grenzlehren und Lehrung der  
Längenmaße (ISO 1938-1:2015)

This European Standard was approved by CEN on 27 April 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## European foreword

This document (EN ISO 1938-1:2015) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2016, and conflicting national standards shall be withdrawn at the latest by May 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 1938-1:2015 has been approved by CEN as EN ISO 1938-1:2015 without any modification.

# Contents

	Page
<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>v</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>2</b>
3.1 Limits	2
3.2 Gauge types	3
3.3 Characteristics and function of gauges	6
<b>4 Abbreviated terms and symbols</b>	<b>7</b>
<b>5 Design characteristics for gauges</b>	<b>8</b>
<b>6 Metrological characteristics</b>	<b>10</b>
6.1 General	10
6.2 Metrological characteristic relative to the type of limit gauge (GO gauge or NO GO gauge)	10
<b>7 Maximum permissible limits on metrological characteristics</b>	<b>14</b>
7.1 General	14
7.2 Limit gauges for internal features of size	15
7.3 Limit gauges for external features of size	16
7.4 Values for calculation of MPL of limit gauges	18
<b>8 Proving conformance with specification for limit gauges</b>	<b>21</b>
<b>9 Verification of dimensional specification of a workpiece with limit gauges</b>	<b>21</b>
<b>10 Marking</b>	<b>23</b>
<b>Annex A (informative) General principles and application of limit gauging</b>	<b>24</b>
<b>Annex B (informative) Description of the specific use of the various gauge types and the associated uncertainty</b>	<b>26</b>
<b>Annex C (informative) Relation to the GPS matrix model</b>	<b>28</b>
<b>Bibliography</b>	<b>30</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 213, *Geometrical product specifications and verification*.

This first edition cancels and replaces ISO/R 1938:1971, which has been technically revised.

ISO 1938 consists of the following parts, under the general title *Geometrical product specifications (GPS) — Dimensional measuring equipment*:

- *Part 1: Plain limit gauges of linear size*
- *Part 2: Reference disk gauges*

This part of ISO 1938 does not include requirements for setting plug gauges and setting ring gauges, which were dealt with in ISO/R 1938:1971, 3.9.4.

This part of ISO 1938 covers the concepts and principles developed in ISO 14978.

## Introduction

This part of ISO 1938 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences chain links E, F and G of the size chain of standards in the general GPS matrix. For more detailed information of the relation of this part of ISO 1938 to other standards and the GPS matrix model, see [Annex C](#).

The ISO/GPS matrix model given in ISO 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

The terms and concepts used in this first edition of ISO 1938-1 (compared to the former edition ISO/R 1938:1971) have been changed according to needs and terminology in the other GPS standards.

This part of ISO 1938 deals with verification, using plain limit gauges, of linear sizes for features of size when the dimensional specifications are required (see ISO 14405-1), for rigid workpieces.

NOTE [Tables 4](#) and [5](#) use the modifiers given in ISO 14405-1 and ISO 1101.

# Geometrical product specifications (GPS) — Dimensional measuring equipment —

## Part 1: Plain limit gauges of linear size

### 1 Scope

This part of ISO 1938 specifies the most important metrological and design characteristics of plain limit gauges of linear size.

This part of ISO 1938 defines the different types of plain limit gauges used to verify linear dimensional specifications associated with linear size.

This part of ISO 1938 also defines the design characteristics and the metrological characteristics for these limit gauges as well as the new or wear limits state Maximum Permissible Limits (MPLs) for the new state or wear limits state for these metrological characteristics.

In addition, this part of ISO 1938 describes the use of limit gauges. It covers linear sizes up to 500 mm.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 286-1:2010, *Geometrical product specifications (GPS) — ISO code system for tolerances on linear sizes — Part 1: Basis of tolerances, deviations and fits*

ISO 1101:2012, *Geometrical product specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out*

ISO 14405-1:2010, *Geometrical product specifications (GPS) — Dimensional tolerancing — Part 1: Linear sizes*

ISO 14253-1:2013, *Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 1: Decision rules for proving conformity or nonconformity with specifications*

ISO 14253-2:2011, *Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 2: Guidance for the estimation of uncertainty in GPS measurement, in calibration of measuring equipment and in product verification*

ISO 17450-1:2011, *Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification*

ISO 17450-2:2012, *Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators, uncertainties and ambiguities*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO/IEC Guide 99, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*