

Gaasiarvestid. Lisafunktsionaalsused

Gas meters - Additional functionalities

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

See Eesti standard EVS-EN 16314:2013 sisaldab Euroopa standardi EN 16314:2013 ingliskeelset teksti.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 03.07.2013.

Standard on kättesaadav Eesti Standardikeskusest.

NATIONAL FOREWORD

This Estonian standard EVS-EN 16314:2013 consists of the English text of the European standard EN 16314:2013.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.

Date of Availability of the European standard is 03.07.2013.

The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.140.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

ICS 91.140.40

English Version

Gas meters - Additional functionalities

Compteurs à gaz - Fonctionnalités supplémentaires

Gaszähler - Zusatzfunktionen

This European Standard was approved by CEN on 18 April 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
Introduction	5
1 Scope.....	6
2 Normative references.....	6
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions	8
3.2 Abbreviated terms.....	9
4 General requirements	10
4.1 Meter	10
4.2 Meters with electronic index.....	10
4.3 Suitability – AFD/Meter combination.....	10
4.4 Types of additional functionality devices	10
4.5 AFD1	11
4.6 AFD2	11
4.7 AFD3	11
4.8 Resistance to high ambient temperature	12
4.9 Climatic environments	12
4.10 Gas temperature range	16
4.11 Safety Requirements.....	16
4.12 Immunity to electromagnetic disturbances	16
4.13 Immunity to electromagnetic disturbances for Meters / AFD's with external ports.....	20
4.14 Resistance to mishandling	23
4.15 Resistance to storage temperature	23
4.16 Ageing test	24
4.17 Expected lifetime.....	24
5 Security.....	24
5.1 General	24
5.2 Software, data and hardware security.....	25
5.3 Firmware upgrade	25
5.4 Software identification	26
6 Power system.....	26
6.1 General	26
6.2 Battery	26
6.3 Battery life	27
6.4 Battery compartment	27
6.5 Battery replacement.....	28
6.6 Battery lifetime totaliser.....	29
6.7 Voltage interruptions	29
6.8 Operating voltage.....	29
7 Additional Functionalities.....	30
7.1 General	30
7.2 Display.....	30
7.3 Diagnostics.....	30
7.4 Metrological influence.....	31
7.5 AFD connections.....	31
7.6 Input to AFD	31
7.7 Output from AFD	31
7.8 Data storage	32

7.9	Time interval accuracy	33
7.10	Energy Calculation within the meter/AFD	34
7.11	Tariffs	34
7.12	Display/Human interface	35
7.13	Gas valve and System	35
7.14	Registers	41
7.15	Prepayment System with valve	41
7.16	Prepayment system without a valve	42
7.17	History of Consumption	42
7.18	Memory	42
8	Marking	44
8.1	Requirements	44
8.2	Test	44
9	Documentation	44
9.1	General	44
9.2	Declaration of conformity	45
9.3	Technical documentation	45
9.4	Instruction manual	45
10	Environmental considerations	45
Annex A	(informative) Download software	46
Annex B	(informative) Implementation method – Conformity to the SM-CG Additional Functionalities	47
Annex C	(normative) Electronic index	50
C.1	General	50
C.2	Display	50
C.3	Display reset	50
C.4	Test signal	51
C.5	Non-volatile memory	51
C.6	Flags and alarms information	52
C.7	Interfaces	52
C.8	Ports	52
C.9	Durability	53
Annex D	(normative) Valve type test plan	54
D.1	List of tests	54
D.2	Endurance Test	54
D.3	Toluene/iso-octane test	54
D.4	Water Vapour Test	57
D.5	Ageing Test	59
Bibliography	60

Foreword

This document (EN 16314:2013) has been prepared by Technical Committee CEN/TC 237 “Gas meters”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2014, and conflicting national standards shall be withdrawn at the latest by January 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard has been drafted as part of the work being undertaken by the European Standards Organisations (CEN/CENELEC/ETSI) under the Commission Mandate M/441. This standard utilises the six functionalities agreed by the Smart Meters Coordination Group (SM-CG) (see Annex C) as the basis for its additional functionalities. It is not necessary for the Additional Functionality Device (AFD) to incorporate all functions. This standard builds on CEN/TR 16061 by providing specific requirements for the additional functionality that can be fitted to a gas meter.

This standard contains requirements for gas valves integral within the meters and controlled by an AFD where the capacity of the gas meter does not exceed 10 m³/h. Such gas valves are intended for interruption of the gas supply but do not replace any valve intended to isolate the gas supply.

Communications for gas meters are outside the scope of this standard and are covered by the appropriate parts of EN 13757, which provide a number of protocols and transport layers for meter communications for Gas, Water and Heat meters.

A number of methods can provide the additional functionality for gas meters: these are illustrated below, see Figure 1, and described in detail within this standard. The AFD can be integral to the gas meter, attached to the meter or remote from the meter.

AFD1, AFD2 and AFD3




Figure 1 — Additional functionality device

1 Scope

This European Standard specifies the additional requirements and tests for gas meters with a maximum capacity of 40 m³/h and a maximum operating pressure of not exceeding 500 mbar, conforming to EN 1359, EN 12261, EN 12480, EN 12405 and EN 14236, which have battery powered devices providing additional functionalities that form part of the gas meter (hereafter referred to as meter) or contained in an Additional Functionality Device (AFD). It also covers the additional requirements when an electronic index is used rather than a mechanical one. Where the option of an integral valve to the meter is specified, this standard only gives requirements for meters having a maximum capacity not exceeding 10 m³/h.

This European Standard is applicable to first, second and third family gases according to EN 437.

This European Standard specifies the construction requirements for electronic components but communication protocols are dealt within other European Standards, e.g. appropriate parts of EN 13757.

NOTE This European Standard covers connections to auxiliary devices but not the requirements for these devices.

This European Standard applies to AFDs that are installed in locations with vibration and shocks of low significance and in:

- closed locations (indoor or outdoor with protection as specified by the manufacturer) with condensing or with non-condensing humidity,

or, if specified by the manufacturer:

- open locations (outdoor without any covering) with condensing humidity or with non-condensing humidity,
- locations liable to temporary saturation,

and in locations with electromagnetic disturbances corresponding to those likely to be found in residential, commercial buildings or similar buildings.

This European Standard does not cover the changing of metrological software within the meter or the upload/download of metrological software.

This European Standard only covers valves integral to the meter.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1359, *Gas meters — Diaphragm gas meters*

EN 12261, *Gas meters — Turbine gas meters*

EN 12405-2, *Gas meters — Conversion devices — Part 2: Energy conversion*

EN 12480, *Gas meters — Rotary displacement gas meters*

EN 13611, *Safety and control devices for gas burners and gas-burning appliances — General appliances*

EN 13757-1, *Communication system for meters and remote reading of meters — Part 1: Data exchange*

EN 13757-2, *Communication systems for remote reading of meters — Part 2: Physical and link layer*

- EN 13757-3, *Communications systems for and remote reading of meters — Part 3: Dedicated application layer*
- EN 13757-4, *Communication systems for meters and remote reading of meters — Part 4: Wireless meter readout (radio meter reading for operation in the 868 MHz to 870 MHz SRD band)*
- EN 13757-5, *Communications systems for and remote reading of meters — Part 5: Wireless relaying*
- EN 13757-6, *Communications systems for and remote reading of meters — Part 6: Local bus*
- EN 14236, *Ultrasonic domestic gas meters*
- EN 55022, *Information Technology Equipment — Radio disturbance characteristics — Limits and methods of measurement*
- EN 60079 (all parts), *Explosive atmospheres*
- EN 60086-1, *Primary batteries — Part 1: General*
- EN 60086-4, *Primary batteries — Part 4: Safety of lithium batteries*
- EN 60529, *Degrees of protection provided by enclosures (IP code)*
- EN 60950-1, *Information technology equipment — Safety — Part 1: General requirements*
- EN 61000-4-2, *Electromagnetic compatibility (EMC) — Part 4-2: Testing and measurement techniques — Electrostatic discharge immunity test*
- EN 61000-4-3, *Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test*
- EN 61000-4-4, *Electromagnetic compatibility (EMC) — Part 4-4: Testing and measurement techniques — Electrical fast transient/burst immunity test*
- EN 61000-4-5, *Electromagnetic compatibility (EMC) — Part 4-5: Testing and measurement techniques — Surge immunity test*
- EN 61000-4-6, *Electromagnetic compatibility (EMC) — Part 4-6: Testing and measurement techniques — Immunity to conducted disturbances, induced by radio-frequency fields*
- EN 61000-4-8, *Electromagnetic compatibility (EMC) — Part 4-8: Testing and measurement techniques — Power frequency magnetic field immunity test*
- EN 61000-4-9, *Electromagnetic compatibility (EMC) — Part 4-9: Testing and measurement techniques — Pulse magnetic field immunity test*
- EN 61000-6-1, *Electromagnetic compatibility (EMC) — Part 6-1: Generic standards — Immunity for residential, commercial and light-industrial environments*
- EN 61000-6-2, *Electromagnetic compatibility (EMC) — Part 6-2: Generic standards — Immunity for industrial environments*
- EN 61010-1, *Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements*
- EN 62056-21, *Electricity metering — Data exchange for meter reading, tariff and load control — Part 21: Direct local data exchange*

EN ISO 4892-3, *Plastics — Methods of exposure to laboratory light sources — Part 3: Fluorescent UV lamps* (ISO 4892-3)

EN ISO 6270-1, *Paints and Varnishes — Determination of resistance to humidity — Part 1: Continuous condensation* (ISO 6270-1)

EN ISO 13849-1, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design* (ISO 13849-1)

IEC 61508-1, *Functional safety of electrical/electronic/programmable electronic safety-related systems — Part 1: General Requirements*

ISO 7724-3, *Paints and Varnishes — Colorimetry — Part 3: Calculation of colour differences*

ASTM D1003, *Standard Test Method for Haze and Luminous Transmittance of Transparent Plastics* (edition 11)

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

function

process which constantly or at defined intervals, automatically or on demand, performs specific activities such as sampling data, reading a data set, verifying or changing a status, or activating a switch

3.1.2

additional functionality

functions over and above that within the meter, which can be integral to the meter, or included within a connected device

3.1.3

additional functionality device

carries out the additional functionalities

3.1.4

additional functionality device Type 1

factory fitted additional functionality integral within the meter

3.1.5

additional functionality device Type 2

factory or field fitted additional functionality directly attached to the meter

3.1.6

additional functionality device Type 3

field fitted additional functionality connected to the meter

3.1.7

meter

instrument designed to measure, memorise and display the quantity of gas (volume or mass) that has passed it

Note 1 to entry: A volume conversion device is a sub-assembly of a meter and therefore in this standard it is part of the meter.