
Intelligent transport systems — Cooperative ITS —

Part 2: Framework overview

*Systèmes intelligents de transport — Systèmes intelligents de
transport coopératifs —*

Partie 2: Aperçu général du cadre de travail



This document is a preview generated by EBS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	vi
1 Scope	1
2 Terms and definitions	1
3 Abbreviated terms	4
4 Overview of components of a C-ITS enabled system	4
4.1 Specific service features characterizing C-ITS	4
4.2 Actors involved in C-ITS service provision	6
5 Framework overview for C-ITS enabled systems	9
5.1 Communications	9
5.2 Vehicle systems	10
5.2.1 General	10
5.2.2 Vehicle gateway	11
5.2.3 In-vehicle control	12
5.2.4 Sensors and data collectors	12
5.2.5 Data storage and access	12
5.3 Roadside systems	13
5.3.1 Roadside host	13
5.3.2 Roadside gateway	13
5.3.3 Access router	13
5.3.4 ITS border router	13
5.4 'Core' systems	13
5.4.1 Core system overview	13
5.4.2 Single core systems	14
5.4.3 Multiple core systems	15
5.4.4 Other "Central" systems	15
5.4.5 Core system functions	15
5.4.6 Control/Service centre	15
5.4.7 Home agent	16
5.4.8 Authority/Jurisdiction databases	16
5.5 Personal Systems	16
5.5.1 Personal mobile	16
5.5.2 Personal SatNav	16
5.5.3 Mobility assistance	16
5.5.4 Intermodal connection/display	17
6 Summary of Framework overview	17
6.1 General	17
6.2 Cooperative Vehicle and Highway Systems safety applications	18
6.3 Vehicle to infrastructure Communications for Safety	18
6.4 Real-Time Data Capture and Management	18
6.4.1 Dynamic Mobility Applications	18
6.5 Cooperative Vehicle and Highway Systems Technology Policy and Institutional Issues	18
6.6 Cooperative Vehicle and Highway Systems Policy and Institutional Issues	18
Annex A (informative) ISO 14813-1 ITS Service domains and services	20
Bibliography	27

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*.

ISO 17427 consists of the following parts, under the general title *Intelligent transport systems — Cooperative ITS*:

- *Part 2: Framework overview* [Technical Report]
- *Part 3: Concept of operations (ConOps) for 'Core' systems* [Technical Report]
- *Part 4: Minimum system requirements and behaviour for core systems* [Technical Report]
- *Part 6: Core systems risk assessment methodology* [Technical Report]
- *Part 7: Privacy aspects* [Technical Report]
- *Part 8: Liability aspects* [Technical Report]
- *Part 9: Compliance and enforcement aspects* [Technical Report]
- *Part 10: Driver distraction and information display* [Technical Report]

The following parts are under preparation:

- *Part 1: Roles and responsibilities in the context of co-operative ITS architectures(s)*
- *Part 5: Common approaches to security* [Technical Report]
- *Part 11: Compliance and enforcement aspects* [Technical Report]
- *Part 12: Release processes* [Technical Report]
- *Part 13: Use case test cases* [Technical Report]
- *Part 14: Maintenance requirements and processes* [Technical Report]

This Technical Report provides an informative 'framework overview' of Cooperative Intelligent Transport Systems (C-ITS). It is intended to be used alongside ISO 17427-1, ISO/TR 17465-1 and other parts of ISO 17465, and ISO 21217. Detailed specifications for the application context will be provided by other ISO, CEN and SAE deliverables, and communications specifications will be provided by ISO, IEEE and ETSI.

Introduction

Intelligent transport systems (ITS) are transport systems in which advanced information, communication, sensor and control technologies, including the Internet, are applied to increase safety, sustainability, efficiency, and comfort.

A distinguishing feature of 'ITS' are their communication with outside entities.

Some ITS systems operate autonomously, for example, 'adaptive cruise control' uses radar/lidar and/or video to characterize the behaviour of the vehicle in front and adjust its vehicle speed accordingly. Some ITS systems are informative, for example, 'Variable Message Signs' at the roadside, or transmitted into the vehicle, provide information and advice to the driver. Some ITS systems are semi-autonomous, in that they are largely autonomous, but rely on 'static' or 'broadcast' data, for example, *GNSS* (3.9) based 'SatNav' systems operate autonomously within a vehicle but are dependent on receiving data broadcast from satellites in order to calculate the location of the vehicle.

Cooperative Intelligent Transport Systems (C-ITS) are a group of ITS technologies where service provision is enabled by, or enhanced by, the use of 'live', present situation related, dynamic data/information from other entities of similar functionality [for example, from one vehicle to other vehicle(s)], and/or between different elements of the transport network, including vehicles and infrastructure [for example, from the vehicle to an infrastructure managed system or from an infrastructure managed system to vehicle(s)]. Effectively, these systems allow vehicles to 'talk' to each other and to the infrastructure. These systems have significant potential to improve the transport network.

A distinguishing feature of 'C-ITS', is that data is used across *application* (3.1)/service boundaries.

ISO/TR 17465-1 provides a summary definition of C-ITS as a 'subset paradigm of overall ITS that communicates and shares information between ITS stations to give advice or facilitate actions with the objective of improving safety, sustainability, efficiency and comfort beyond the scope of stand-alone systems'.

The benefits of Intelligent Cooperative Systems stem from the increased information that is available from the vehicle and its environment and from other vehicles. The same set of information can be used to extend the functionality of the in-vehicle safety systems, and through vehicle-to-infrastructure communications for more efficient traffic control and management. The benefits include the following:

- improved safety;
- increased road network capacity;
- reduced congestion and pollution;
- shorter and more predictable journey times;
- improved traffic safety for all road users;
- lower vehicle operating costs;
- more efficient logistics;
- improved management and control of the road network (both urban and inter-urban);
- increased efficiency of the public transport systems;
- better and more efficient response to hazards, incidents and accidents.

(source: EC project CVIS)

The difference between any 'ITS system' and a 'C-ITS system' is that C-ITS systems are dependent from the interaction with other vehicles and or the infrastructure, and the exchange of dynamic data, to receive data to enable their function, or conversely to provide data to other vehicles/infrastructure to enable their C-ITS systems to function.

C-ITS as an entity, is therefore the functionality that enables such 'cooperative' and collaborative exchange of data, and in some cases, collaborative control, or subservient decision making, in order to provide an *application service* to one or more actors. Descriptions of the roles and responsibilities of those actors can be found in ISO 17427-1.

It is important to understand that C-ITS is not an end in itself, but a combination of techniques, protocols, systems and sub-systems to enable 'cooperative'/collaborative service provision.

This Technical Report describes and specifies the framework which enables such collaborative and cooperative systems to operate. It is agnostic in respect of technology, and operates with whatever communications and hardware technologies can support its functionalities. Other deliverables in this family of C-ITS standards will define specific aspects of technology and behaviour, and the roles and responsibilities within the context of C-ITS.

This Technical Report may therefore be seen as an 'overview' of the features and physical and functional architecture elements that comprise C-ITS.

This Technical Report is a 'living document' and as our experience with C-ITS develops, it is intended that it will be updated from time to time, as and when we see opportunities to improve this Technical Report.

Further technical reports in this series are expected to follow.

Please note that these TRs are expected to be updated from time to time as the C-ITS evolves.

Intelligent transport systems — Cooperative ITS —

Part 2: Framework overview

1 Scope

This Technical Report characterizes and provides an overview of the framework which enables collaborative and cooperative ITS to operate and defines the characteristics and components of a Cooperative-ITS (C-ITS), its context and relevance for *ITS service* provision, and provides references to International Standards deliverables where specific aspects of C-ITS are defined. The objective of this Technical Report is to raise awareness of and consideration of such issues and to give pointers, where appropriate, to International Standards deliverables existing that provide for all or some of these aspects. This Technical Report does not provide specifications for solutions of these issues.

This Technical Report is agnostic in respect of technology and operates with whatever communications and hardware technologies can support its functionalities.

NOTE Other deliverables in this family of C-ITS standards will define specific aspects of technology and behaviour and the roles and responsibilities within the context of C-ITS.

2 Terms and definitions

2.1

application

app

software application

2.2

application programming interface

API

set of routines, protocols, and tools for building software applications

[SOURCE: ISO 17627:2009, 2.4, modified]

Note 1 to entry: An API expresses a software component in terms of its operations, inputs, outputs, and underlying types; it defines functionalities that are independent of their respective implementations, which allows definitions and implementations to vary without compromising the interface. An API can also assist otherwise distinct applications with sharing data, which can help to integrate and enhance the functionalities of the applications.

Note 2 to entry: APIs often come in the form of a library that includes specifications for routines, data structures, object classes, and variables. In addition to accessing databases or computer hardware, such as hard disk drives or video cards, an API can be used to ease the work of programming graphical user interface components.

2.3

application service

service provided by a service provider accessing data from the *IVS* (2.11) in a vehicle in the case of C-ITS, via a wireless communications network, or provided on-board the vehicle as the result of software (and potentially also hardware and firmware) installed by a service provider or to a service provider's instruction