

MÜÜRITARVIKUTE SPETSIFIKATSIOON. OSA 1:
MÜÜRIANKRUD, TÕMBELINDID, TALAKINGAD JA
KONSOOLID

Specification for ancillary components for masonry -
Part 1: Wall ties, tension straps, hangers and brackets

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 845-1:2013+A1:2016 sisaldab Euroopa standardi EN 845-1:2013+A1:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 845-1:2013+A1:2016 consists of the English text of the European standard EN 845-1:2013+A1:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.07.2016.	Date of Availability of the European standard is 27.07.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.080.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Specification for ancillary components for masonry - Part
1: Wall ties, tension straps, hangers and brackets

Spécification pour composants accessoires de
maçonnerie - Partie 1: Attaches, brides de fixation,
étriers de support et consoles

Festlegungen für Ergänzungsbauteile für Mauerwerk -
Teil 1: Maueranker, Zugbänder, Auflager und Konsolen

This European Standard was approved by CEN on 21 March 2013 and includes Amendment 1 approved by CEN on 23 April 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	4
1 Scope.....	5
2 Normative references.....	5
3 Terms, definitions and symbols.....	7
3.1 Terms and definitions	7
3.2 Symbols.....	10
4 Materials.....	26
4.1 General.....	26
4.2 Fixings and materials not supplied by the manufacturer	26
5 Requirements	27
5.1 General.....	27
5.2 Dimensions and limit deviations.....	27
5.2.1 Method of measurement and accuracy	27
5.2.2 Length, applicable cavity width, embedment and fixings (number, size and location).....	27
5.2.3 Thickness or diameter	28
5.2.4 Other information.....	28
5.3 Mechanical strength.....	29
5.3.1 Wall ties and associated fixings	29
5.3.2 Joist hangers.....	31
5.3.3 Brackets.....	32
5.3.4 Tension straps.....	33
5.4 Resistance to water crossing a cavity	33
5.5 Safety during installation.....	34
5.6 Durability	34
5.7 Dangerous substances.....	34
6 Description and designation	34
7 Marking.....	36
8 Assessment and verification of constancy of performance – AVCP.....	36
8.1 General.....	36
8.2 Type testing.....	36
8.2.1 General.....	36
8.2.2 Test samples, testing and compliance criteria	37
8.2.3 Test reports.....	38
8.2.4 Shared other party results.....	38
8.3 Factory production control (FPC)	38
8.3.1 General.....	38
8.3.2 Requirements	39
8.3.3 Product specific requirements.....	41
8.3.4 Procedure for modifications	42
Annex A (normative) Materials and protective coatings.....	43
Annex B (informative) Guidance on FPC frequencies	48

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation	50
ZA.1 Scope and relevant characteristics	50
ZA.2 System of Assessment and Verification of Constancy of Performance (AVCP)	57
ZA.3 Assignment of AVCP tasks	57
Bibliography	60

European foreword

This document (EN 845-1:2013+A1:2016) has been prepared by Technical Committee CEN/TC 125 “Masonry”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2017, and conflicting national standards shall be withdrawn at the latest by April 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2016-04-23.

This document supersedes A1 EN 845-1:2013 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

A1 *deleted text* A1

EN 845, *Specification for ancillary components for masonry*, consists of the following parts:

- *Part 1: Wall ties, tension straps, hangers and brackets*
- *Part 2: Lintels*
- *Part 3: Bed joint reinforcement of steel meshwork*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies requirements for wall ties, tension straps, hangers and brackets for interconnecting masonry and for connecting masonry to other parts of works and buildings including walls, floors, beams, and columns. Where anchors or fasteners are supplied or specified as part of an ancillary component, the requirements including performance requirements apply to the complete product.

This European Standard is not applicable to:

- a) anchors and fasteners other than as part of an ancillary component;
- b) shelf angles;
- c) wall starter plates for tying into existing walls;
- d) products formed from materials other than:
 - 1) austenitic stainless steel (molybdenum chrome nickel alloys or chrome nickel alloys);
 - 2) austenitic ferritic stainless steel;
 - 3) ferritic stainless steel;
 - 4) copper;
 - 5) phosphor bronze;
 - 6) aluminium bronze;
 - 7) zinc-coated-steel with or without organic coating;
 - 8) polypropylene;
 - 9) polyamide (for expansion plugs only).

NOTE The resistance to fire performance of the products included herein cannot be assessed separately from the masonry element of which they are part and is therefore not covered under the scope of this part of this European Standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 771 (all parts), *Specification for masonry units*

EN 846-2, *Methods of test for ancillary components for masonry — Part 2: Determination of bond strength of prefabricated bed joint reinforcement in mortar joints*

EN 846-3, *Methods of test for ancillary components for masonry — Part 3: Determination of shear load capacity of welds in prefabricated bed joint reinforcement*

EN 846-4, *Methods of test for ancillary components for masonry — Part 4: Determination of load capacity and load-deflection characteristics of straps*

EN 846-5, *Methods of test for ancillary components for masonry — Part 5: Determination of tensile and compressive load capacity and load displacement characteristics of wall ties (couplet test)*

EN 846-6, *Methods of test for ancillary components for masonry — Part 6: Determination of tensile and compressive load capacity and load displacement characteristics of wall ties (single end test)*

EN 846-7, *Methods of test for ancillary components for masonry — Part 7: Determination of shear load capacity and load displacement characteristics of shear ties and slip ties (couplet test for mortar joint connections)*

EN 846-8, *Methods of test for ancillary components for masonry — Part 8: Determination of load capacity and load-deflection characteristics of joist hangers*

EN 846-9, *Methods of test for ancillary components for masonry — Part 9: Determination of flexural resistance and shear resistance of lintels*

EN 846-10, *Methods of test for ancillary components for masonry — Part 10: Determination of load capacity and load deflection characteristics of brackets*

EN 846-11, *Methods of test for ancillary components for masonry — Part 11: Determination of dimensions and bow of lintels*

EN 846-13:2001, *Methods of test for ancillary components for masonry — Part 13: Determination of resistance to impact, abrasion and corrosion of organic coatings*

EN 846-14, *Methods of test for ancillary components for masonry — Part 14: Determination of the initial shear strength between the prefabricated part of a composite lintel and the masonry above it*

EN 998-2, *Specification for mortar for masonry — Part 2: Masonry mortar*

EN 10020, *Definitions and classification of grades of steel*

EN 10029, *Hot-rolled steel plates 3 mm thick or above — Tolerances on dimensions and shape*

EN 10088 (all parts), *Stainless steels*

EN 10143, *Continuously hot-dip coated steel sheet and strip — Tolerances on dimensions and shape*

EN 10244 (all parts), *Steel wire and wire products — Non-ferrous metallic coatings on steel wire*

EN 10245-1, *Steel wire and wire products — Organic coatings on steel wire — Part 1: General rules*

EN 10245-2, *Steel wire and wire products — Organic coatings on steel wire — Part 2: PVC finished wire*

EN 10245-3, *Steel wire and wire products — Organic coatings on steel wire — Part 3: PE coated wire*

EN 10346, *Continuously hot-dip coated steel flat products — Technical delivery conditions*

EN ISO 75 (all parts), *Plastics — Determination of temperature of deflection under load*

EN ISO 178, *Plastics — Determination of flexural properties (ISO 178)*

EN ISO 180:2000, *Plastics — Determination of Izod impact strength (ISO 180:2000)*

EN ISO 306, *Plastics — Thermoplastic materials — Determination of Vicat softening temperature (VST) (ISO 306)*

EN ISO 527 (all parts), *Plastics — Determination of tensile properties*

EN ISO 1133 (all parts), *Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics*

EN ISO 1461, *Hot dip galvanized coatings on fabricated iron and steel articles — Specifications and test methods (ISO 1461)*

EN ISO 1463, *Metallic and oxide coatings — Measurement of coating thickness — Microscopical method (ISO 1463)*

EN ISO 2039-2, *Plastics — Determination of hardness — Part 2: Rockwell hardness (ISO 2039-2)*

ISO 427, *Wrought copper-tin alloys — Chemical composition and forms of wrought products*

ISO 428, *Wrought copper-aluminium alloys — Chemical composition and forms of wrought products*

ISO 431, *Copper refinery shapes*

ISO 1183 (all parts), *Plastics — Methods for determining the density of non-cellular plastics*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE Dimensions and terms relating to wall ties are given in Figure 1.

3.1.1

asymmetrical tie

1) wall tie which is of a different physical design at either end over its embedment depth (or end fixing) and for which the centre section may be symmetrical or asymmetrical in detail

Note 1 to entry: Examples are given in Figure 2 a).

2) wall tie which is physically identical at either end over its embedment depth (or end fixing) but which is fixed in a different manner at each end is also defined as asymmetrical for the purposes of the test procedure