

English Version

**Electronic fee collection - Application interface definition for  
autonomous systems - Part 4: Roaming (ISO/TS 17575-4:2011)**

Perception du télépéage - Définition de l'interface  
d'application pour les systèmes autonomes - Partie 4:  
Itinérance (ISO/TS 17575-4:2011)

Elektronische Gebührenerfassung -  
Anwendungsschnittstelle für autonome Systeme - Teil 4:  
Roaming (ISO/TS 17575-4:2011)

This Technical Specification (CEN/TS) was approved by CEN on 18 October 2010 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Foreword

This document (CEN ISO/TS 17575-4:2011) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics" the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204 "Intelligent transport systems".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

This document is a preview generated by EVS

# Contents

Page

Foreword .....	iv
Introduction.....	v
1 Scope.....	1
2 Normative References.....	1
3 Terms and definitions .....	1
4 Abbreviated terms .....	4
5 Basic concept .....	4
5.1 General .....	4
5.2 Overview.....	5
6 Data elements .....	6
6.1 General .....	6
6.2 Elements of the roaming rules attribute .....	7
6.2.1 The roaming rule identifier .....	7
6.2.2 The list of relevant EFC contexts.....	7
6.2.3 The list of EFC contexts which are grouped using a single charge report.....	9
6.2.4 House keeping data elements.....	9
7 Communicating the roaming rules attribute.....	10
7.1 Requesting an update of the roaming rules attribute.....	10
7.2 Responding to a roaming rules download request .....	10
7.3 ASN1 coding rules.....	10
Annex A (normative) EFC data type specifications .....	11
Annex B (normative) PICS proforma .....	13
Annex C (informative) How to assemble and use roaming data .....	22
Bibliography.....	24

## Introduction

### Autonomous systems

This part of ISO/TS 17575 is part of a series of four specifications defining the information exchange between the Front End and the Back End in Electronic Fee Collection (EFC) based on autonomous on-board equipment (OBE). EFC systems automatically collect charging data for the use of road infrastructure including motorway tolls, zone-based fees in urban areas, tolls for special infrastructure like bridges and tunnels, distance-based charging, and parking fees.

Autonomous OBE operates without relying on dedicated road-side infrastructure by employing wide-area technologies such as Global Navigation Satellite Systems (GNSS) and Cellular Communications Networks (CN). These EFC systems are referred to by a variety of names. Besides the terms autonomous systems and GNSS/CN systems, also the terms GPS/GSM systems, and wide-area charging systems are in use.

Autonomous systems use satellite positioning, often combined with additional sensor technologies such as gyroscopes, odometers and accelerometers, to localize the vehicle and to find its position on a map containing the charged geographic objects, such as charged roads or charged areas. From the charged objects, the vehicle characteristics, the time of day and other data that are relevant for describing road use, the tariff and ultimately the road usage fee are determined.

Some of the strengths of the autonomous approach to electronic fee collection are its flexibility, allowing the implementation of almost all conceivable charging principles, and its independence from local infrastructure, thereby predisposing this technology towards interoperability across charging systems and countries. Interoperability can only be achieved with clearly defined interfaces, which is the aim and justification of ISO/TS 17575.

### Business architecture

This part of ISO/TS 17575 complies with the business architecture defined in ISO 17573. According to this architecture, the Toll Charger is the provider of the road infrastructure and, hence, the recipient of the road usage charges. The Toll Charger is the actor associated with the Toll Charging role. See Figure 1.




Figure 1 — The rolebased model underlying this Technical Specification

Service Providers issue OBE to the users of the road infrastructure. Service Providers are responsible for operating the OBE that will record the amount of road usage in all toll charging systems the vehicle passes through and for delivering the charging data to the individual Toll Chargers. In general, each Service Provider delivers charging data to several Toll Chargers, as well as each Toll Charger in general receives charging data from more than one Service Provider. Interoperability Management in Figure 1 comprises all specifications and activities that in common define and maintain a set of rules that govern the overall toll charging environment.

### Technical architecture

The technical architecture of Figure 2 is independent of any particular practical realization. It reflects the fact that some processing functionalities can either be allocated to the OBE or to an associated off-board component (Proxy). An example of processing functionality that can be realized either on- or off-board is map-matching, where the vehicle locations in terms of measured coordinates from GNSS are associated to geographic objects on a map that either resides on- or off-board. Also tariffication can be done with OBE tariff tables and processing, or with an off-board component.




Figure 2 — Assumed technical architecture and interfaces

The combined functionality of OBE and Proxy is denoted as Front End. A Front End implementation where processing is predominately on OBE-side is known as a smart client (or intelligent client, fat client) or edge-heavy. A Front End where processing is mostly done off-board is denoted as thin-client or edge-light architecture. Many implementations between the “thin” and “thick” extremes are possible, as depicted by the gradual transition in the wedges in Figure 2. Both extremes of architectural choices have their merits and are one means where manufacturers compete with individual allocations of functionality between on-board and central resources.

Especially for thin client OBE, manufacturers might devise a wide variety of optimizations of the transfer of localization data between OBE and off board components, where proprietary algorithms are used for data reduction and data compression. Standardization of this transfer is neither fully possible nor beneficial.

### Location of the specification interface

In order to abstract from, and become independent of, these architectural implementation choices, the primary scope of ISO/TS 17575 is the data exchange between Front End and Back End (see the corresponding dotted line in Figure 2). For every toll regime, the Back End will send context data, i.e. a description of the toll regime in terms of charged objects, charging rules and, if required, the tariff scheme to the Front End, and will receive usage data from the Front End.

It has to be noted also that the distribution of tasks and responsibilities between Service Provider and Toll Charger will vary individually. Depending on local legal situation, Toll Chargers will require “thinner” or “thicker” data, and might or might not leave certain data processing tasks to Service Providers. Hence, the data definitions in ISO/TS 17575 may be useful on several interfaces.

ISO/TS 17575 also provides for basic media-independent communication services that may be used for communication between Front End and Back End, which might be line-based or an air-link, and can also be used for the air-link between OBE and central communication server.

### The parts of ISO/TS 17575

*Part 1: Charging*, defines the attributes for the transfer of usage data from the Front End to the Back End. The required attributes will differ from one Toll Charger to another, hence, attributes for all requirements are offered, ranging from attributes for raw localization data, for map-matched geographic objects and for completely priced toll transactions.

*Part 2: Communication and connection to lower layers*, defines basic communication services for data transfer over the OBE air-link or between Front End and Back End.

*Part 3: Context Data*, defines the data to be used for a description of individual charging systems in terms of charged geographical objects and charging and reporting rules. For every Toll Charger's system, attributes as defined in Part 3 are used to transfer data to the Front End in order to instruct it which data to collect and report.

*Part 4: Roaming*, defines the functional details and data elements required to operate more than one EFC regime in parallel. The domains of these EFC regimes may or may not overlap. The charge rules of different overlapping EFC regimes can be linked, i.e. they may include rules that an area pricing scheme will not be charged if an overlapping toll road is used and already paid for.

Relations between single EFC schemes can be

- EFC domains that can adjoin each other so that when moving from one EFC domain in the domain of the adjacent EFC regime there may be a zone where the OBE starts to operate according to the rules of the new regime before stopping the operation according to the old regime rules. Within this zone the OBE/Front-End needs to operate according to the rules for both of these schemes at the same time.
- Overlapping EFC contexts that can have dependencies in the charge object definition like overlapping areas where the outer/bigger area will not be charged when in the inner area. Or an area will not be charged when using a sectioned toll-road in the same area.
- Required to combine several usage statements for different EFC schemes in the same charge report.

The data elements (ADUs) required to specify these related properties are defined in this part of ISO/TS 17575.




Figure 3 — Scope of ISO/TS 17575

To communicate these ADUs between the Front End and the Back End, the same methodology as for ISO/TS 17575-1 and ISO/TS 17575-3 is applied as illustrated in Figure 3. The use of the communication stack is defined in ISO/TS 17575-2.

#### Applicatory needs covered by ISO/TS 17575

- The parts of ISO/TS 17575 are compliant with the architecture defined in ISO 17573.
- The parts of ISO/TS 17575 support charges for use of road sections (including bridges, tunnels, passes, etc.), passage of cordons (entry/exit), and use of infrastructure within an area (distance, time).
- The parts of ISO/TS 17575 support fee collection based on units of distance or duration, and based on occurrence of events.
- The parts of ISO/TS 17575 support modulation of fees by vehicle category, road category, time of usage, and contract type (e.g. exempt vehicles, special tariff vehicles, etc.)
- The parts of ISO/TS 17575 support limiting of fees by a defined maximum per period of usage.
- The parts of ISO/TS 17575 support fees with different legal status (e.g. public tax, private toll).
- The parts of ISO/TS 17575 support differing requirements of different Toll Chargers, especially in terms of
  - geographic domain and context descriptions,

- contents and frequency of charge reports,
- feedback to the driver (e.g. green or red light), and
- provision of additional detailed data on request, e.g. for settling of disputes.
- The parts of ISO/TS 17575 support overlapping geographic toll domains.
- The parts of ISO/TS 17575 support adaptations to changes in
  - tolled infrastructure,
  - tariffs, and
  - participating regimes.
- The parts of ISO/TS 17575 support the provision of trust guarantees by the Service Provider to the Toll Charger for the data originated from the Front End.



# Electronic fee collection — Application interface definition for autonomous systems —

## Part 4:

## Roaming

### 1 Scope

Roaming in the context of this part of ISO/TS 17575 is understood as the ability of a Front End to operate in more than one EFC context either consecutively or at the same time. Data elements required defining operational properties of a single EFC context are defined in ISO/TS 17575-3. The additional data elements required providing interoperability in overlapping and/or interdependent EFC contexts are defined in this part of ISO/TS 17575.

### 2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8824-1, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 8825-2, *Information technology — ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)*

ISO 14906, *Road transport and traffic telematics — Electronic fee collection — Application interface definition for dedicated short-range communication*

ISO/TS 17575-2, *Electronic fee collection — Application interface definition for autonomous systems — Part 2: Communication and connection to the lower layers*

ISO/TS 17575-3:2011, *Electronic fee collection — Application interface definition for autonomous systems — Part 3: Context data*

EN 15509:2007, *Road transport and traffic telematics — Electronic fee collection — Interoperability application profile for DSRC*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

##### **associated EFC context**

EFC context for which an individual user has the contractual consent that his or her Front End is interoperable

#### 3.2

##### **attribute**

application information formed by one or by a sequence of data elements, used for implementation of a transaction

NOTE Adapted from ISO 14906:2011.