TECHNICAL SPECIFICATION

ISO/TS 16281

First edition 2008-06-15

Rolling bearings — Methods for calculating the modified reference rating life for universally loaded bearings

Roulements — Méthodes de calcul de la durée nominale de référence corrigée pour les roulements chargés universellement



Reference number ISO/TS 16281:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

This document is a preview denerated by Fig.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Forew	vord	iv
Introd	luction	v
1	Scope	1
2	Normative references	1
3	Symbols	2
4	Ball bearings General Bearing internal load distribution	4
4.1	General	4
4.2	Bearing internal load distribution	4
4.3	Bearing internal load distribution Rating life Roller bearings General Bearing internal load distribution Rating life Reference geometries General Cylindrical rollor bearings and poorto rollor bearings	7
5	Roller bearings	9
5.1	General	9
5.2	Bearing internal load distribution	10
5.3	Rating life	13
6	Reference geometries	17
6.1	General	17
6.2	Cylindrical roller bearings and needle roller bearings	17
6.3	Deep groove ball bearings, angular contact ball bearings and separable ball bearings	17
6.4	Spherical roller bearings	17
6.5	Spherical roller bearings	17
6.6	Self-aligning ball bearings	18
6.7	Thrust cylindrical roller bearings and thrust needle roller bearings	18
6.8	Thrust ball bearings and thrust angular contact ball bearings	18
6.9	Thrust spherical roller bearings	18
6.10	Thrust tapered roller bearings	18
7	Thrust spherical roller bearings. Thrust tapered roller bearings. Life modification factor, a_{ISO} , and contamination factor, e_{C}	18
7.1	General	18
7.2	Life modification factor	18
7.3	Contamination factor	19
8	Fatigue load limit and basic dynamic load rating	19
Bibliography		20
2.0.10	Life modification factor, a_{ISO} , and contamination factor, e_C General Life modification factor Contamination factor Fatigue load limit and basic dynamic load rating	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in Maison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

- an ISO Publicly Available Specification (ISOPAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this comment may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 16281 was prepared by Technical Committee ISO/TC 4, *Rolling bearings*, Subcommittee SC 8, *Load ratings and life*.



Since publication of ISO 281 in 1990, additional knowledge has been gained regarding the influence on bearing life of contamination, lubrication, internal stresses from mounting, stresses from hardening, fatigue load limit of the material etc. It is therefore now possible to consider factors that have influence on bearing life

ISO 281:2007 provides a method to put into practice this new knowledge in a consistent way when the modified rating life of a bearing is calculated. However, the calculation method given in ISO 281:2007 cannot consider the influence on life of tilted or misaligned bearings and the influence on life of bearing clearance during operation. This technical Specification describes an advanced calculation method, which also makes it possible to consider these influences, and by that in addition provide the most accurate support for estimating

<section-header><section-header><section-header><text>

this document is a preview denerated by EUS

Rolling bearings — Methods for calculating the modified reference rating life for universally loaded bearings

1 Scope

This Technical Specification contains recommendations for the calculation of the modified reference rating life taking into consideration lubrication, contamination and fatigue load limit of the bearing material, as well as tilting or misalignment gerating clearance of the bearing and internal load distribution on rolling elements. The calculation method opvided in this Technical Specification covers influencing parameters additional to those described in ISO 28

The directions and limitations given in ISO 281 apply to this Technical Specification. The calculation methods pertain to the fatigue life of the pearings. Other mechanisms of failure, like wear or microspalling (gray staining), lie outside the scope of this Technical Specification.

This Technical Specification applies to tited single-row radial ball bearings, subjected to radial and axial load and with radial clearance and tilt taken into account. It also applies to tilted single-row roller bearings, subjected to pure radial load and with radial clearance, edge stress and tilt taken into account. References to methods for the analysis of the internal load distribution under general load are given.

The analysis of internal load distribution and modified reference rating life for multi-row bearings or bearings of a more complex geometry can be derived from the equations given in this Technical Specification. For these bearings, the load distribution for each individual row has to be considered.

This Technical Specification is primarily intended to used for computer programs and together with ISO 281 covers the information needed for life calculations. For accurate life calculations under the operating conditions specified above, it is recommended that either this Technical Specification or advanced computer calculations provided by bearing manufacturers, for determined the dynamic equivalent reference load under NOT DIE different loading conditions, be used.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the atest edition of the referenced document (including any amendments) applies.

ISO 281:2007, Rolling bearings — Dynamic load ratings and rating life

ISO 15241, Rolling bearings — Symbols for quantities