

ICS 13.080.20; 93.020

English version

**Geotechnical investigation and testing - Laboratory testing of
soil - Part 8: Unconsolidated undrained triaxial test (ISO/TS
17892-8:2004)**

Reconnaissance et essais géotechniques - Essais de sol
au laboratoire - Partie 8 : Essai triaxial non consolidé non
drainé (ISO/TS 17892-8:2004)

Geotechnische Erkundung und Untersuchung -
Laborversuche an Bodenproben - Teil 8: Unkonsolidierter
undrännierter Triaxialversuch (ISO/TS 17892-8:2004)

This Technical Specification (CEN/TS) was approved by CEN on 2 February 2004 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	page
Foreword.....	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Symbols	5
5 Equipment	6
6 Test procedure	8
7 Test results	10
8 Test report	11
Bibliography.....	13
Figures	
Figure 1 — Example of a triaxial test unit	6

Foreword

This document (CEN ISO/TS 17892-8:2004) has been prepared by Technical Committee CEN/TC 341 "Geotechnical investigation and testing", the secretariat of which is held by DIN, in collaboration with Technical Committee ISO/TC 182 "Geotechnics".

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CEN ISO/TS 17892 consists of the following parts, under the general title *Geotechnical investigation and testing — Laboratory testing of soil*:

- Part 1: Determination of water content.
- Part 2: Determination of density of fine grained soil.
- Part 3: Determination of particle density - Pycnometer method.
- Part 4: Determination of particle size distribution.
- Part 5: Incremental loading oedometer test.
- Part 6: Fall cone test.
- Part 7: Unconfined compression test on fine-grained soils.
- Part 8: Unconsolidated undrained triaxial test.
- Part 9: Consolidated triaxial compression tests.
- Part 10: Direct shear tests.
- Part 11: Permeability tests.
- Part 12: Determination of Atterberg limits.

Introduction

This document covers areas in the international field of geotechnical engineering never previously standardised. It is intended that this document presents broad good practice throughout the world and significant differences with national documents is not anticipated. It is based on international practice (see [1]).

1 Scope

This document specifies the test method for the determination of the compressive strength of a cylindrical, water-saturated specimen of undisturbed or remoulded cohesive soil when first subjected to an isotropic stress without allowing any drainage from the specimen, and thereafter sheared under undrained conditions within the scope of the geotechnical investigations according to prEN 1997-1 and -2.

NOTE "Water-saturated" refers to the in-situ condition. The material tested need not necessarily be saturated at all stages during the laboratory testing.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

prEN 1997-1, *Eurocode 7: Geotechnical design - Part 1: General rules*

prEN 1997-2, *Eurocode 7: Geotechnical design — Part 2: Ground investigation and testing*.

CEN ISO/TS 17892-1, *Geotechnical investigation and testing — Laboratory testing of soil — Part 1: Determination of water content (ISO/TS 17892-1:2004)*.

CEN ISO/TS 17892-2, *Geotechnical investigation and testing — Laboratory testing of soil — Part 2: Determination of density of fine grained soil (ISO/TS 17892-2:2004)*.

CEN ISO/TS 17892-3, *Geotechnical investigation and testing — Laboratory testing of soils — Part 3: Determination of density of soil particles — Pycnometer method (ISO/TS 17892-3:2004)*.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

failure

stress or strain condition at which failure takes place

3.2

cohesive soils

soils that behave as if they were actually cohesive, e.g. clay and clayey soils

NOTE Most soils in this group behave cohesively due to negative pore pressure and friction, and not due to cohesion.

3.3

undisturbed sample

normally sample of quality class 1 according to prEN 1997-2

NOTE If no specification for the failure state is given, failure may be considered to occur at the peak deviator stress.

4 Symbols

ε_1 vertical strain during shearing.

σ_3 minor principal stress or cell pressure.

σ_1 major principal stress or vertical stress.