

Safety of industrial trucks - Operation in potentially explosive atmospheres - Use in flammable gas, vapour, mist and dust

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 1755:2000+A2:2013 sisaldab Euroopa standardi EN 1755:2000+A2:2013 ingliskeelset teksti.	This Estonian standard EVS-EN 1755:2000+A2:2013 consists of the English text of the European standard EN 1755:2000+A2:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.03.2013.	Date of Availability of the European standard is 27.03.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 53.060

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

Safety of industrial trucks - Operation in potentially explosive atmospheres - Use in flammable gas, vapour, mist and dust

Sécurité des chariots de manutention - Fonctionnement en atmosphères explosibles - Utilisation dans des atmosphères inflammables dues à la présence de gaz, de vapeurs, brouillards ou poussières inflammables

Sicherheit von Flurförderzeugen - Einsatz in explosionsgefährdeten Bereichen - Verwendung in Bereichen mit brennbaren Gasen, Dämpfen, Nebeln oder Stäuben

This European Standard was approved by CEN on 16 August 1999 and includes Amendment 1 approved by CEN on 1 May 2009 and Amendment 2 approved by CEN on 20 January 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
Introduction	5
1 Scope	5
2 Normative references	6
3 Definitions	8
4 [A1] List significant of hazards [A1]	9
5 Safety requirements and/or measures	21
5.1 Trucks for conformity category 3 G.....	21
5.2 Trucks for conformity category 2 G.....	24
5.3 Trucks for conformity category 3 D.....	29
5.4 Trucks for conformity category 2 D.....	30
6 Verification of the safety requirements and/or measures	32
6.1 General.....	32
6.2 Temperature measurement.....	32
6.3 Earthing of trucks	35
6.4 Gas penetration test	35
6.5 Verification and test for pressurized enclosures	37
7 Information for use	38
7.1 Instruction handbook.....	38
7.2 Minimum marking	39
Annex A (informative) Relation between the classification of zones and their conformity categories	41
Annex ZA (informative) [A1] Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC [A1]	43
Annex ZB (informative) [A1] Relationship between this European Standard and the Essential Requirements of EU Directive 94/9/EC [A1]	44

Foreword

This document (EN 1755:2000+A2:2013) has been prepared by Technical Committee CEN/TC 150 "Industrial trucks - Safety", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2013, and conflicting national standards shall be withdrawn at the latest by September 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1, approved by CEN on 2009-05-01 and Amendment 2, approved by CEN on 2013-01-20.

This document supersedes A_2 EN 1755:2000+A1:2009 A_2 .

The start and finish of text introduced or altered by amendment is indicated in the text by tags A_1 A_1 and A_2 A_2 .

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

A_2 For relationship with EU Directive(s), see informative Annexes ZA and ZB, which are integral parts of this document. A_2

This European Standard is one of a series of European Standards for the safety of industrial trucks.

A_1 EN 1175-1, *Safety of industrial trucks — Electrical requirements — Part 1: General requirements for battery-powered trucks*

EN 1175-2, *Safety of industrial trucks — Electrical requirements — Part 2: General requirements for internal combustion engine powered trucks*

EN 1175-3, *Safety of industrial trucks — Electrical requirements — Part 3: Specific requirements for the electric power transmission systems of internal combustion engine powered trucks*

EN 1459, *Safety of industrial trucks — Self propelled variable reach trucks*

EN 1525, *Safety of industrial trucks — Driverless industrial trucks and their systems*

EN 1526, *Safety of industrial trucks — Additional requirements for automated functions on trucks*

EN 1551, *Safety of industrial trucks — Self propelled trucks over 10 000 kg capacity*

EN 1726-1, *Safety of industrial trucks — Self propelled trucks up to and including 10 000 kg capacity and tractors with a drawbar pull including 20 000 N — Part 1: General requirements*

EN 1726-2, *Safety of industrial trucks — Self propelled trucks up to and including 10 000 kg capacity and tractors with a drawbar pull including 20 000 N — Part 2: Additional requirements for trucks with elevating operator position and trucks specifically designed to travel with elevated load*

EN 1755, *Safety of industrial trucks — Operation in potentially explosive atmospheres — Use in flammable gas, vapour, mist and dust*

EN 1757-1, *Safety of industrial trucks — Pedestrian propelled trucks — Part 1: Stacker trucks*

EN 1757-2, *Safety of industrial trucks — Pedestrian propelled trucks — Part 2: Pallet trucks*

EN 1757-3, *Safety of industrial trucks — Pedestrian controlled manual and semi-manual trucks — Part 3: Platform trucks*

EN 1757-4, *Safety of industrial trucks — Pedestrian controlled manual and semi-manual trucks — Part 4: Scissor lift pallet-trucks*

EN 12053, *Safety of industrial trucks — Test methods for measuring noise emissions*

prEN ISO 13564, *Powered industrial trucks — Test methods for verification of visibility — Part 1: Sit-on and stand-on operator trucks up to and including 10 t capacity (ISO/DIS 13564-1:2007)*

EN 13059, *Safety of Industrial trucks — Test method for measuring vibration*

EN 12895, *Safety of industrial trucks — Electromagnetic compatibility $\langle A_1 \rangle$*

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This standard has been prepared to be a type C standard to provide one means of conforming with the essential requirements of the Machinery Directive and associated EFTA regulations. It will also provide one means of conforming with the essential requirements of the Directive concerning equipment and protective systems intended for use in potentially explosive atmospheres. ^{A1} The machines concerned and the extent to which hazards, hazardous situations and hazardous events are covered, are indicated in the scope of this standard. ^{A1}

In addition, industrial trucks should comply with ^{A1} EN ISO 12100-1 ^{A1} for hazards which are not covered by this standard.

^{A1} When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard. ^{A1}

1 Scope

This European Standard applies to self-propelled and pedestrian controlled manual and semi-manual industrial trucks as specified in the European Standards

^{A1} EN 1459, *Safety of industrial trucks — Self propelled variable reach trucks*

EN 1551, *Safety of industrial trucks — Self propelled trucks over 10 000 kg capacity*

EN 1726-1, *Safety of industrial trucks — Self propelled trucks up to and including 10 000 kg capacity and tractors with a drawbar pull including 20 000 N — Part 1: General requirements*

EN 1726-2, *Safety of industrial trucks — Self propelled trucks up to and including 10 000 kg capacity and tractors with a drawbar pull including 20 000 N — Part 2: Additional requirements for trucks with elevating operator position and trucks specifically designed to travel with elevated load*

EN 1757-1, *Safety of industrial trucks — Pedestrian propelled trucks — Part 1: Stacker trucks*

EN 1757-2, *Safety of industrial trucks — Pedestrian propelled trucks — Part 2: Pallet trucks*

EN 1757-3, *Safety of industrial trucks — Pedestrian controlled manual and semi-manual trucks — Part 3: Platform trucks*

EN 1757-4, *Safety of industrial trucks — Pedestrian controlled manual and semi-manual trucks — Part 4: Scissor lift pallet-trucks* ^{A1}

^{A1} and gives additional requirements for industrial trucks of equipment group II and equipment category 2G respectively 3G, 2D and 3D including their load handling devices as defined in Annex A. ^{A1}

^{A1} *deleted text* ^{A1}

^{A1} This European Standard covers the technical requirements necessary to avoid or minimize the significant hazards listed in Clause 4 which could occur during normal operation, maintenance or foreseeable misuse (in accordance with the data given by the manufacturer or his authorised representative) of industrial trucks. ^{A1}

Trucks for group II suitable for explosive atmospheres of gas, vapour or mist shall be subdivided in accordance with the respective mixture of the potentially explosive atmospheres in which they are intended to operate. The subdivision is in accordance with ^{A2} 4.2 of EN 13463-1:2009 ^{A2}.

Trucks marked IIB are suitable for application required for Group IIA trucks. Trucks marked IIC are suitable for application required for subgroup IIA and subgroup IIB trucks, but are not suitable to be used in areas with flammable gas and vapour atmospheres containing carbon disulfide (CS₂).

Where hybrid mixtures are present, the requirements for gas, vapour and mist as well as for dust shall be fulfilled.

Fork arms, load platforms or integrated attachments are part of the truck. Attachments mounted on the load carrier or fork arms are not part of the truck.

2 Normative references

^{A1} The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. ^{A1}

^{A1} *deleted text* ^{A1}

EN 1127-1:1997, *Explosive atmospheres — Explosion prevention and protection — Part 1: Basic concepts and methodology*

EN 1175-1:1998, *Safety of Industrial trucks — Part 1: Electrical requirements for battery-powered trucks*

EN 1175-2:1998, *Safety of Industrial trucks — Part 2: Electrical requirements for internal combustion engine powered trucks*

EN 1175-3:1998, *Safety of Industrial trucks — Part 3: Electrical requirements for the electric power transmission systems of internal combustion engine powered trucks*

^{A1} EN 1551:2000 ^{A1}, *Safety of Industrial trucks — Self propelled trucks over 10 000 kg capacity*

EN 1726-1:1998, *Safety of Industrial trucks — Self propelled trucks up to and including 10 000 kg capacity and tractors with a drawbar pull up to and including 20 000 N — Part 1: General requirements*

^{A1} EN 1726-2:2000 ^{A1}, *Safety of Industrial trucks — Self propelled trucks up to and including 10 000 kg capacity and tractors with a drawbar pull up to and including 20 000 N — Part 2: Additional requirements for trucks with elevating operator position and trucks specifically designed to travel with elevated loads*

^{A1} EN 1834-1:2000 ^{A1}, *Reciprocating internal combustion engines — Safety requirements for design and construction of engines for use in potentially explosive atmospheres — Part 1: Group II engines for use in flammable gas and vapour atmospheres*

^{A1} EN 1834-3:2000 ^{A1}, *Reciprocating internal combustion engines — Safety requirements for design and construction of engines for use in potentially explosive atmospheres — Part 3: Engines for use in combustible dust atmospheres*

^{A2} EN 13463-1:2009, *Non-electrical equipment for use in potentially explosive atmospheres — Part 1: Basic method and requirements* ^{A2}

^{A1} *deleted text* ^{A1}

^{A1} CLC/TR 50404:2003, *Electrostatics — Code of practice for the avoidance of hazards due to static electricity* ^{A1}

Ⓐ₁ EN 60079-0:2006, *Electrical apparatus for explosive gas atmospheres — Part 0: General requirements (IEC 60079-0:2004, modified)*

EN 60079-1:2007, *Explosive atmospheres — Part 1: Equipment protection by flameproof enclosures "d" (IEC 60079-1:2007)*

EN 60079-2:2007, *Explosive atmospheres — Part 2: Equipment protection by pressurized enclosures "p" (IEC 60079-2:2007)*

EN 60079-5:2007, *Explosive atmospheres — Part 7: Equipment protection by powder filling "q" (IEC 60079-5:2007)*

EN 60079-6:2007, *Explosive atmospheres — Part 6: Equipment protection by oil immersion "o" (IEC 60079-6:2007)*

EN 60079-7:2007, *Explosive atmospheres — Part 7: Equipment protection by increased safety "e" (IEC 60079-7:2006)*

EN 60079-11:2007, *Explosive atmospheres — Part 11: Equipment protection by intrinsic safety "i" (IEC 60079-11:2006)*

EN 60079-14:2003, *Electrical apparatus for explosive gas atmospheres — Part 14: Electrical installations in hazardous areas (other than mines) (IEC 60079-14:2002)*

EN 60079-15:2005, *Electrical apparatus for explosive gas atmospheres — Part 15: Construction, test and marking of type of protection "n" electrical apparatus (IEC 60079-15:2005)*

EN 60079-18:2004, *Electrical apparatus for explosive gas atmospheres — Part 18: Construction, test and marking of type of protection encapsulation "m" electrical apparatus (IEC 60079-18:2004) + Corrigendum 2006*

EN 60079-25:2004, *Electrical apparatus for explosive gas atmospheres — Part 25: Intrinsically safe systems (IEC 60079-25:2003) + Corrigendum 2006*

EN 60079-28:2007, *Explosive atmospheres — Part 28: Protection of equipment and transmission systems using optical radiation (IEC 60079-28:2006)*

EN 60079-29-1:2007, *Explosive atmospheres — Part 29-1: Gas detectors — Performance requirements of detectors for flammable gases (IEC 60079-29-1:2007, modified) Ⓐ₁*

EN 60529:1991, *Degrees of protection provided by enclosures (IP Code) Ⓐ₁ (IEC 60529:1989) Ⓐ₁*

Ⓐ₁ EN ISO 12100-1:2003, *Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology (ISO 12100-1:2003)*

EN ISO 12100-2:2003, *Safety of machinery — Basic concepts, general principles for design — Part 2: Technical principles (ISO 12100-2:2003) Ⓐ₁*

Ⓐ₁ EN ISO 13849-1:2008, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2006) Ⓐ₁*

IEC 60093:1980, *Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials*

Ⓐ₁ IEC 60243-1:1998, *Electrical strength of insulating materials — Test methods — Part 1: Tests at power frequencies (IEC 60243-1:1998) Ⓐ₁*

Ⓐ₁ EN 61241-0:2006, *Electrical apparatus for use in the presence of combustible dust — Part 0: General requirements (IEC 61241-0:2004, modified + corrigendum Nov. 2005)*

EN 61241-14:2004, *Electrical apparatus for use in the presence of combustible dust — Part 14: Selection and installation (IEC 61241-14:2004)* ^(A1)

ISO 1813:1998, *Anti static endless V-belts; Electrical conductivity characteristics and method of test*

^(A1) *deleted text* ^(A1)

ISO 9563:1990, *Belt drives; Electrical conductivity of antistatic endless synchronous belts; Characteristics and test method*

3 Definitions

For the purpose of this standard, the following definitions apply:

3.1 explosive atmosphere
mixture with air, under atmospheric conditions, of flammable substances in the form of gases, vapours, mists or dusts in which, after ignition has occurred, combustion spreads to the entire unburned mixture

3.2 potentially explosive atmosphere
an atmosphere which could become explosive due to local and operational conditions

3.3 minimum ignition temperatures
the definition given in clauses 3.30, 3.31, 3.32 and 3.33 of EN 1127-1:1997 shall apply

3.4 maximum surface temperature
the highest temperature attained in service under the most adverse operating conditions within the rating of the apparatus by any part or any surface of the equipment and accessible to the potentially explosive atmosphere

NOTE The manufacturer will prescribe the product standard and also in his particular design he should take into account the following other conditions:

- fault conditions specified in the standard for the type of protection concerned;
- all operating conditions specified in any other standard specified by him including recognized overloads;
- any other operating condition specified by him.

NOTE The relevant surface temperature may be internal or external depending upon the type of protection concerned.