

Petroleum and natural gas industries - Site-specific  
assessment of mobile offshore units - Part 1: Jack-ups  
(ISO 19905-1:2016)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 19905-1:2016 sisaldab Euroopa standardi EN ISO 19905-1:2016 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 19905-1:2016 consists of the English text of the European standard EN ISO 19905-1:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.02.2016.	Date of Availability of the European standard is 24.02.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 75.180.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

**EN ISO 19905-1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2016

ICS 75.180.10

Supersedes EN ISO 19905-1:2012

English Version

**Petroleum and natural gas industries - Site-specific  
assessment of mobile offshore units - Part 1: Jack-ups (ISO  
19905-1:2016)**

Industries du pétrole et du gaz naturel - Évaluation  
spécifique au site d'unités mobiles en mer - Partie 1:  
Plates-formes auto-élévatrices (ISO 19905-1:2016)

Erdöl- und Erdgasindustrie - Beurteilung von mobilen  
Offshore Einheiten bezüglich ihres Einsatzgebietes -  
Teil 1: Hubinseln (ISO 19905-1:2016)

This European Standard was approved by CEN on 2 January 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## European Foreword

This document (EN ISO 19905-1:2016) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2016, and conflicting national standards shall be withdrawn at the latest by August 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 19905-1:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 19905-1:2016 has been approved by CEN as EN ISO 19905-1:2016 without any modification.

# Contents

Page

Foreword.....	v
Introduction.....	vii
<b>1</b> <b>Scope</b> .....	<b>1</b>
<b>2</b> <b>Normative references</b> .....	<b>2</b>
<b>3</b> <b>Terms and definitions</b> .....	<b>2</b>
<b>4</b> <b>Symbols and abbreviated terms</b> .....	<b>13</b>
4.1 <b>Symbols</b> .....	13
4.2 <b>Abbreviated terms</b> .....	15
<b>5</b> <b>Overall considerations</b> .....	<b>16</b>
5.1 <b>General</b> .....	16
5.2 <b>Assessment approach</b> .....	16
5.3 <b>Selection of limit states</b> .....	19
5.4 <b>Determination of assessment situations</b> .....	20
5.5 <b>Exposure levels</b> .....	21
5.6 <b>Analytical tools</b> .....	25
<b>6</b> <b>Data to assemble for each site</b> .....	<b>25</b>
6.1 <b>Applicability</b> .....	25
6.2 <b>Jack-up data</b> .....	25
6.3 <b>Site and operational data</b> .....	25
6.4 <b>Metocean data</b> .....	26
6.5 <b>Geophysical and geotechnical data</b> .....	27
6.6 <b>Earthquake data</b> .....	27
<b>7</b> <b>Actions</b> .....	<b>27</b>
7.1 <b>Applicability</b> .....	27
7.2 <b>General</b> .....	28
7.3 <b>Metocean actions</b> .....	28
7.4 <b>Functional actions</b> .....	29
7.5 <b>Displacement dependent effects</b> .....	29
7.6 <b>Dynamic effects</b> .....	29
7.7 <b>Earthquakes</b> .....	29
7.8 <b>Other actions</b> .....	29
<b>8</b> <b>Structural modelling</b> .....	<b>30</b>
8.1 <b>Applicability</b> .....	30
8.2 <b>Overall considerations</b> .....	30
8.3 <b>Modelling the leg</b> .....	31
8.4 <b>Modelling the hull</b> .....	31
8.5 <b>Modelling the leg-to-hull connection</b> .....	32
8.6 <b>Modelling the spudcan and foundation</b> .....	32
8.7 <b>Mass modelling</b> .....	33
8.8 <b>Application of actions</b> .....	34
<b>9</b> <b>Foundations</b> .....	<b>37</b>
9.1 <b>Applicability</b> .....	37
9.2 <b>General</b> .....	37
9.3 <b>Geotechnical analysis of independent leg foundations</b> .....	37
9.4 <b>Other considerations</b> .....	41

<b>10</b>	<b>Structural response .....</b>	<b>43</b>
<b>10.1</b>	<b>Applicability .....</b>	<b>43</b>
<b>10.2</b>	<b>General considerations.....</b>	<b>43</b>
<b>10.3</b>	<b>Types of analyses and associated methods.....</b>	<b>43</b>
<b>10.4</b>	<b>Common parameters.....</b>	<b>44</b>
<b>10.5</b>	<b>Storm analysis .....</b>	<b>46</b>
<b>10.6</b>	<b>Fatigue analysis.....</b>	<b>48</b>
<b>10.7</b>	<b>Earthquake analysis .....</b>	<b>48</b>
<b>10.8</b>	<b>Accidental situations .....</b>	<b>49</b>
<b>10.9</b>	<b>Alternative analysis methods .....</b>	<b>49</b>
<b>11</b>	<b>Long-term applications.....</b>	<b>50</b>
<b>11.1</b>	<b>Applicability .....</b>	<b>50</b>
<b>11.2</b>	<b>Assessment data.....</b>	<b>50</b>
<b>11.3</b>	<b>Special requirements .....</b>	<b>51</b>
<b>11.4</b>	<b>Survey requirements.....</b>	<b>51</b>
<b>12</b>	<b>Structural strength.....</b>	<b>52</b>
<b>12.1</b>	<b>Applicability .....</b>	<b>52</b>
<b>12.2</b>	<b>Classification of member cross-sections.....</b>	<b>53</b>
<b>12.3</b>	<b>Section properties of non-circular prismatic members.....</b>	<b>54</b>
<b>12.4</b>	<b>Effects of axial force on bending moment.....</b>	<b>55</b>
<b>12.5</b>	<b>Strength of tubular members .....</b>	<b>55</b>
<b>12.6</b>	<b>Strength of non-circular prismatic members.....</b>	<b>55</b>
<b>12.7</b>	<b>Assessment of joints .....</b>	<b>55</b>
<b>13</b>	<b>Acceptance criteria .....</b>	<b>55</b>
<b>13.1</b>	<b>Applicability .....</b>	<b>55</b>
<b>13.2</b>	<b>General formulation of the assessment check .....</b>	<b>56</b>
<b>13.3</b>	<b>Leg strength assessment .....</b>	<b>57</b>
<b>13.4</b>	<b>Spudcan strength assessment.....</b>	<b>57</b>
<b>13.5</b>	<b>Holding system strength assessment.....</b>	<b>57</b>
<b>13.6</b>	<b>Hull elevation assessment .....</b>	<b>58</b>
<b>13.7</b>	<b>Leg length reserve assessment.....</b>	<b>58</b>
<b>13.8</b>	<b>Overturning stability assessment .....</b>	<b>58</b>
<b>13.9</b>	<b>Foundation integrity assessment.....</b>	<b>59</b>
<b>13.10</b>	<b>Interaction with adjacent infrastructure.....</b>	<b>60</b>
<b>13.11</b>	<b>Temperatures .....</b>	<b>60</b>
<b>Annex A (informative) Additional information and guidance .....</b>		<b>61</b>
<b>Annex B (normative) Summary of partial action and partial resistance factors .....</b>		<b>249</b>
<b>Annex C (informative) Additional information on structural modelling and response analysis .....</b>		<b>251</b>
<b>Annex D (informative) Foundations — Recommendations for the acquisition of site-specific geotechnical data.....</b>		<b>261</b>
<b>Annex E (informative) Foundations — Additional information and alternative approaches .....</b>		<b>267</b>
<b>Annex F (informative) Informative annex on Clause A.12 — Structural strength.....</b>		<b>280</b>
<b>Annex G (informative) Contents list for typical site-specific assessment report.....</b>		<b>295</b>
<b>Annex H (informative) Regional information.....</b>		<b>302</b>
<b>Bibliography .....</b>		<b>311</b>

## Introduction

The series of International Standards applicable to types of offshore structure, ISO 19900 to ISO 19906, addresses design requirements and assessments for all offshore structures used by the petroleum and natural gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and the nature or combination of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design or assessment rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design or assessment in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of offshore structural systems.

The series of International Standards applicable to types of offshore structure is intended to provide a wide latitude in the choice of structural configurations, materials and techniques, without hindering innovation. Sound engineering judgement is therefore necessary in the use of these International Standards.

This part of ISO 19905, which has been developed from the Society of Naval Architects and Marine Engineers (SNAME) Technical & Research Bulletin 5-5A (2002), states the general principles and basic requirements for the site-specific assessment of mobile jack-ups; it is intended to be used for assessment and not for design.

**NOTE** For the exposure level 1(L1) assessment and, where appropriate, the exposure level 2 (L2) assessment prior to evacuation being effected, this part of ISO 19905 requires the use of 50 year independent or 100 year joint probability metocean extremes, together with associated partial action factors. It is based on extensive benchmarking and best practice in the international community.

Site-specific assessment is normally carried out when an existing jack-up unit is to be installed at a specific site. The assessment is not intended to provide a full evaluation of the jack-up; it assumes that aspects not addressed herein have been addressed using other practices and standards at the design stage. In some instances, the original design of all or part of the structure could be in accordance with other standards in the ISO 19900 series, and in some cases, different practices or standards could have been applied.

The purpose of the site assessment is to demonstrate the adequacy of the jack-up and its foundations for the assessment situations and defined limit states, taking into account the consequences of failure. It is important that the results of a site-specific assessment be appropriately recorded and communicated to those persons required to know or act on the conclusions and recommendations. Alternative approaches to the site-specific assessment can be used, provided that they have been shown to give a level of structural reliability equivalent, or superior, to that implicit in this part of ISO 19905.

Annex A provides background to and guidance on the use of this part of ISO 19905. The clause numbering in Annex A is the same as in the normative text in order to facilitate cross-referencing. ISO/TR 19905-2 provides additional background to some clauses and a detailed sample 'go-by' calculation.

Annex B summarizes the partial factors. Supplementary information is presented in Annexes C to H.

To meet certain needs of industry for linking software to specific elements in this part of ISO 19905, a special numbering system has been permitted for figures, tables, formulae and bibliographic references.

In International Standards, the following verbal forms are used:

- “shall” and “shall not” are used to indicate requirements strictly to be followed in order to conform to the document and from which no deviation is permitted;
- “should” and “should not” are used to indicate that, among several possibilities, one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited;
- “may” is used to indicate a course of action permissible within the limits of the document;
- “can” and “cannot” are used for statements of possibility and capability, whether material, physical or causal.



# Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 1: Jack-ups

## 1 Scope

This part of ISO 19905 specifies requirements and guidance for the site-specific assessment of independent leg jack-up units for use in the petroleum and natural gas industries. It addresses:

- a) manned non-evacuated, manned evacuated and unmanned jack-ups;
- b) the installed phase at a specific site.

To ensure acceptable reliability, the provisions of this part of ISO 19905 form an integrated approach, which is used in its entirety for the site-specific assessment of a jack-up.

This part of ISO 19905 does not apply specifically to mobile offshore drilling units operating in regions subject to sea ice and icebergs. When assessing a jack-up operating in such areas, it is intended that the assessor supplement the provisions of this part of ISO 19905 with the provisions relating to ice actions and procedures for ice management contained in ISO 19906.

This part of ISO 19905 does not address design, transportation to and from site, or installation and removal from site. However, it is advisable that the assumptions used in the assessment be checked against the as-installed configuration.

To ensure that the design of the jack-up is sound and the structure is adequately maintained, this part of ISO 19905 is applicable only to independent leg jack-ups that either:

- hold a valid classification society certification from a recognized classification society (RCS) throughout the duration of the operation at the specific site subject to assessment; or
- have been verified by an independent competent body to be structurally fit for purpose for elevated situations and are subject to periodic inspection, both to the standards of an RCS.

NOTE 1 An RCS is an International Association of Classification Societies (IACS) member body, meeting the RCS definition given in 3.52.

Jack-ups that do not comply with this requirement are assessed according to the provisions of ISO 19902, supplemented by methodologies from this part of ISO 19905, where applicable.

NOTE 2 Future revisions of this part of ISO 19905 can be expanded to cover mat-supported jack-ups.

NOTE 3 Well conductors are a safety-critical element for jack-up operations. However, the integrity of well conductors is not part of the site-specific assessment process for jack-ups and is, therefore, not addressed in this part of ISO 19905. Annex A provides references to other publications addressing this topic.

NOTE 4 RCS rules and the IMO MODU code provide guidance for the design of jack-ups.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19901-1:2015, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 1: Metocean design and operating conditions*<sup>1</sup>

ISO 19901-2, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 2: Seismic design procedures and criteria*

ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 19900, ISO 19901-1, ISO 19901-2 and ISO 19902, and the following apply.

NOTE Other terms and definitions relevant for the use of this part of ISO 19905 are found in ISO 19901-4 and ISO 19906.

### 3.1

#### **abnormal wave crest**

wave crest with probability of typically  $10^{-3}$  to  $10^{-4}$  per annum

### 3.2

#### **accidental situation**

exceptional situation of the structure

EXAMPLES Impact, fire, explosion, local failure, loss of intended differential pressure (e.g. buoyancy).

### 3.3

#### **action**

external load applied to the structure (direct action) or an imposed deformation or acceleration (indirect action)

EXAMPLE An imposed deformation can be caused by fabrication tolerances, settlement, temperature change or moisture variation.

Note 1 to entry: An earthquake typically generates imposed accelerations.

[SOURCE: ISO 19900:2013, 3.3]

### 3.4

#### **assessment**

##### **site-specific assessment**

evaluation of the stability and structural integrity of a jack-up and, where applicable, its seabed restraint or support against the actions determined in accordance with the requirements of this part of ISO 19905

Note 1 to entry: An assessment can be limited to an evaluation of the components or members of the structure which, when removed or damaged, could cause failure of the whole structure, or a significant part of it.

---

<sup>1</sup> To be published. Replaces ISO 19901-1:2005.