
**Industrial automation systems and
integration — Service interface for testing
applications —**

**Part 1:
Overview**

*Systèmes d'automatisation industrielle et intégration — Interface de
service pour contrôler les applications —*

Partie 1: Vue d'ensemble



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

| | | |
|------------------------------|--|-----------|
| 1 | Scope | 1 |
| 2 | Terms and definitions | 1 |
| 3 | Abbreviations | 2 |
| 4 | Service interface concept | 3 |
| 4.1 | General | 3 |
| 4.2 | Platform adapted | 4 |
| 4.2.1 | Features | 4 |
| 4.2.2 | Device communication aspects | 4 |
| 4.3 | Device driver | 5 |
| 4.3.1 | Features | 5 |
| 4.3.2 | Device communication aspects | 5 |
| 4.4 | Device capability description | 5 |
| 4.4.1 | Features | 5 |
| 4.4.2 | Modules | 6 |
| 4.4.3 | Interfaces | 6 |
| 4.4.4 | Communication objects | 7 |
| 4.4.5 | Behaviour of virtual devices | 7 |
| 4.5 | Coordinator | 7 |
| Annex A (informative) | Use case for ISO 20242 | 9 |
| A.1 | Activities of users | 9 |
| A.2 | Activities of vendors | 9 |
| A.3 | Further activities | 9 |
| Annex B (informative) | State diagram for virtual devices | 10 |
| Annex C (informative) | Cascading of device drivers | 11 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 20242-1 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC 5, *Architecture, communications and integration frameworks*.

In addition to this part, ISO 20242 is envisaged to consist of several more parts dealing with:

- Resource management service interface;
- Virtual device service interface;
- Device capability profile template;
- Application program service interface;
- Conformance test methods, criteria and reports.

Introduction

The motivation for this International Standard stems from international automotive industries and their suppliers to facilitate the integration of automation and measurement devices, and other peripheral components for this purpose, into computer based applications. It defines rules for the construction of device drivers and their behaviour in the context of an automation and/or measurement application.

The main goal of ISO 20242 is to provide users with:

- independence from the computer operating system;
- independence from the device connection technology (device interface/network);
- independence from device suppliers;
- the ability to certify device drivers with connected devices and their behaviour in the context of a given computer platform;
- independence from the technological device development in the future.

ISO 20242 will not involve the development of new device families or the use of special interface technologies (networks). It encapsulates a device and its communication interface to make it compatible with other devices of that kind for a given application.

This document is a preview generated by EVS

Industrial automation systems and integration — Service interface for testing applications —

Part 1: Overview

1 Scope

This part of ISO 20242 provides an overview of the particularities of this International Standard and its use in the computer aided testing environment.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

application program

resource designed to help users perform a specific task

NOTE In this International Standard, an application program does any task necessary to run a computer-aided test station running, with the special requirement that communication with peripheral devices is done.

2.2

application program service interface

interface to communicate with a coordinator

NOTE This will be specified in another part of ISO 20242.

2.3

communication object

existing object which may be accessed with a communication function to read or write a value

2.4

coordinator

program with a specified interface to handle the access of an application program to one or more device drivers and to manage real-time application aspects, synchronization and events

2.5

device capability description

text file containing information about the capabilities of virtual devices in a defined format (i.e. structure, syntax)

NOTE This will be specified in another part of ISO 20242.

2.6

device driver

program with an ISO 20242-specified interface containing service functions that call the platform adapter to access physical devices

2.7

interface

<device capability description> keyword identifying a class for the description of device functions