TECHNICAL REPORT

CEN/TR 15449

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

August 2011

ICS 07.040: 35.240.70

Supersedes CEN/TR 15449:2006

English Version

Geographic information - Standards, specifications, technical reports and guidelines, required to implement Spatial Data Infrastructures

Information géographique - Normes, spécifications, rapports techniques et lignes directrices, nécessaires à la mise en oeuvre d'une infrastructure d'information spatiale bonne fin de journée

Geoinformation - Normen, Spezifikationen, technische Berichte und Leitfäden zur Einführung von Geodateninfrastrukturen

This Technical Report was approved by CEN on 8 November 2010. It has been drawn up by the Technical Committee CEN/TC 287.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

CEN/TR 15449:2011 (E)

Conter	nts	Page
EODEWO	DRD	_
0 INTR	RODUCTION	6
0.1	SPATIAL DATA INFRASTRUCTURES	6
0.2 I	NTENDED READERSHIP	6
0.3	AIM OF THE REPORT	6
1 MAN	AGEMENT SUMMARY	8
	RY OF RECOMMENDATIONS	
	PE	
3 NOR	MATIVE REFERENCES	11
4 TERN	MS AND DEFINITIONS	11
	REVIATED TERMS	
	NTEROPERABILITY	
	NTRODUCTION	
	STANDARDS AND INTEROPERABILITY	
	GENERIC ARCHITECTURE MODEL	
	DATA-CENTRIC VERSUS SERVICE-CENTRIC	
	SDI AS A DYNAMIC FRAMEWORK	
	ERENCE MODEL FOR A SDI	
7.1 I	NTRODUCTION	21
	FRAMEWORK STANDARDS	
7.3 S	SPATIAL DATA	23
7.3.1	Reference data/thematic data	23
7.3.2	Coverages	
7.4 N	METADATA AND CATALOGUE SERVICES (INCLUDING REGISTRY)	
7.4.1	Overview	
7.4.2	Abstract models	
7.4.3	Implementation Specifications	
7.4.4		
	GEOGRAPHIC HUMAN INTERACTION SERVICES	
7.5.1 7.5.2	OverviewAbstract models	20 20
7.5.3	Implementation Specifications	
	REFERENCE DATA – CO-ORDINATE REFERENCES AND GEOSPATIAL IDENTIFIERS	
7.6.1	General	
7.6.2	Coordinates	
7.6.3	Place names and identifiers	
7.6.4	Related services	
7.7 S	SUMMARY OF RECOMMENDATIONS	
8 DATA	A-CENTRIC VIEW ON SDI	33
	NTRODUCTION	
	DEVELOPMENT	
8.2.1	The model-driven approach	
8.2.2	Semantics	
8.2.3	Application schema	35

8.2.		
8.2		
8.2.		
8.3.	DATA MANAGEMENT	
8.3.		
8.3	2 Accessing data	
8.3.		
8. <i>3</i>		
8.4	SUMMARY OF RECOMMENDATIONS	
9 SEF	RVICE-CENTRIC VIEW	41
9.1	INTRODUCTION	41
9.2	REGISTRIES AS THE SDI GLUE	
9.3	PUBLISH, FIND AND USE RESOURCES	
9.3.		
9.3.		
9.3		
9.3.		
9.4	INTEROPERABILITY	45
9.4.	=	
9.4.		
9.5	SERVICE TAXONOMY	
9.6	SERVICE ARCHITECTURE	
9.6.		
9.6.		
9.6		
9.6.		
9.7	SERVICE CATALOGUE	48
9.8 9.9	SERVICE CHAINING	48
10 C	CULTURAL AND LINGUISTIC ADAPTABILITY	
10.1	INTRODUCTION	
10.2	IMPACT ON SDIS	
10.2		
10.2		
10.2		
10.2	2.4 Multilingual access and processing of resources	54
11 G	SEO-PORTALS	54
11.1	INTRODUCTION	54
11.2	CONSIDERATIONS FOR PORTAL DEVELOPMENT	
12 II	MPLEMENTATION STEERING MECHANISMS	56
	IMPLEMENTATION PLAN	
12.1		
12.2	MONITORING	
12.3	CONFORMANCE AND CONFORMANCE TESTING	
12.3		
12.3		
12.3	1 1	
12.3	Summary of Recommendations	
13 R	EQUIREMENTS NOT CURRENTLY COVERED SUFFICIENTLY BY GI STANDARDS	58
ANNEY	A (INFORMATIVE) DESCRIPTION OF REFERENCED ISO STANDARDS	60
4 31 71 TLA	A (INTORMATIVE) DESCRIPTION OF REPERENCED ISO STANDARDS	
ANNEX	B (INFORMATIVE) CEN/TC 287 AND ISO/TC 211 STANDARDS	62
ANNEX	C (INFORMATIVE) OPEN GEOSPATIAL CONSORTIUM SPECIFICATIONS	65

CEN/TR 15449:2011 (E)

	OR SPATIAL INFORMATION IN EUROPE 67
BIBLIOGRAPHY	
5.	
S	
•	O,
	4
	0
	, O
	6
	O_{λ}

Foreword

This document has been prepared by Technical Committee CEN/TC 287 "Geographic information", the secretariat of which is held by BSI.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent JEC,
Jes CENTI rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TR 15449:2006.

0 Introduction

0.1 Spatial Data Infrastructures

Spatial data infrastructure (SDI) is a general term for the computerised environment for handling data that relates to a position on or near the surface of the earth. It may be defined in a range of ways, in different circumstances, from the local up to the global level.

For example, the Group on Earth Observations (GEO) in the context of the Global Earth Observation System of Systems (GEOSS) refers to the definition adopted by the Global Spatial Data Infrastructure (GSDI) Association, in which a SDI

"encompasses the policies, organizational remits, data, technologies, standards, delivery mechanisms, and financial and human resources necessary to ensure that those working at the global and regional scale are not impeded in meeting their objectives".

Likewise, the United Nations SDI (UNSDI) initiative defines SDI as an "umbrella" of policies, standards and procedures under which organizations and technologies interact to foster more efficient use, management and production of geo-spatial data.

The European Directive 2007/2/EC of the European Parliament and of the Council of 14 March 2007 establishing an Infrastructure for Spatial Information in the European Community (INSPIRE) defines a SDI as:

"the metadata, spatial data sets and spatial data services; network services and technologies; agreements on sharing, access and use; and coordination and monitoring mechanisms, processes and procedures, established, operated or made available in an interoperable manner".

This Technical Report adopts the INSPIRE definition. It focuses on the technical aspects of a SDI, thereby limiting the term SDI to mean an implementation neutral technological infrastructure for geospatial data and services, based upon standards and specifications. This report does not consider a SDI as a carefully designed and dedicated information system; rather, it is viewed as a collaborative framework of disparate information systems that contain resources that stakeholders desire to share. The common denominator of SDI resources, which can be data or services, is their spatial nature. It is understood that the framework is in constant evolution, and that therefore the requirements for standards and specifications supporting SDI implementations evolve.

0.2 Intended readership

The intended readership of this report are those people who are responsible for creating frameworks for SDI, experts contributing to INSPIRE, experts in information and communication technologies and e-government that need to familiarize themselves with geographic information and SDI concepts, and standards developers and writers.

0.3 Aim of the report

The aims of this report are three-fold:

- to identify the standards, specifications, technical reports and guidelines, required to implement a SDI in Europe;
- to give recommendations as to whether any of these items should become European standards (ENs), and to propose a roadmap for future work items;
- to provide recommendations for measures to be taken in order to support implementation and maintenance of a SDI.

Existing material about SDIs abounds. The criteria used for determining if a given standard or specification is referred to in this report are:

- the publication addresses an aspect of the SDI; and
- the publication is non- proprietary in nature.

Based on these considerations, the following reports have been taken into account:

- legal texts and guidelines produced in the context of INSPIRE;
- documents produced by ISO/TC 211;
- documents produced by the Open Geospatial Consortium (OGC), including the OpenGIS Reference Model (ORM) (OGC, 2003);
- the European Interoperability Framework and related documents;
- deliverables from the European Union-funded projects (GIGAS, SANY);
- existing national guidelines based on the (EN) ISO 19100 series of standards.

The report covers the main concerns of a SDI in Europe:

- a data-centric and a service-centric view on SDI, brought together in a Reference Model;
- concerns related to multi-lingual and cultural adaptability;
- geo-portals;
- implementation;
- SDI aspects currently not covered by standards.

1 Management summary

In order for standards and specifications to be useful for implementing a SDI in Europe, it needs to be straightforward to identify which standards are relevant in a particular situation, and the interpretation of standards should be unambiguous. This Technical Report provides a framework for the identification of standards, and makes recommendations with the aim of enhancing interoperability between information systems that provide data and services in support of a SDI. The following paragraphs summarize the recommendations of this Technical Report.

For the realisation of SDI in Europe, it is recommended that a number of registration authorities are established. A SDI needs, like any other distributed information system, a reference frame. This is the aggregation of the data needed by different components of the information systems. In a SDI context, the reference frame includes:

reference frame includes:			
— units of measures;			
 coordinate reference systems; 			
— codelist definitions;			
— encoding schemas;			
 feature data dictionaries (see EN ISO 19126); 			
— feature catalogues (see EN ISO 19110);			
 portrayal catalogues and related symbology registers. 			
Registries are required for these information elements and geographical items, and for:			
 cultural and linguistic adaptability of metadata elements; 			
European common data models;			
 national data which are of interest in a cross-border community or in a multilingual community. 			
Registries should be conformant to EN ISO 19135, <i>Geographic information — Procedures for item registration</i> (ISO 19135:2005) where applicable. Organisations which implement a SDI should have a content registration authority which provides a control body (to decide on the acceptability of proposals for changes to the content of a register).			
In order to enable the cultural and linguistic adaptability (CLA) of metadata and common data models, it is recommended to use unique names and codes for the information elements and the geographical items (e.g feature type). A number of practical suggestions related to CLA are given in Clause 10.			
All services should be categorized based around the EN ISO 19119 taxonomy.			
Service-oriented architecture or resource-oriented architectures should be applied when the following issue are considered to be important:			
 components of information systems run on different platforms; 			
 the system consists of components from different vendors; 			
 the service is to be published and available on the internet; 			
— wranning of existing services where these are exposed as web services:			

— making existing functionality available for other applications on other platforms.

The use of UML according to ISO/TS 19103 should be used as an SDI conceptual schema language. Object Constraint Language (OCL) should be used to define requirements and apply constraints to a UML model.

If an information community applies a Conceptual Schema Language other than UML, it is the responsibility of that information community to map the ISO general feature model to the meta-model of the Conceptual Schema Language of choice, and to maintain the mapping rules, following the ISO/TS 19103 conformance statement:

Non-UML schemas shall be considered conformant if there is a well-defined mapping from a model in the source language into an equivalent model in UML and that this model in UML is conformant.

In order to provide a GML application schema, an application schema should be made by applying a conceptual schema language, and the GML application schema should be derived from that conceptual model, applying the rules for mapping from UML as described in Annex E of EN ISO 19136:2009.

It is recommended that CEN/TC 287, in collaboration with ISO/TC 211 and OGC, start to initiate work on the following items:

- catalogue service;
- XML encoding of portrayal;
- quality aspects of services;
- support for cultural and linguistic adaptability.

It is further recommended that before a given standard or specification be made mandatory in a European or national legislation, the standard be implemented and tested.

Practical experience with the implementation of a given standard may reveal that a European profile thereof is needed.

During the period of time that this TR has been under development, a significant amount of work has been undertaken to develop the semantic web using linked data and related approaches. This will have a significant impact on this technical report, for example to assess the additional relevant W3C standards and their relation to CEN/TC 287 and related standards work. It is expected that this will be addressed in a subsequent release of this TR.

Summary of recommendations

- 1. Portrayal service standardisation should be developed (in co-operation of ISO/TC 211 and OGC) especially for view and download services (WMS, WFS and WCS).
- 2. The registry service of Geodetic codes and parameters should be clearly defined in order to be used in view and download services of geographic information (in Europe).
- 3. The document "INSPIRE Metadata Implementing Rules: Technical Guidelines based on EN ISO 19115 and EN ISO 19119" should be used as the SDI metadata standard for discovery.
- 4. EN ISO 19109 and referred standards are adopted as SDI rules for specifying data structures and semantics.
- 5. The use of UML according to ISO/TS 19103 should be used as an SDI conceptual schema language. Object Constraint Language (OCL) should be used to define requirements and apply constraints to a UML model.
- 6. EN ISO 19136 (GML) is adopted as the encoding method when transferring geographic data.
- 7. CEN ISO/TS 19139 is adopted as the encoding method when transferring information related to geographic data such as metadata, feature catalogues and data dictionaries.
- 8. The extension for metadata based transfers of geospatial information defined in CEN ISO/TS 19139 is adopted for transfer of geospatial datasets.
- 9. There should be transparent access to data through services on the web for SDIs in Europe.
- 10. Unique identifiers for use in a European SDI should consist of a namespace and an identifier which is unique within its namespace.
- 11. Web Service Architecture (WSA), either service-oriented or resource-oriented, should be applied as appropriate within the overall technical architecture.
- 12. Key performance indicators should be established for the measurement of the state of standards in a SDI.
- 13. Organisations which implement an SDI should have a content registration authority which provides a conformance role for content (applying the concept of the Registration authority as defined in EN ISO 19135, *Geographic information Procedures for item registration (ISO 19135:2005*)).

5

2 Scope

This Technical Report identifies and describes standards that are required for a spatial data infrastructure (SDI).

This Technical Report describes a reference model for a spatial data infrastructure, covering framework standards, metadata and catalogue services and geospatial reference systems. It provides both data-centric and service-centric views.

This Technical Report discusses issues associated with implementation of a spatial data infrastructure, in particular cultural and linguistic adaptability and geo-portals, and identifies the standards, technical specifications, technical reports and guidelines, required to implement a spatial data infrastructure in Europe.

This Technical Report proposes a roadmap for future standards work items, and makes recommendations for measures to be taken in order to support implementation and maintenance of a spatial data infrastructure.

3 Normative references

Not applicable.

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1

conceptual formalism

set of modelling concepts used to describe a conceptual model

[EN ISO 19101:2005]

EXAMPLE UML meta model, EXPRESS meta model.

NOTE One conceptual formalism can be expressed in several conceptual schema languages.

4.2

conceptual model

model that defines concepts of a universe of discourse

[EN ISO 19101:2005]

4.3

conceptual schema

formal description of a conceptual model

[EN ISO 19101:2005]

4.4

conceptual schema language

formal language based on a conceptual formalism for the purpose of representing conceptual schemas

[EN ISO 19101:2005]

EXAMPLE UML, EXPRESS, IDEF1X.

NOTE A conceptual schema language may be lexical or graphical. Several conceptual schema languages can be based on the same conceptual formalism.