INTERNATIONAL STANDARD

ISO 2597-2

Second edition 2015-11-01

Iron ores — Determination of total iron content —

Part 2:

Titrimetric methods after titanium(III) chloride reduction

Minerais de fer — Dosage du fer total —

Partie 2: Méthodes titrimétriques après réduction au chlorure de titane(III)





© ISO 2015, Published in Switzerland

voduced or utilized c te internet or an 'nr ISO's memb All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents				Page	
Fore	word			iv	
1	Scop			1	
2	Norn	ative references		1	
3	Principle				
	Ĭ				
	3.2	Titration of iron		2	
4	Reagents			2	
5	Apparatus			3	
6	Sampling and samples			4	
	6.1	Laboratory sample		4	
	6.2				
			ontents of combined water or oxidizable compound 6.2.2		
		•			
7	Procedure				
	7.1	Number of determinations Blank test and check test			
	7.2 7.3				
	7.3 7.4			5 5	
	7.5				
			t portion		
		7.5.2 Reduction		7	
8	Expression of results			8	
	8.1	Calculation of total iron content		8	
	8.2				
			sible tolerance		
			cal result		
			ecision		
	8.3				
9			(O) _*		
		•	ure for the acceptance of analytical values for		
AIIII	-			12	
Ann		-	reighing method		
	iograph		- 0 0	11	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 102, *Iron ore and direct reduced iron*, Subcommittee SC 2, *Chemical analysis*.

This second edition cancels and replaces the first edition (ISO 2597-2:2008), which has been technically revised.

ISO 2597 consists of the following parts, under the general title *Iron ores* — *Determination of total iron content*:

- Part 1: Titrimetric method after tin(II) chloride reduction
- Part 2: Titrimetric methods after titanium(III) chloride reduction

Iron ores — Determination of total iron content —

Part 2:

Titrimetric methods after titanium(III) chloride reduction

WARNING — This part of ISO 2597 may involve hazardous materials, operations and equipment. This part of ISO 2597 does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this part of ISO 2597 to establish appropriate health and safety practices and determine the applicability of regulatory limitations prior to use.

1 Scope

This part of ISO 2597 specifies a titrimetric method, free from mercury pollution, for the determination of total iron content in iron ores, using potassium dichromate as titrant after reduction of the iron(III) by tin(II) chloride and titanium(III) chloride. The excess reductant is then oxidized by either dilute potassium dichromate.

This method is applicable to a concentration range of 30 % mass fraction to 72 % mass fraction of iron in natural iron ores, iron ore concentrates and agglomerates, including sinter products.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 80000-1:2009, *Quantities and unit* — *Part 1: General*

ISO 385, Laboratory glassware — Burettes

ISO 648, Laboratory glassware — Single-volume pipettes

ISO 1042, Laboratory glassware — One-mark volumetric flasks

ISO 2596, Iron ores — Determination of hygroscopic moisture in analytical samples — Gravimetric, Karl Fischer and mass-loss methods

ISO 3082, Iron ores — Sampling and sample preparation procedures

3 Principle

3.1 Decomposition of the test portion

3.1.1 Acid decomposition

For samples containing not more than 0.05 % mass fraction of vanadium, the test portion is treated with hydrochloric acid in the presence of tin chloride.

The residue is filtered, ignited and treated with hydrofluoric and sulfuric acids. The mixture is fused with potassium disulfate and the cold melt is dissolved in water more hydrochloric acid and combined with the main iron solution, which is treated with potassium permanganate and evaporated.