INTERNATIONAL STANDARD

ISO 16409

First edition 2006-10-01

Dentistry — Oral hygiene products — Manual interdental brushes

Art dentaire — Produits d'hygiène bucco-dentaire — Brosses interdentaires manuelles



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

This document is a preview denetated by this

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents	Pag

Forev	word	iv
Intro	duction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	
4	Classification Requirements Req	2
5	Requirements	2
5.1	Defects or contamination	2
5.2	Brush size	2
5.3	Filament retention	3
5.4	Stem retention	3
5.5	Stem durability	3
6	Defects or contamination Brush size Filament retention Stem retention Stem durability Sampling Test methods General Pass/fail criteria Visual inspection Passage hole diameter Filament retention Stem retention Stem durability Test report	3
7	Toot methods	•
7 7.1	rest methods	ວ
	General	ა
7.2	Pass/tall criteria	3
7.3	Visual inspection	3
7.4	Passage hole diameter	4
7.5	Filament retention	5
7.6	Stem retention	6
7.7	Stem durability	7
8	Test report Accompanying information Manufacturer's instructions for use Labelling on the package Packaging	11
9	Accompanying information	11
9.1	Manufacturer's instructions for use	11
9.2	I shelling on the nackage	11
	Labeling on the package	1
10	Packaging	11
	O.	
	` L	
	$^{\prime\prime}$	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in Maison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16409 was prepared by Technical Committee ISO/TC 106, Dentistry, Subcommittee SC 7, Oral care products.

Introduction

Manual interdental brushes are used for oral hygiene purposes intended to provide health benefits. Their main application purpose is mechanical plaque removal, primarily from the interdental region.

this document is a preview denetated by Files

Inis document is a preview denetated by EUS

Dentistry — Oral hygiene products — Manual interdental brushes

1 Scope

This International Standard specifies requirements and test methods for performance criteria for manual interdental brushes with a round cross-section of the brush head.

It also specifies the accompanying information, such as the manufacturer's instructions for use and labelling of the packaging.

This International Standard is hoppicable to powered interdental brushes, manual toothbrushes, dental floss, tapes, and strings, nor is it applicable to interdental cleaners that do not include filaments.

2 Normative references

The following referenced documents are interpretable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1942, Dentistry — Vocabulary

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1942 and the following apply.

3.1

manual interdental brush

hand-powered device composed of filaments emanating radially from a stem, intended for cleaning of interdental surfaces

3.2

interdental brush head

portion of manual interdental brush, which passes in and out of spaces between the teeth to clean the exposed surfaces

NOTE The brush head can be fixed or removable, but is fixed during use.

3.3

interdental brush handle

portion of manual interdental brush which holds the stem of the manual interdental brush

3.4

stem

central support structure of the manual interdental brush head, usually composed of twisted wire, which secures the filaments