PÕLLUMAJANDUSMASINAD. HAAGISED. OHUTUS (PARANDATUD VERSIOON 05.2019)

Agricultural machinery - Trailers - Safety (corrected version 05.2019)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 1853:2017 sisaldab Euroopa standardi EN 1853:2017+AC:2019 ingliskeelset teksti.	This Estonian standard EVS-EN 1853:2017 consists of the English text of the European standard EN 1853:2017+AC:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 29.05.2019.	Date of Availability of the European standard is 29.05.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 65.060.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EN 1853:2017+AC

EUROPÄISCHE NORM

May 2019

ICS 65.060.10

Supersedes EN 1853:2017

English Version

Agricultural machinery - Trailers - Safety

Matériel agricole - Remorques - Sécurité

Landmaschinen - Anhänger - Sicherheit

This European Standard was approved by CEN on 12 June 2017 and includes Corrigendum 1 approved by CEN on 12 June 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Conte	ents	Page
-		-
-	ean foreword	
Introd	uction	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Safety requirements and/or protective/risk reduction measures	11
4.1	General	11
4.2	Stability	
4.2.1	Stability and immobilisation of the detached trailer	
4.2.2	Stability in the raised position when tipping	
4.2.3	Minimum load on the drawbar hitch	
4.2.4	Blocking device for axle suspension and bogie axle	
4.2.5	Stability during travelling	
4.3	Boarding means	
4.3 4.4	Tipping	
4.5	Hydraulic, pneumatic and electrical interconnections	
4.5 4.6	Safety of the control system	
4.0 4.6.1	General	
4.6.1 4.6.2		
	Performance levels Other requirements	15
4.7		
4.8	Load securing	
4.9	Jacking points	
4.10	Visibility	
4.11	Opening and closing of the rear discharge gate	
	Opening	
	Closing	
4.12	Conveyor devices	
4.13	Additional requirements for high-tip trailers	
4.14	Additional requirements for hook-lift trailers	
	Stability in the raised position when tipping	
	Load on the drawbar hitch	
	Locking device	
	Markings	
	Overload	
4.14.6	Safety of the control system	20
5	Verification of the safety requirements and/or protective/risk reduction measures	21
6	Information for use	23
6.1	Instruction handbook	23
6.1.1	General	
6.1.2	Additional information specific to hook-lift trailers	
6.2	Marking	
6.3	Warning signs	
	A (normative) List of hazards	
annex	A [HOTHIAUVE] LIST OF NAZATUS	ZY

Annex	x B (normative) Stability tests (rear tipping trailers)	34
B.1	Scope	34
B.2	Test equipment	34
B.3	Test procedure	34
B.4	Test acceptance	35
Annex	x C (normative) Verification of stability by calculation	36
C.1	Scope	36
C.2	Calculation method	36
C.3	Basic assumptions for the calculation	36
C.4	Input data	36
C.5	Coordinate systems	38
C.6	Stability criterion	39
C.7	Calculation procedure	39
C.8	Stability check	40
Annex	x D (normative) Calculation method of vertical force in the tractor coupling device during exchange	43
Annex	x E (normative) Scraper floor	
E.1	Guarding	
E.1.1	General	
E.1.2	Moving path of scraper floor	44
E.1.3	Front turning points Rear turning points	47
E.1.4	Rear turning points	49
E.2	Adjustment of scraper floor	
	x F (normative) Visibility	
Annex	x ZA (informative) Relationship between this European Standard and the Essential Requirements of Directive 2006/42/EC aimed to be covered	
Biblio	ography	53
	ngraphy	

European foreword

This document (EN 1853:2017+AC:2019) has been prepared by Technical Committee CEN/TC 144 "Tractors and machinery for agriculture and forestry", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2019, and conflicting national standards shall be withdrawn at the latest by December 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Corrigendum 1 issued by CEN on 12 June 2019.

This document supersedes (AC) EN 1853:2017 (AC).

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This document includes the corrigendum 1 which corrects clause 5, table 1, and table C.1 and figure C.1 editorially.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags $\mathbb{A}^{\mathbb{C}}$.

Significant technical changes between this document and the previous edition (EN 1853:1999+A1:2009) are:

- addition of hook-lift trailers to the scope;
- addition of requirements for hook-lift trailers;
- addition of requirements for rear doors;
- addition of requirements for high-tip trailers;
- addition of requirements for conveyors;
- addition of an Annex regarding "Verification of stability by calculation";
- update of Normative references.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document is a type-C standard as stated in EN ISO 12100.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

1 Scope

This European Standard specifies safety requirements and their verification for the design and construction of trailers with a tipping body, balanced or semi-mounted, used in agriculture, as defined in 3.1. It includes also hook-lift trailers and trailers with conveyor device as defined in 3.9.

This European Standard does not deal with trailers equipped with pick-up devices and/or rear spreading devices.

Trailers with a load push/push-off device, slats or alternating moving floor may be removed from this standard, provided a new work item on loader wagons and forage transport wagons (prEN ISO 4254-17) is accepted.

This European Standard does not give Required Performance Levels for the identified safety functions.

This European Standard, taken together with EN ISO 4254-1, deals with the significant hazards, hazardous situations and events relevant to agricultural trailers, when they are used as intended and under the conditions of misuse which are reasonably foreseeable by the manufacturer (see Table A.1), excepting the hazards arising from:

- hazards related to conveying devices other than those defined in 3.9.1 and 3.9.2, for example load push/push-off device;
- hazards related to the environment and road safety;
- hazards related to braking.

In addition, it specifies the type of information on safe working practices to be provided by the manufacturer.

This document is not applicable to trailers which are manufactured before the date of its publication as EN.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 349:1993+A1:2008, Safety of machinery - Minimum gaps to avoid crushing of parts of the human body

EN ISO 4254-1:2015, Agricultural machinery - Safety - Part 1: General requirements (ISO 4254-1:2013)

EN ISO 5353:1995, Earth-moving machinery, and tractors and machinery for agriculture and forestry - Seat index point (ISO 5353:1995)

EN ISO 12100:2010, Safety of machinery - General principles for design - Risk assessment and risk reduction (ISO 12100:2010)

EN ISO 13857:2008, Safety of machinery - Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2008)

ISO 5676:1983, Tractors and machinery for agriculture and forestry — Hydraulic coupling — Braking circuit

ISO 15817:2012, Earth-moving machinery — Safety requirements for remote operator control systems

ISO 16028:1999, Hydraulic fluid power — Flush-face type, quick-action couplings for use at pressures of 20 MPa (200 bar) to 31,5 MPa (315 bar) — Specifications

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010 and the following apply.

3.1

trailer

trailed agricultural vehicle fitted with wheels or endless tracks, intended mainly to carry loads and designed to be towed by an agricultural tractor or a self-propelled machine

[SOURCE: ISO 12934:2013, 3.6 modified]

3.1.1

balanced load carrying trailer

(drawbar) trailer with at least two axles, at least one of which is steerable and a drawbar towing device that allows vertical movement so that vertical forces cannot be transferred to the towing vehicle

Note 1 to entry: See Figure 1.

[Source: ISO 12934:2013, 3.6.1 modified]



Figure 1 — Examples of balanced trailer

3.1.2 semi-mounted trailer

trailer from which part of vertical load is transferred to the towing vehicle

Note 1 to entry: See Figure 2.




Figure 2 — Examples of semi-mounted trailer