Hardware for furniture - Strength and loading capacity of wall attachment devices



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

		This Estonian standard EVS-EN 15939:2019 consists of the English text of the European standard EN 15939:2019.
Standard on jõustur avaldamisega EVS Teata		This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
	ganisatsioonid on teinud rahvuslikele liikmetele 119.	Date of Availability of the European standard is 12.06.2019.
Standard on Standardikeskusest.	kättesaadav Eesti	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 97.140

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EN 15939

EUROPÄISCHE NORM

June 2019

ICS 97.140

Supersedes EN 15939:2011+A1:2014

English Version

Hardware for furniture - Strength and loading capacity of wall attachment devices

Quincaillerie d'ameublement - Résistance mécanique et capacité de charge des dispositifs de fixation au mur

Möbelbeschläge - Festigkeit und Tragfähigkeit von Schrankaufhängern

This European Standard was approved by CEN on 22 July 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, North Macedonia, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	tents	Page
Euron	ean foreword	4
1	Scope	
2	Normative references	
3	Terms and definitions	
4	General test condition	
4.1	Preliminary preparation	
4.2	Test equipment	
4.2.1	Test wall	
4.2.2	Particle board properties	
4.2.3	Fibreboard properties	7
4.2.4	Steel impact plate	7
4.2.5	Dowels	
4.2.6	Nails	
4.2.7	Levelling devices	
4.2.8	Non-commercial wall part	
4.3	Application of forces	
4.4	Tolerances	8
4.5	Test sequence	8
5	Test setting	9
5.1	Test frame	9
5.2	Panels	
5.3	Setting configurations	
5.3.1	Setting A	18
5.3.2	Setting B	
5.3.3	Setting C	20
6	Test procedures and requirements	
6.1	General	
6.2	Verification of loading capacity	21
6.2.1	General requirements	
6.2.2	Static load test	
6.2.3	Impact test	
6.2.4	Door swing test	
6.2.5	Verification of functionality	

6.2.6	Static load test of top surface	24
6.2.7	Overload test	2 4
6.3	Corrosion test	24
7	Test report	25
Annex	x A (normative) Product information system	26
A.1	General	26
A.2	Loading capacity	26
A.3	Adjustment systems	26
A.4	Corrosion test	26
A.5	Mounting instructions	26
A.6	Dislodgement and detachment prevention	26
A.7	Static load test of top surface	26
Annex	x B (informative) Determination of loading capacity	27
B.1	Determination of breaking load	27
B.2	Calculation of loading capacity, M	28
	x C (informative) Approximate calculation of vertical and horizontal forces	29
Biblio	ography	33
	x C (informative) Approximate calculation of vertical and horizontal forces	
		3

European foreword

This document (EN 15939:2019) has been prepared by Technical Committee CEN/TC 207 "Furniture", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2019, and conflicting national standards shall be withdrawn at the latest by December 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15939:2011+A1:2014.

Compared to EN 15939:2011+A1:2014 the following modifications were made:

- a) test frame B deleted;
- b) one reference test frame is supposed to be used as basis for the settings A, B and C;
- c) verification of functionality and top surface test added;
- d) Annex C (informative) "Approximate calculation of vertical and horizontal forces" added.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies test methods for the verification of the loading capacity of all types of wall attachment devices for storage furniture and their components.

It does not apply to devices intended to prevent the overturning of storage furniture.

The tests consist of the application of loads and forces simulating normal functional use, as well as misuse that might reasonably be expected to occur.

With the exception of the corrosion test in 6.3, the tests are designed to evaluate properties without regard to materials, design/construction or manufacturing processes.

The tests can be applied to the part attached to the furniture alone or to the combination of the part attached to the furniture and the part attached to the wall. The attachment into the wall is not included.

The strength tests are carried out in a test frame with specified properties.

The test results are only valid for the devices tested. These results can be used to represent the performance of production model, provided that the tested model is representative of the production model.

With the exception of the corrosion test, ageing and influences of temperature and humidity are not included.

Annex A (normative) includes requirements for product information.

Annex B (informative) includes a method for the determination of loading capacity.

Annex C (informative) includes an approximate calculation of vertical and horizontal forces.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 310, Wood-based panels - Determination of modulus of elasticity in bending and of bending strength

EN 319, Particleboards and fibreboards - Determination of tensile strength perpendicular to the plane of the board

EN 320, Particleboards and fibreboards - Determination of resistance to axial withdrawal of screws

EN 323, Wood-based panels - Determination of density

EN 10025-2:2004, Hot rolled products of structural steels - Part 2: Technical delivery conditions for non-alloy structural steels

EN 10230-1, Steel wire nails - Part 1: Loose nails for general applications

EN 10305-5, Steel tubes for precision applications - Technical delivery conditions - Part 5: Welded cold sized square and rectangular tubes

EN 16122:2012, Domestic and non-domestic storage furniture - Test methods for the determination of strength, durability and stability

EN ISO 6270-2, Paints and varnishes - Determination of resistance to humidity - Part 2: Condensation (incabinet exposure with heated water reservoir) (ISO 6270-2)

ISO 48-5, Rubber, vulcanized or thermoplastic - Determination of hardness - Part 5: Indentation hardness by IRHD pocket meter method

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

loading capacity

M

mass in kg, as specified by the manufacturer, for which one wall attachment device / one set of wall attachment devices will fulfil the strength requirements specified in this standard

Note 1 to entry: A test method for the determination of the loading capacity is described in Annex B (informative).

3.2

wall attachment device

device including the component that is attached to the cabinet and the component that is attached to the wall

Note 1 to entry: A component that is attached to the cabinet is e.g. a suspension bracket.

Note 2 to entry: A component that is attached to the wall is e.g. a hook, a rail.

Note 3 to entry: A set of wall attachment devices consisting of more than one component (e.g. an upper and lower part).

4 General test condition

4.1 Preliminary preparation

The wall attachment device(s) shall be mounted according to the instructions supplied with them. The most adverse configuration shall be used and the mounting or assembly method shall be recorded in the test report.

If mounting or assembly instructions are not supplied, the most adverse configuration shall be used and the mounting or assembly method shall be recorded in the test report.

The fixing to the wall shall be of such strength that the test result is not influenced.

Fittings shall be tightened before testing and shall not be re-tightened unless specifically required in the manufacturer's instructions. If the configuration is to be changed to produce the worst-case conditions, this shall be recorded in the test report.

For testing a range of related wall attachment devices, only worst case(s) need to be tested.

The tests shall be carried out in indoor ambient conditions at a temperature between 15 $^{\circ}$ C and 25 $^{\circ}$ C. If during a test the temperature is outside of the range of 15 $^{\circ}$ C to 25 $^{\circ}$ C, the maximum and/or minimum temperature shall be recorded in the test report.

Wall attachment devices which include structural hardware parts made of hygroscopic plastic materials, e.g. polyamide shall be conditioned at (23 ± 5) °C and a relative humidity of (50 ± 5) % for at