

This document is a preview generated by EVS

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 1888-1:2018 sisaldab Euroopa standardi EN 1888-1:2018 ingliskeelset teksti.	This Estonian standard EVS-EN 1888-1:2018 consists of the English text of the European standard EN 1888-1:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 19.12.2018.	Date of Availability of the European standard is 19.12.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 97.190

### Standardite reproduktseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

EN 1888-1

December 2018

ICS 97.190

Supersedes EN 1888:2012

English Version

Child use and care articles - Wheeled child conveyances -  
Part 1: Pushchairs and prams

Articles de puériculture - Voitures d'enfant - Partie 1 :  
Poussettes et landaus

Artikel für Säuglinge und Kleinkinder - Transportmittel  
auf Rädern für Kinder - Teil 1: Kinderwagen und  
Kinderwagenaufsätze

This European Standard was approved by CEN on 23 April 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
<b>European foreword .....</b>	<b>5</b>
<b>1 Scope.....</b>	<b>6</b>
<b>2 Normative references.....</b>	<b>6</b>
<b>3 Terms and definitions .....</b>	<b>6</b>
<b>4 General requirements and test conditions.....</b>	<b>9</b>
<b>4.1 Samples.....</b>	<b>9</b>
<b>4.2 Principle of the most onerous condition.....</b>	<b>9</b>
<b>4.3 Tolerances for test equipment.....</b>	<b>9</b>
<b>4.4 Test conditions .....</b>	<b>10</b>
<b>4.5 Determination of the protected volume .....</b>	<b>10</b>
<b>4.5.1 Protected volume of seat units.....</b>	<b>10</b>
<b>4.5.2 Protected volume of pram bodies having a length greater than 800 mm.....</b>	<b>12</b>
<b>4.5.3 Protected volume for pram bodies having a maximum internal length of 800 mm and car seats.....</b>	<b>13</b>
<b>4.6 Determination of the junction line .....</b>	<b>13</b>
<b>4.7 Determination of the occupant space.....</b>	<b>14</b>
<b>4.7.1 Determination of occupant space for seat unit and car seat.....</b>	<b>14</b>
<b>4.7.2 Determination of occupant space for pram body having a length less than 800 mm</b>	<b>14</b>
<b>4.7.3 Determination of occupant space for pram body having a length greater than 800 mm .....</b>	<b>14</b>
<b>5 Test equipment.....</b>	<b>15</b>
<b>5.1 Test masses .....</b>	<b>15</b>
<b>5.1.1 General.....</b>	<b>15</b>
<b>5.1.2 Test mass A.....</b>	<b>15</b>
<b>5.1.3 Test mass B.....</b>	<b>16</b>
<b>5.1.4 Test mass C .....</b>	<b>16</b>
<b>5.1.5 Test mass D.....</b>	<b>17</b>
<b>5.1.6 Test mass <math>D_0</math>.....</b>	<b>18</b>
<b>5.1.7 Test mass F .....</b>	<b>18</b>
<b>5.1.8 Test mass G.....</b>	<b>19</b>
<b>5.1.9 Test bar.....</b>	<b>20</b>
<b>5.2 Test probes.....</b>	<b>21</b>
<b>5.2.1 Finger probes .....</b>	<b>21</b>
<b>5.2.2 Hip probe .....</b>	<b>22</b>
<b>5.2.3 Large head probe .....</b>	<b>23</b>
<b>5.2.4 Conical probes.....</b>	<b>24</b>
<b>5.3 Angle measuring device.....</b>	<b>24</b>
<b>5.4 Test ball.....</b>	<b>26</b>
<b>5.5 Hinged board .....</b>	<b>26</b>
<b>5.6 Small parts cylinder .....</b>	<b>26</b>
<b>5.7 Bite tester .....</b>	<b>27</b>
<b>5.8 Test surface .....</b>	<b>28</b>
<b>5.9 Rectangular stops .....</b>	<b>28</b>
<b>5.10 Irregular surface test equipment.....</b>	<b>29</b>

<b>5.10.1</b>	<b>Obstacles.....</b>	<b>29</b>
<b>5.10.2</b>	<b>Articulating arms (see Annex B) .....</b>	<b>30</b>
<b>6</b>	<b>Chemical hazards (see A.2) .....</b>	<b>30</b>
<b>7</b>	<b>Thermal hazards (see A.3) .....</b>	<b>31</b>
<b>8</b>	<b>Mechanical hazards (see A.4).....</b>	<b>32</b>
<b>8.1</b>	<b>Protective function (see A.4.2) .....</b>	<b>32</b>
<b>8.1.1</b>	<b>Suitability of vehicle .....</b>	<b>32</b>
<b>8.1.2</b>	<b>Minimum internal height of pram body .....</b>	<b>34</b>
<b>8.1.3</b>	<b>Restraint system and fasteners .....</b>	<b>36</b>
<b>8.2</b>	<b>Entrapment hazards (see A.4.3).....</b>	<b>39</b>
<b>8.2.1</b>	<b>Holes and openings.....</b>	<b>39</b>
<b>8.2.2</b>	<b>Entrapment between the handle and the pram body.....</b>	<b>39</b>
<b>8.3</b>	<b>Hazards from moving parts (see A.4.4) .....</b>	<b>39</b>
<b>8.3.1</b>	<b>General .....</b>	<b>39</b>
<b>8.3.2</b>	<b>Shearing hazards (see A.4.4) .....</b>	<b>40</b>
<b>8.3.3</b>	<b>Crushing hazards, requirement (see A.4.4) .....</b>	<b>40</b>
<b>8.3.4</b>	<b>Wheels .....</b>	<b>41</b>
<b>8.3.5</b>	<b>Locking mechanism(s).....</b>	<b>41</b>
<b>8.4</b>	<b>Entanglement hazards (see A.5).....</b>	<b>44</b>
<b>8.4.1</b>	<b>Requirements.....</b>	<b>44</b>
<b>8.4.2</b>	<b>Test method.....</b>	<b>45</b>
<b>8.5</b>	<b>Choking and ingestion hazards (see A.6) .....</b>	<b>45</b>
<b>8.5.1</b>	<b>Requirements.....</b>	<b>45</b>
<b>8.5.2</b>	<b>Test methods.....</b>	<b>46</b>
<b>8.6</b>	<b>Suffocation hazards (see A.7) .....</b>	<b>47</b>
<b>8.6.1</b>	<b>Internal lining of the pram body and seat unit.....</b>	<b>47</b>
<b>8.6.2</b>	<b>Plastic packaging .....</b>	<b>47</b>
<b>8.7</b>	<b>Hazardous edges and protrusions (see A.8) .....</b>	<b>47</b>
<b>8.8</b>	<b>Parking and braking devices (see A.9) .....</b>	<b>48</b>
<b>8.8.1</b>	<b>Requirements.....</b>	<b>48</b>
<b>8.8.2</b>	<b>Test methods.....</b>	<b>48</b>
<b>8.9</b>	<b>Stability (see A.10) .....</b>	<b>52</b>
<b>8.9.1</b>	<b>Stability of vehicle .....</b>	<b>52</b>
<b>8.9.2</b>	<b>Longitudinal stability of a pram body with carrying handles .....</b>	<b>56</b>
<b>8.9.3</b>	<b>Stability hazards due to the position of swivelling wheels.....</b>	<b>56</b>
<b>8.10</b>	<b>Structural integrity (see A.11) .....</b>	<b>57</b>
<b>8.10.1</b>	<b>Carrying handles and handle anchorage points of pram bodies and detachable seat units.....</b>	<b>57</b>
<b>8.10.2</b>	<b>Strength and durability of attachment devices for pram bodies or seat units or car seats.....</b>	<b>57</b>
<b>8.10.3</b>	<b>Irregular surface test .....</b>	<b>58</b>
<b>8.10.4</b>	<b>Dynamic strength .....</b>	<b>59</b>
<b>8.10.5</b>	<b>Wheel strength .....</b>	<b>61</b>
<b>8.10.6</b>	<b>Handle strength.....</b>	<b>61</b>
<b>9</b>	<b>Durability of marking.....</b>	<b>65</b>
<b>10</b>	<b>Product information.....</b>	<b>65</b>
<b>10.1</b>	<b>General .....</b>	<b>65</b>
<b>10.2</b>	<b>Marking of product .....</b>	<b>65</b>
<b>10.3</b>	<b>Purchase information (A.12).....</b>	<b>66</b>
<b>10.4</b>	<b>Instructions for use.....</b>	<b>67</b>

<b>Annex A (informative) Rationales.....</b>	<b>69</b>
A.1 General.....	69
A.2 Chemical hazards (see Clause 6) .....	69
A.3 Thermal hazards (see Clause 7) .....	69
A.4 Mechanical hazards (see Clause 8).....	69
A.4.1 General.....	69
A.4.2 Protective function (see 8.1).....	69
A.4.3 Entrapment hazards (see 8.2) .....	69
A.4.4 Hazards from moving parts (see 8.3) .....	70
A.5 Entanglement hazards (see 8.4) .....	71
A.6 Choking and ingestion hazards (see 8.5) .....	72
A.7 Suffocation hazards (see 8.6) .....	72
A.8 Hazardous edges and protrusions (see 8.7).....	72
A.9 Parking and braking devices (see 8.8).....	72
A.10 Stability (see 8.9) .....	72
A.11 Structural integrity (see 8.10).....	72
A.12 Purchase information (see 10.3).....	73
<b>Annex B (informative) Examples of articulated arms to maintain the vehicle on the rig for the irregular surface test .....</b>	<b>74</b>
<b>Annex C (informative) Guideline for the application of 8.3.5.1.1.3 “Unintentional release of locking mechanism(s)” .....</b>	<b>76</b>
C.1 Relevant definitions.....	76
C.2 Guidelines for the application of 8.3.5.1.1.3 “Unintentional release of locking mechanism(s)” .....	76
C.2.1 General.....	76
C.2.2 Products fitted with one single <i>operating device</i> (products that may be fold using only one hand) .....	76
C.2.3 Products fitted with two operating devices .....	77
C.2.4 Products having three or more <i>operating devices</i> .....	78
C.2.5 Products covered by different requirements .....	78
<b>Annex D (informative) Examples of moving parts of the canopies inside 100 mm from the pivot point .....</b>	<b>80</b>
D.1 Case A .....	80
D.2 Case B .....	81
D.3 Case C.....	82
<b>Annex E (informative) Translation of Warnings in different European languages .....</b>	<b>83</b>
<b>Annex F (informative) A-deviations .....</b>	<b>109</b>
<b>Annex G (informative) Child restraint systems: arrangement of approval marks .....</b>	<b>110</b>
<b>Bibliography .....</b>	<b>111</b>

## European foreword

This document (EN 1888-1:2018) has been prepared by Technical Committee CEN/TC 252 “Child care articles”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by December 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1888:2012.

In comparison with this EN 1888:2012, the significant technical changes relate to the following issues:

- a) chemical hazards;
- b) entrapment hazards;
- c) hazards from moving parts;
- d) entanglement hazards;
- e) parking device test method;
- f) stability of the vehicle;
- g) introduction of an informative Annex E giving relevant translations for warning sentences;
- h) introduction of an informative Annex D giving information on the assessment of moving parts of canopies;
- i) introduction of an informative Annex G giving information on the arrangement of approval marks for car seats.

In November 2014, the European Working Group decided to split EN 1888 into different parts to clearly treat in a different way, new products or new functions of wheeled child conveyances.

EN 1888 is currently composed with the following parts:

- EN 1888-1, *Child care articles — Wheeled child conveyances — Part 1: Pushchairs and prams*;
- EN 1888-2, *Child care articles — Wheeled child conveyances — Part 2: Pushchairs for children above 15 kg up to 22 kg*.

EN 1888 therefore becomes EN 1888-1 and is only applicable to *pushchairs* and *prams*. It will be used as a reference in future parts.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies the safety requirements and test methods for *pushchairs and prams*, designed for the carriage of one or more children, up to 15 kg each and up to 20 kg for any *integrated platform* on which a child can stand.

This European Standard does not cover toys, baby carriers fitted with wheels; *pushchairs and prams* propelled by a motor and *pushchairs and prams* designed for children with special needs.

Where a *pushchair or pram* or any part of the *pushchair or pram* has several functions or can be converted into another function it is due to comply with relevant standard(s).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 71-1, *Safety of toys — Part 1: Mechanical and physical properties*

EN 71-2:2011+A1:2014, *Safety of toys — Part 2: Flammability*

EN 71-3, *Safety of toys — Part 3: Migration of certain elements*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1

#### wheeled child conveyance

vehicle designed for the carriage of one or more children which can be manually steered while being pushed or pulled

### 3.2

#### pushchair

vehicle comprising a *chassis* and one or more *seat units* or *car seats*

Note 1 to entry: Referred to as the “vehicle” for the purpose of this standard.

### 3.3

#### pram

vehicle comprising a *chassis* and one or more *pram bodies*

Note 1 to entry: Referred to as the “vehicle” for the purpose of this standard.

### 3.4

#### integrated platform

integral part of the vehicle designed to support an additional child in a standing position