

VEDELAD NAFTATOOTED. SÜSIVESINIKE TÜÜPIDE JA  
HAPNIKUÜHENDITE MÄÄRAMINE MOOTORIBENSIINIS  
JA ETANOLIPÕHISES MOOTORIKÜTUSES (E85).  
MULTIDIMENSIONAALNE GAASIKROMATOGRAAFILINE  
MEETOD

Liquid petroleum products - Determination of  
hydrocarbon types and oxygenates in  
automotive-motor gasoline and in ethanol (E85)  
automotive fuel - Multidimensional gas  
chromatography method (ISO 22854:2016)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 22854:2016 sisaldab Euroopa standardi EN ISO 22854:2016 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 22854:2016 consists of the English text of the European standard EN ISO 22854:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 13.04.2016.	Date of Availability of the European standard is 13.04.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 75.080

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

Liquid petroleum products - Determination of hydrocarbon types and oxygenates in automotive-motor gasoline and in ethanol (E85) automotive fuel - Multidimensional gas chromatography method (ISO 22854:2016)

Produits pétroliers liquides - Détermination des groupes d'hydrocarbures et des composés oxygénés de l'essence pour moteurs automobiles et du carburant pour automobiles éthanol (E85) - Méthode par chromatographie multidimensionnelle en phase gazeuse (ISO 22854:2016)

Flüssige Mineralölerzeugnisse - Bestimmung der Kohlenwasserstoffgruppen und der sauerstoffhaltigen Verbindungen in Kraftstoffen für Kraftfahrzeugmotoren und in Ethanolkraftstoff (E85) - Multidimensionales gaschromatographisches Verfahren (ISO 22854:2016)

This European Standard was approved by CEN on 20 February 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## European foreword

This document (EN ISO 22854:2016) has been prepared by Technical Committee ISO/TC 28 "Petroleum products and lubricants" in collaboration Technical Committee CEN/TC 19 "Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2016, and conflicting national standards shall be withdrawn at the latest by October 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 22854:2014.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 22854:2016 has been approved by CEN as EN ISO 22854:2016 without any modification.

# Contents

	Page
Foreword.....	iv
Introduction.....	v
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>2</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Principle</b> .....	<b>3</b>
<b>5 Reagents and materials</b> .....	<b>3</b>
<b>6 Apparatus</b> .....	<b>4</b>
<b>7 Sampling</b> .....	<b>5</b>
<b>8 Procedure</b> .....	<b>5</b>
8.1 Conditioning.....	5
8.2 Sample preparation.....	5
8.2.1 Procedure B only – Sample dilution.....	5
8.2.2 Procedure A and B – Sample cooling.....	5
8.3 Test sample injection volume.....	5
8.4 Verification of the apparatus and test conditions.....	5
8.5 Validation.....	5
8.6 Preparation of the test sample.....	6
8.7 Preparation of the apparatus and test conditions.....	6
<b>9 Calculation</b> .....	<b>6</b>
9.1 General.....	6
9.2 Calculation as % ( <i>m/m</i> ).....	6
9.3 Calculation as % ( <i>V/V</i> ).....	7
9.4 Calculation of total oxygen content in % ( <i>m/m</i> ).....	9
9.5 Data report according to automotive motor gasoline specification.....	9
<b>10 Expression of results</b> .....	<b>9</b>
10.1 Procedure A.....	9
10.2 Procedure B.....	10
<b>11 Precision</b> .....	<b>10</b>
11.1 General.....	10
11.2 Repeatability, <i>r</i> .....	10
11.3 Reproducibility, <i>R</i> .....	10
<b>12 Test report</b> .....	<b>11</b>
<b>Annex A (informative) Instrument specifications</b> .....	<b>12</b>
<b>Annex B (informative) Examples of typical chromatograms</b> .....	<b>14</b>
<b>Bibliography</b> .....	<b>19</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. [www.iso.org/directives](http://www.iso.org/directives)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. [www.iso.org/patents](http://www.iso.org/patents)

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 28, *Petroleum products and related products of synthetic or biological origin*.

This third edition cancels and replaces the second edition (ISO 22854:2014), which contained a serious mistake in the scope regarding the levels of oxygen content.

## Introduction

This International Standard is a small update of the second edition (ISO 22854:2014), which in turn was a revision to extend the scope of the first edition. Originally ISO 22854:2008 (and its predecessor EN 14517:2004) was used for determination of saturated, olefinic, aromatic and oxygenated hydrocarbons in automotive motor gasoline according to European fuel specifications. Recent round-robin work has shown that the scope of the method can be updated without alteration to include petrol with higher oxygen percentages than mentioned in the first edition and will now be applicable for automotive motor gasoline up to and including E10.

An interlaboratory study organized by CEN has shown that the method can also be used for high-ethanol gasoline [also called ethanol (E85) automotive fuel], provided that the sample is diluted with a component that will not interfere with any of the components or group of components that need to be analysed. Details of how to perform such analysis are given in 8.2.

The derived precision data for methanol do not comply with the precision calculation as presented in this International Standard. No precision calculation for methanol has been established as the need for such data has not been expressed. If methanol is present in the automotive motor gasoline sample, it is recommended that its contents is verified by the use of an appropriate test method, for instance as given in EN 228<sup>[1]</sup>.

The test method described in this International Standard is harmonized with ASTM D6839<sup>[2]</sup>.

# Liquid petroleum products — Determination of hydrocarbon types and oxygenates in automotive-motor gasoline and in ethanol (E85) automotive fuel — Multidimensional gas chromatography method

## 1 Scope

This International Standard specifies the gas chromatographic (GC) method for the determination of saturated, olefinic and aromatic hydrocarbons in automotive motor gasoline and ethanol (E85) automotive fuel. Additionally, the benzene content, oxygenate compounds and the total oxygen content can be determined.

NOTE 1 For the purposes of this document, the terms % (*m/m*) and % (*V/V*) are used to represent respectively the mass fraction,  $\mu$ , and the volume fraction,  $\varphi$ .

This International Standard defines two procedures, A and B.

Procedure A is applicable to automotive motor gasoline with total aromatics of up to 50 % (*V/V*); total olefins from about 1,5 % (*V/V*) up to 30 % (*V/V*); oxygenates from 0,8 % (*V/V*) up to 15 % (*V/V*); total oxygen from about 1,5 % (*m/m*) to about 3,7 % (*m/m*); and benzene of up to 2 % (*V/V*). The system can be used for ethers with 5 or more C atoms up to 22 % (*V/V*) but the precision has not been established up to this level.

Although this test method can be used to determine higher-olefin contents of up to 50 % (*V/V*), the precision for olefins was tested only in the range from about 1,5 % (*V/V*) to about 30 % (*V/V*).

Although specifically developed for the analysis of automotive motor gasoline that contains oxygenates, this test method can also be applied to other hydrocarbon streams having similar boiling ranges, such as naphthas and reformates.

NOTE 2 For Procedure A, precision data have been established for the oxygenate compounds in automotive motor gasoline samples containing ethyl-tert-butyl ether (ETBE), methyl-tert-butyl ether (MTBE), tert-amyl-methyl ether (TAME), *iso*-propanol, *iso*-butanol, tert-butanol, methanol and ethanol. The derived precision data for methanol do not comply with the precision calculation as presented in this International Standard. Applicability of this International Standard has also been verified for the determination of *n*-propanol, acetone, and di-isopropyl ether (DIPE). However, no precision data have been determined for these compounds.

Procedure B describes the procedure for the analysis of oxygenated groups (ethanol, methanol, ethers, C3 – C5 alcohols) in ethanol (E85) automotive fuel containing ethanol between 50 % (*V/V*) and 85 % (*V/V*). The gasoline is diluted with an oxygenate-free component to lower the ethanol content to a value below 20 % (*V/V*) before the analysis by GC. If the ethanol content is unknown, it is advisable to use a dilution of 4:1 when analysing the sample.

The sample can be fully analysed including hydrocarbons. Precision data for the diluted sample are only available for the oxygenated groups.

NOTE 3 For Procedure B, the precision can be used for an ethanol fraction from about 50 % (*V/V*) up to 85 % (*V/V*). For the ether fraction, the precision as specified in Table 6 can be used for samples containing at least 11 % (*V/V*) of ethers. For the higher alcohol fraction, too few data were obtained to derive a full precision statement and the data presented in Table 6 are therefore only indicative.

NOTE 4 While developing this test method, the final boiling point was limited to 215 °C.

NOTE 5 An overlap between C9 and C10 aromatics can occur. However, the total is accurate. Isopropyl benzene is resolved from the C8 aromatics and is included with the other C9 aromatics.



## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3170, *Petroleum liquids — Manual sampling*

ISO 3171, *Petroleum liquids — Automatic pipeline sampling*

ISO 4259, *Petroleum products — Determination and application of precision data in relation to methods of test*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1 hydrocarbon group

family of hydrocarbons such as saturated hydrocarbons, olefinic hydrocarbons, etc

#### 3.1.1 saturated hydrocarbon saturate

type of hydrocarbon that contains no double bonds with a carbon number of 3 to 12

EXAMPLE *n*-Paraffins, *iso*-paraffins, naphthenes and poly-naphthenes.

#### 3.1.2 olefinic hydrocarbon olefin

type of hydrocarbon that contains double or triple bonds with a carbon number of 3 to 10

EXAMPLE *n*-Olefins, *iso*-olefins and cyclic olefins.

#### 3.1.3 aromatic hydrocarbon aromatic

type of cyclic hydrocarbon with alternating double and single bonds between carbon atoms forming the rings

EXAMPLE Benzene, toluene and higher homologous series with a carbon number of 6 to 10 and naphthalenes, with a carbon number of up to 12.

### 3.2 oxygenate oxygenated compound

type of hydrocarbon that contains an oxygen group, the addition of which is allowed according to current petrol specifications

EXAMPLE Alcohols and ethers.

Note 1 to entry: See Clause 1, Note 2.

### 3.3 partial group PG

one carbon number in an individual group, being either a single compound like toluene or an isomeric mixture

EXAMPLE *n*-Butane and *iso*-butane.