

Spare parts provisioning

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62550:2017 sisaldab Euroopa standardi EN 62550:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 62550:2017 consists of the English text of the European standard EN 62550:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.03.2017.	Date of Availability of the European standard is 24.03.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 03.120.01, 21.020

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 03.120.01; 21.020

English Version

**Spare parts provisioning
(IEC 62550:2017)**

Approvisionnement en pièces de rechange
(IEC 62550:2017)

Ersatzteilbeschaffung
(IEC 62550:2017)

This European Standard was approved by CENELEC on 2017-02-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 56/1711/FDIS, future edition 1 of IEC 62550, prepared by IEC/TC 56 "Dependability" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62550:2017.

The following dates are fixed:

- latest date by which the document has to be (dop) 2017-11-24
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2020-02-24
standards conflicting with the
document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62550:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60300-1	NOTE	Harmonized as EN 60300-1.
IEC 60300-3-3:2004	NOTE	Harmonized as EN 60300-3-3:2004 (not modified).
IEC 61649	NOTE	Harmonized as EN 61649.
IEC 61709	NOTE	Harmonized as EN 61709.
IEC 62308	NOTE	Harmonized as EN 62308.
IEC 62402	NOTE	Harmonized as EN 62402.
IEC 62506	NOTE	Harmonized as EN 62506.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	11
4 Overview	12
4.1 Participants and major steps in the spare parts provisioning process	12
4.2 Types of spare parts	14
4.3 Identification of spare parts as integral part of the level of repair analysis (LORA)	14
4.4 Overall spare parts provisioning process.....	16
5 Demand forecast	17
5.1 General.....	17
5.2 Forecast based on consumption data	18
5.2.1 General	18
5.2.2 Procedures for forecast	18
5.3 Initial determination of demand	19
5.3.1 General	19
5.3.2 Prediction of failure rates and failure intensities.....	19
5.3.3 Calculation of demand rates	20
6 Spare parts quantification.....	20
6.1 General.....	20
6.1.1 Process overview	20
6.1.2 Probability distributions for spare parts quantification	22
6.1.3 Measures of effectiveness (MoE).....	23
6.1.4 ABC-analysis (Pareto analysis).....	24
6.1.5 Quantification of repairable items	26
6.1.6 Quantification of non-repairable items	26
6.2 Strategic (critical, insurance) spare parts	28
6.3 Inventory systems	28
6.4 Inventory optimization	30
7 Spare parts documentation.....	32
7.1 Principles and objectives	32
7.2 Illustrated parts catalogue (IPC).....	32
7.3 Parts catalogue.....	35
8 Supply management.....	35
8.1 General.....	35
8.1.1 Activities.....	35
8.1.2 Economic provisioning.....	36
8.2 Sources for spare parts.....	36
8.3 Supply policies.....	37
8.3.1 Insourcing.....	37
8.3.2 Outsourcing.....	37
8.3.3 Single sourcing.....	37

8.3.4	Global sourcing	38
8.3.5	Concurrent sourcing	38
8.3.6	Obsolescence management.....	39
8.4	Planning and control of the flow of repairable spare parts	39
Annex A (informative)	Prognosis of demand.....	40
A.1	General.....	40
A.2	Synthetic determining of demand	40
A.3	Prognosis based on consumption data	41
A.3.1	Overview	41
A.3.2	Forecast on the basis of the moving average	41
A.3.3	Forecast on the basis of the weighted moving average	42
A.3.4	Forecast on the basis of exponential smoothing.....	42
A.3.5	Forecast on the basis of regression analysis	43
Annex B (informative)	Measures of effectiveness	44
B.1	General.....	44
B.2	Stock-related measures of effectiveness	44
B.2.1	Fill rate (FR) and risk of shortage (ROS).....	44
B.2.2	Expected backorders (EBO).....	46
B.2.3	Mean waiting time (MWT)	47
B.3	System-related measures of effectiveness	48
B.3.1	Operational system availability (A_{op})	48
B.3.2	Number of systems not operationally ready (NOR).....	49
Annex C (informative)	Example: Quantification of spare parts and optimization of inventory stocks	50
C.1	General.....	50
C.2	Product breakdown structure	50
C.3	Calculation of spare parts quantities and costs	52
Bibliography	54
Figure 1	– Participants and major steps in the spare parts provisioning process	13
Figure 2	– Identification of spare parts	16
Figure 3	– Spare parts provisioning process during design and development.....	17
Figure 4	– Spare parts provisioning process during utilization	21
Figure 5	– Principle of an ABC-analysis	25
Figure 6	– Inventory control policies	27
Figure 7	– Hierarchically structured inventory system	28
Figure 8	– Single-product-single-inventory models	30
Figure 9	– Idealized inventory model for non-repairable items.....	31
Figure 10	– Supply management activities	36
Figure A.1	– Procedures of demand forecast	40
Figure B.1	– Diagram for the determination of the fill rate (FR) with a Poisson demand	45
Figure B.2	– Diagram for the determination of the factor K for the required fill rate	46
Figure B.3	– Inventory system with a backorder case.....	46
Figure B.4	– Diagram for the determination of the mean waiting time (MWT) with a Poisson demand	48
Figure C.1	– Structure of the DCN	50

Figure C.2 – Inventory system for the DCN	53
---	----

Table 1 – Responsibilities, targets, and measurements for suppliers, maintainers, operator and users.....	13
Table C.1 – First indenture level – Data communication network.....	51
Table C.2 – Second indenture level – Communication system.....	51
Table C.3 – Third indenture level – Power supply system	51
Table C.4 – Third indenture level – Main processor	51
Table C.5 – Third indenture level – Fan system	52
Table C.6 – Investments in spare repairable items	52

This document is a preview generated by EVS

INTRODUCTION

Spare parts provisioning is the process for planning necessary spare parts under consideration of a customer's needs and requirements.

Proper planning and control of spare parts is a critical component of effective supportability. If the right parts are not available when needed for routine maintenance or repairs, downtime is prolonged. If too many spare parts are available, the enterprise absorbs excessive costs and the overhead of carrying inventory.

Spare part planning and supply to achieve business objectives are based on four goals:

- the right spare part;
- in the right quantity;
- at the right time;
- at the right place.

Spare parts provisioning is a prerequisite for all types of maintenance tasks, such as replacements and repairs. Spare parts for corrective maintenance tasks should be supplied at random intervals for steady state availability. It may take three to four repairs before steady state availability is reached. In this period repairs may be clustered, and the need can vary significantly over time. For preventive and on-condition maintenance, fixed intervals or approximately fixed intervals for replacement items may occur. Coordination of demand for spare parts with supply of spare parts at the required time is an important factor. Unavailable materials are one of the most cited reasons for delays in the completion of maintenance tasks.

The availability of spare parts is one of the factors that impacts system downtime. Methodologies such as integrated logistic support (ILS) and its subsidiary logistic support analysis (LSA) provide necessary information for spare parts provisioning. This information includes system breakdown, maintenance concept, and supply concept. Spare part optimization will cover issues typically giving answers to questions such as:

- which spare parts should be stored within the maintenance organization or by a supplier?
- how many spare parts of each type should be stocked?

Spare part optimization is based on operations research methods and selected reliability methods and may be analytical or use Monte Carlo simulations. The optimization process aims at balancing the cost of holding spare parts against the probability and cost of spare part shortage.

Before spare parts can be ordered, procedures for procurement, administration and storage of required material should be specified. Additionally, a general supply concept should be compiled and specified.

Correct material supply procedures will guarantee that spare parts are ordered in time and delivered when requested. The procedures also include control of the repair of replacement parts as well as the monitoring of repair turn-around times. All organizations involved, from production to purchasing and storage, via maintenance, should have complete transparency about material availability and possible completion of the task. The planned material costs in the task should be compared with its consumption. These are then documented and form the basis of usage-controlled materials planning. With this process, inventory of spare parts can be optimized to meet availability requirements with minimum inventory levels.

This document is applicable to all industries where supportability has a major impact on the dependability of the item through its life cycle.

SPARE PARTS PROVISIONING

1 Scope

This document describes requirements for spare parts provisioning as a part of supportability activities that affect dependability performance so that continuity of operation of products, equipment and systems for their intended application can be sustained.

This document is intended for use by a wide range of suppliers, maintenance support organizations and users and can be applied to all items.

2 Normative references

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

NOTE Some terms listed in IEC 60050-192 are also included here for the convenience of the reader.

3.1 Terms and definitions

3.1.1

consumables

any item which is expendable, may be regularly replaced and generally is not product specific

EXAMPLE Oil, grease, nuts, bolts and screws, gaskets, etc.

Note 1 to entry: Generally consumable items are relatively low cost.

3.1.2

corrective maintenance

maintenance carried out after fault detection to effect restoration

Note 1 to entry: Corrective maintenance of software invariably involves some modification.

[SOURCE: IEC 60050-192:2015, 192-06-06]

3.1.3

failure

<of an item> loss of ability to perform as required

Note 1 to entry: A failure of an item is an event that results in a fault state of that item: see fault [IEC 60050-192:2015, 192-04-01].

Note 2 to entry: Qualifiers, such as catastrophic, critical, major, minor, marginal and insignificant, may be used to categorize failures according to the severity of consequences, the choice and definitions of severity criteria depending upon the field of application.