INTERNATIONAL STANDARD

Fifth edition 2015-12-01

Fasteners — Prevailing torque steel nuts — Functional properties

<text> fonctionnelles Fixations — Écrous autofreinés en acier — Caractéristiques



Reference number ISO 2320:2015(E)



© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Page

Contents

1 Scope 1 2 Normative references 1 3 Terms and definitions 1 4 Symbols 1 5 Thread 1 6 Lubrication 1 7 Mechanical properties of prevailing torque nuts 1 8 Functional requirements for prevailing torque properties 1 9 Test method 11 9.1 General 11 9.2 Proof load test 11 9.3 Prevailing torque test 11 9.3.1 General 11 9.3.2 Test apparatus 11 9.3.3 Test procedure 11 9.3.4 Test procedure 11 9.3.5 Test report 11
2 Normative references 1 3 Terms and definitions 1 4 Symbols 2 5 Thread 2 6 Lubrication 2 7 Mechanical properties of prevailing torque nuts 2 8 Functional requirements for prevailing torque properties 2 9 Test method 11 9.1 General 11 9.2 Proof load test 11 9.3 Prevailing torque test 11 9.3.1 General 11 9.3.3 Test paparatus 12 9.3.4 Test procedure 11 9.3.5 Test report 12
3 Terms and definitions 1 4 Symbols 2 5 Thread 2 6 Lubrication 2 7 Mechanical properties of prevailing torque nuts 2 8 Functional requirements for prevailing torque properties 2 9 Test method 11 9.1 General 12 9.2 Proof load test 12 9.3 Prevailing torque test 12 9.3.1 General 12 9.3.2 Test apparatus 12 9.3.3 Test porcedure 12 9.3.4 Test procedure 12 9.3.5 Test report 13
4 Symbols 2 5 Thread 2 6 Lubrication 3 7 Mechanical properties of prevailing torque nuts 3 8 Functional requirements for prevailing torque properties 3 9 Test method 11 9.1 General 12 9.2 Proof load test 12 9.3 Prevailing torque test 12 9.3.1 General 12 9.3.2 Test apparatus 12 9.3.3 Test porcedure 12 9.3.4 Test procedure 12 9.3.5 Test report 15
5 Thread 3 6 Lubrication 3 7 Mechanical properties of prevailing torque nuts 3 8 Functional requirements for prevailing torque properties 3 9 Test method 11 9.1 General 12 9.2 Proof load test 11 9.3 Prevailing torque test 12 9.3.1 General 12 9.3.2 Test apparatus 12 9.3.3 Test porcedure 12 9.3.4 Test procedure 12 9.3.5 Test report 13 9.3.5 Test report 14
6 Lubrication 3 7 Mechanical properties of prevailing torque nuts 3 8 Functional requirements for prevailing torque properties 3 9 Test method 11 9.1 General 12 9.2 Proof load test 12 9.3 Prevailing torque test 12 9.3.1 General 12 9.3.2 Test apparatus 12 9.3.3 Test parts 12 9.3.4 Test procedure 12 9.3.5 Test report 12 Annex A (normative) Temperature influence on prevailing torques of nuts with non- 14
7 Mechanical properties of prevailing torque nuts 3 8 Functional requirements for prevailing torque properties 3 9 Test method 11 9.1 General 12 9.2 Proof load test 12 9.3 Prevailing torque test 12 9.3.1 General 12 9.3.2 Test apparatus 12 9.3.3 Test parts 12 9.3.4 Test procedure 13 9.3.5 Test report 14
8 Functional requirements for prevailing torque properties 3 9 Test method 11 9.1 General 12 9.2 Proof load test 12 9.3 Prevailing torque test 12 9.3.1 General 12 9.3.2 Test apparatus 12 9.3.3 Test porcedure 12 9.3.4 Test procedure 12 9.3.5 Test report 13 Annex A (normative) Temperature influence on prevailing torques of nuts with non-
9 Test method 11 9.1 General 12 9.2 Proof load test 12 9.3 Prevailing torque test 12 9.3.1 General 12 9.3.2 Test apparatus 12 9.3.3 Test porcedure 12 9.3.4 Test procedure 12 9.3.5 Test report 15 Annex A (normative) Temperature influence on prevailing torques of nuts with non-
9.1General119.2Proof load test119.3Prevailing torque test119.3.1General119.3.2Test apparatus129.3.3Test parts129.3.4Test procedure129.3.5Test report15Annex A (normative) Temperature influence on prevailing torques of nuts with non-
9.3 Prevailing torque test 11 9.3 Prevailing torque test 11 9.3.1 General 11 9.3.2 Test apparatus 12 9.3.3 Test parts 12 9.3.4 Test procedure 13 9.3.5 Test report 15 Annex A (normative) Temperature influence on prevailing torques of nuts with non-
9.3.1General119.3.2Test apparatus129.3.3Test parts129.3.4Test procedure139.3.5Test report15Annex A (normative) Temperature influence on prevailing torques of nuts with non-
9.3.2 Test apparatus 12 9.3.3 Test parts 12 9.3.4 Test procedure 12 9.3.5 Test report 15 Annex A (normative) Temperature influence on prevailing torques of nuts with non-
9.3.4 Test procedure 13 9.3.5 Test report 15 Annex A (normative) Temperature influence on prevailing torques of nuts with non-
9.3.5 Test report
Annex A (normative) Temperature influence on prevailing torques of nuts with non-
metallic insert
Annex B (informative) Principles for the evaluation of the total coefficient of friction, μ_{tot}
Annex C (informative) Test clamp force and prevailing torques for prevailing torque nuts
M3 and M4 in property classes 8 and 10

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 2, *Fasteners*, Subcommittee SC 12, *Fasteners with metric internal thread*.

This fifth edition cancels and replaces the fourth edition (ISO 2320:2008), which has been technically revised. The following changes have been made:

- property class 9 has been deleted;
- prevailing torques for nuts M3 and M4 have been moved to <u>Annex C;</u>
- in the test fixture, the thread protrusion through the prevailing torque feature has been changed to 3 to 5 pitches;
- the reference surface condition for the test bolt has been specified in accordance with ISO 16047 (plain surface, uncoated and degreased, unless otherwise agreed);
- the determination of the prevailing-off torque has been changed from the upper value to the minimum value (new point 5 in <u>Figure 2</u>), which changes the acceptance conditions;
- other editorial revisions.

2

Fasteners — Prevailing torque steel nuts — Functional properties

1 Scope

This International Standard specifies the functional properties for prevailing torque steel nuts when tested at an ambient temperature range of +10 °C to +35 °C. It includes a combined test method to determine the prevailing torque properties and the torque/clamp force properties at the same time.

It applies to prevailing torque all metal type nuts and prevailing torque non-metallic insert type nuts:

- with triangular ISO thread in accordance with ISO 68-1;
- with diameter/pitch combination in accordance with ISO 261 and ISO 262;
- with coarse pitch thread M5 to M39 or with fine pitch thread M8 × 1 to M39 × 3;
- with thread tolerances in accordance with ISO 965-2;
- with mechanical properties in accordance with ISO 898-2;

Prevailing torque values specified in this standard are based on laboratory test conditions.

NOTE 1 Actual prevailing torques in practical application can vary.

NOTE 2 All metal type nuts conforming to the requirements of this International Standard are used in applications ranging from -50 °C to +150 °C.

NOTE 3 Non-metallic insert type nuts conforming to the requirements of this International Standard are used in applications ranging from –50 °C to +120 °C.

WARNING — Temperatures outside the ambient temperature range can influence the functional properties (torque/clamp force and prevailing torque properties), see <u>Annex A</u>.

2 Normative references

The following referenced documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 273, Fasteners — Clearance holes for bolts and screws

ISO 898-1, Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs with specified property classes — Coarse thread and fine pitch thread

ISO 898-2, Mechanical properties of fasteners made of carbon steel and alloy steel — Part 2: Nuts with specified property classes — Coarse thread and fine pitch thread

ISO 965-2, ISO general purpose metric screw threads — Tolerances — Part 2: Limits of sizes for general purpose external and internal screw threads — Medium quality

ISO 16047:2005, Fasteners — Torque/clamp force testing

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 16047 and the following apply.