INTERNATIONAL STANDARD



First edition 2015-12-15

M F Mechanical vibration and shock — Resilient mounting systems —

Part 3:

Technical information to be exchanged for application of vibration isolation to new buildings

Vibrations et chocs mécaniques — Systèmes de montage résilients —

.néc. tions teci atoire aux bu Partie 3: Informations techniques à échanger pour l'application d'isolation vibratoire aux bâtiments neufs

Reference number ISO 2017-3:2015(E)



© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Page

Contents

Forev	vord	iv
Intro	duction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Purpose of vibration isolation (why isolate mechanical systems)	2
5	What is to be isolated	3
6	Applicability of vibration isolation (when to isolate structures or mechanical systems)	3
7	Measurement and evaluation of vibration conditions (how to isolate)	
8	Information for the choice of an isolation mounting system	
9	Information to be supplied by the owner of the project9.19.2Sensitive equipment	4 4
10	Information to be provided by the supplier of the isolation system 10.1 Performance of isolation system 10.2 Physical data of the isolation system 10.3 Dynamic behaviour 10.4 Durability 10.5 Environmental data 10.6 Maintenance data	5 5 5 6 6
11	Validation of isolation performance	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 108, *Mechanical vibration, shock and condition monitoring*.

ISO 2017 consists of the following parts, under the general title *Mechanical vibration and shock* — *Resilient mounting systems*:

- Part 1: Technical information to be exchanged for the application of isolation systems
- Part 2: Technical information to be exchanged for the application of vibration isolation associated with railway systems
- Part 3: Technical information to be exchanged for application of vibration isolation to new buildings

Introduction

Some suppliers of shock and vibration isolators (resilient mounts) have experience covering a wide variety of applications. In most instances, they are willing to use their background information for solving the user's isolation problems. However, it is frequently difficult for the supplier to provide this service, because the customer, the user, or the producer of vibration source or receiver has not furnished sufficient information regarding the application.

On the other hand, the user (architect and construction operator) is sometimes handicapped in applying isolators properly because sufficient technical information is not furnished by the supplier. Consequently, the user will often conduct his own experimental evaluation of the isolator and may unknowingly duplicate work already carried out by the supplier.

This part of ISO 2017 is intended to serve as guide for the exchange of technical information regarding the application for vibrations and shocks isolation of buildings, between the customer and the supplier of resilient devices as required for their proper application.

For the purposes of this part of ISO 2017, a resilient device is defined as a flexible element or system used between the building and its supporting structure to attenuate the transmission of shock or vibration from the surrounding sources to the building.

st rees.

this document is a preview demendence of the document is a preview demendence of the document of the document

Mechanical vibration and shock — Resilient mounting systems —

Part 3: Technical information to be exchanged for application of vibration isolation to new buildings

1 Scope

This part of ISO 2017 establishes requirements to ensure appropriate exchange of information regarding the application of isolation of buildings from vibrations and shocks generated by man-made sources.

This part of ISO 2017 is applicable only during the design and construction of new buildings in areas affected by important vibrations which can be generated by single or multiple sources (railways, traffic, industrial activity, etc.) The isolation of these buildings serves to ensure the integrity of the structure and equipment inside (including sensitive equipment) and human comfort.

This part of ISO 2017 specifies the information to be exchanged between building owner, customer, and vibration isolation supplier. It gives appropriate responses to questions highlighted by the producer and user (why, what, when, and how to isolate mechanical systems).

This part of ISO 2017 does not include earthquake and wind-generated forces.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2041, Mechanical vibration, shock and condition monitoring --- Vocabulary

ISO 2631-2, Mechanical vibration and shock — Evaluation of human exposure to whole-body vibration — Part 2: Vibration in buildings (1 Hz to 80 Hz)

ISO 4866, Mechanical vibration and shock — Vibration of fixed structures — Guidelines for the measurement of vibrations and evaluation of their effects on structures

ISO 7626-1, Vibration and shock — Experimental determination of mechanical mobility — Part 1: Basic terms and definitions and transducer specification

ISO 9688, Mechanical vibration and shock — Analytical methods of assessing shock resistance of mechanical systems — Information exchange between suppliers and users of analyses

ISO 10815, Mechanical vibration — Measurement of vibration generated internally in railway tunnels by the passage of trains

ISO 10846-1, Acoustics and vibration — Laboratory measurement of vibro-acoustic transfer properties of resilient elements — Part 1: Principles and guidelines

ISO 14837-1, Mechanical vibration — Ground-borne noise and vibration arising from rail systems — Part 1: General guidance